

Leeds-Infirmary 5 MEDICAL-LIBRAR YE 595 Entered Novemb 18th 5 178.5 8 34 Allowed for reading? Weeks がたい Days r¥ the first Year. -After the first Year 30 2X かん Forfeiture per Day for keeping { it beyond the Time. d. 1 28 *

LEEDS UNIVERSITY LIBRARY

Classmark:

Special Collections

Health Sciences Historical Collection

SC2 PEA





OBSERVATIONS

A N D

EXPERIMENTS

For invefligating the

4

CHYMICAL HISTORY

OF THE

Tepid SPRINGS of BUXTON;

TOGETHER WITH

An Account of fome newly-difcovered, or little known Properties of Subfrances relating to feveral Branches of CHYMISTRY, and ANIMAL and VEGETABLE LIFE;

TO WHICH ARE PREFIXED,

A CHRONOLOGICAL RELATION OF THE USE OF BUXTON-WATER FROM THE EARLIEST RECORDS TO THE PRE-SENT TIME, SKETCHES OF A HISTORY OF THE ATMO-SPHERE OF THE PEAKE, AND OF THE EXTERNAL FORM AND INTERNAL STRUCTURE OF THE MOUNTAINOUS REGIONS OF DERBYSHIRE:

INTENDED FOR THE

Improvement of Natural SCIENCE and the Art of PHYSIC;

In TWO VOLUMES.	Contraction of the second
VOL. II.	Carlo Carlo
BY GEORGE PEARSON,	M.D.

LONDON:

PRINTED FOR J. JOHNSON, ST. PAUL'S CHURCH-YARD.

MDCCLXXXIV.

Digitized by the Internet Archive in 2015

1 1 7 1 7 1 . V

https://archive.org/details/b21504313_0002

VOL. I.

Preface

Page v

PART I.

SECTION I. A Chronological Account of the Use of BUXTON-WATER from the earliest Records to the present Time — I
SECT. II. Grounds on which Buxton-Water has been hitherto applied in Diseases I3
SECT. III. A Plan for the Investigation of the Medicinal Properties of BUXTON-WATER ______24
SECT. IV. Plan of the present Work 32
SECT. V. Of the external Form of the moun-

tainous Regions of Derbyshire - 34

SECT.

a,

SECT. VI. Of the internal Structure and Substances of the mountainous Regions of Derbyshire 43

SECT. VII. Of the Properties of the Atmosphere of the Peake of Derbyshire - 67

> Chap. I. Of the Pressure of the Atmosphere in the Peake of Derbyshire 68

> Chap. II. Of the Temperature of the Atmosphere of the Peake _____ 69

> Chap. III. Of the Kind, and Quantity of Substances COMBINED with the Air of the Atmosphere _____ 76

> Chap. IV. Of the Kind and Quantity of Substances contained therein in a State of DIFFUSION and MIXTURE – 106

Chap. V. The Quantity, Frequency and Form of Water passing through it to the Surface of the Earth 130 Chap. VI. The Motion of the Atmo-Sphere 134

PART

PART II.

HISTORY OF THE CHYMICAL QUALITIES OF THE TEPID WATERS OF BUXTON.

SECT. I. Of the Properties of the tepid Waters of Buxton, that are discovered immediately by the external Senses; and of their Temperature and specific Gravity, as they appear experimentally. To which is premised, a Description of the external Form of the Country, and of the Structure and Contents of the Earth at and environing Buxton; also various Particulars relating to the Number and Situation of these Springs 139

SECT. II. Experiments to Shew, by Means of MIXTURE of Substances with the tepid Water of Buxton, whether any or what Things are contained therein — 173

SECT. III. Experiments to discover, by Means of HEAT, the Properties of Buxton-Water — — 231

VOL.

VOL. II.

PÁRT ÍII.

Experiments and Observations on the permanent Vapour that arises spontaneously from the tepid Springs of Buxton;

To which are prefixed,

An Account of the received Opinions concerning the Nature of the volatile Part of medicated Waters; and a Narrative of the Discovery of the Error in the received Opinion concerning this permanent Vapour of BUXTON-WATER — Page 1

SECT. I. Concerning the Occasion of the peculiar chymical Properties of Buxton tepid Springs 165 SECT. II. Conclusion of this Work 199

Additional Observations - 213 Index.

OBSER-

Vol. I. Page 52, Line 5, for contains, read, contain.

P. 70, 1. 29, for mild, fine, and very warm, read, fine and temperate.

P. 72, 1. 2, for, commonly many Vegetables produced in Gardens, read, many Vegetables produced commonly in Gardens.

P. 115, l. 2, for, Exper. XLI. XLII. of this Work, read, Exper. XLV. XLVI. p. 149, Vol. II.

P. 131, l. 17, for, 144, read, 124.

P. 140, l. 14, dele Comma after Grit-Stone.

P. 144, l. 3, add after Buxton, or to Speak more accurately, the Streams of the fubterraneous tepid Springs.

Ibid. 1. 8. for, Manner described p. 9, read, Manner as described, p. 11, 12. P. 172, l. 16, add a Comma after much lefs.

P. 176, l. 24, dele Comma after Gas.

P. 179, l. 8, add a Comma after Lectures.

P. 180, l. 15, dele Comma after left.

P. 196, 1. 30, --- Mixture. P. 207, 1. 30, --- Comma after Acid. P. 208, 1. 25, for 30, read 15.

P. 216, Note (a), 1. 1, dele Comma after Cavallo and Priestley.

Ibid. 1. 3, dele Comma after Gas.

Ibid. 1. 3, for does, read did. Ibid. 1. 8, for, decomposed Soap impregnated with Gas, read, impregnated with Gas decomposed Soap. P. 250, l. 3. for one Measure, read, two Measures.

Ibid. 1. 20, for one Measure, read, four Measures.

P. 253, 1. 18, for is, read, are.

Ibid. 1. 23, for its, read, their.

P. 272, I. 8, for Measuers, read, Measures.

P. 307, 1. 23, note (m), for a Drachm, read, 100 Grains.

P. 310, 1. 17, dele Exclusive of the Quantity contained in calcareous Earth in the Heat of boiling Water.

Vol. 11. P. 21, 1. 5, for confidentially, read, confidently.

P. 56, l. 11, for one, read, one Ounce.


P. 96, 1. 16, for thirty-fixth's, read, thirty-fixths.

P. 146, l. 27, for Cyathi, read, Cyani. P. 177, l. 14, for only and firft, read, first and only. P. 179, l. 29, for avas, read, avere,

P. 184, 1. 3, for, which is less than one two bundred and fixty thousand million, read, rubich is lefs than one truo thousand fix hundred millionth.

P. 185, 1. 6, for alfo, read likewife.

P. 198, 1. 26, for which are, read, which werc.



PART III.

CONTAINING

EXPERIMENTS and **OBSERVATIONS**

ON THE

Permanent Vapour that arifes fpontaneoufly

FROM THE

TEPID SPRINGS OF BUXTON.

To which are prefixed,

An Account of the received Opinions concerning the Nature of the volatile Part of medicated Waters;

AND

A Narrative of the Discovery of the Error in the received Opinion concerning the Nature of this permanent Vapour of BUXTON-WATER.

THE apparently permanent Vapour, that arifes fpontaneoufly from the tepid Waters of Buxton, in Form of Bubbles, defcribed Vol. I. p. 152, 153, is a Property too obvious to efcape the Notice of the most careless Observer. Accordingly, Dr. Short repeatedly mentions this Appearance in these Springs more than 50 Years ago; but, making no Observations or Experi-Vol. II. B ments

ments to discover the Properties of the Matter composing the Bubbles, he concluded it was 'Air; a Matter which will appear no wife furprizing when we confider the State of natural Hiftory in his Time, for this was the only Substance which was then known to produce that Appearance. And as this Water had medicinal Effects not to be accounted for from an Impregnation with any other Substance, they were referred to this Air, as it was termed, and to a sulphureous Halitus, or a most subtile and impalpable Sulphur, in a mineral Steam, Vapour, or Spirit, that was conjectured to be contained in this Water; but whether as a Part of the Air or Subftance composing the Bubbles, or as a separate Vapour, is not clear from this Author's Defcription.

As natural Hiftory improved, it was difcovered, that Air was not the only Species of Subftance in Nature that was a permanent Vapour, and might enter into the Composition and exhibit this Appearance of Bubbles in Water; and by this Impregnation, render Springs medicinal. For Dr. Brownrigg conjectured, that the fubterraneous Vapours called Damps, and mineral mephitic Exhalations, probably impregnated Waters whose medicinal Powers were referable to, or the Efficacy of which refided in, a certain fubtile and volatile Principle denominated Spirit. This Conjecture was fuggested by the Confideration, that that these fubterraneous Vapours were known to produce great Effects on human Health and Life. And the ingenious Propofer of this Supposition was actually believed to have demonstrated one of these fubterraneous Vapours or Damps in the Pyrmont and Spaw-Waters; because he obtained from these Springs a permanent Vapour that suffocated Animals, and extinguished Flame; and which, therefore, was concluded to be the fame Substance as the Choke-Damp of the English Miners (a), on which depend the acidulous Tafte, fparkling Appearance, and medicinal Qualities of thefe Springs; and which was also believed to be the fame Substance as the Mephitis (b) of the Ancients, or Mofette of the modern Italians, and the well-known Gas Sylvestre of Van Helmont; one Species of which, was a permanent Vapour arising during the vinous Fermentation.

The illustrious Professor of Chymistry at Edinburgh, afterwards demonstrated (c) by the most decisive and accurate Experiments, that calca-

(a) Phil. Trans. Vol. LV. p. 236. and Vol. LXIV. P. ii. P. 359.

(b) ——— Lucofque fubalta

Confulit Albunea; nemorum quæ maxima facro Fonte fonat, fævámque exhalat opaca Mephitim.

VIRG. ÆN. Lib. VII.

(c) Estays and Observations physical and literary of Edin. Vol. II. Article viii. p. 172.

reous

reous Earth was composed of Quicklime and a Substance that he named *fixed Air*; and that Quicklime might be reftored to the State of calcareous Earth by combining it with this Substance.

It was shewn soon after this Discovery, that Fixed Air, of late more properly called Gas, the Appellation beftowed on it by the Perfon who first difcovered it, separated from calcareous Earth, was a permanent Vapour :- that it extinguished Flame, and also animal Life, either by its fedative Power upon the nervous System, or by its ftimulant Quality when applied to the Lungs :--that it precipitated Lime from Lime-Water by uniting with the Quicklime diffolved therein : -that it combined with Water, rendered it acidulous, and gave it a fparkling Appearance : with Water, to Lime-Water, it rendered it milky; ' which on ftanding, deposited Sediment, supposed to confift of the Quicklime reftored to the State of calcareous Earth by its Combination with Gas.

Thefe Properties of Gas being difcovered, it was affirmed, and feemingly on good Grounds, that the volatile medicinal Subfrance, contained in the *Acidulæ* in general, and the Springs of Spaw and Pyrmont-Water in particular, was that permanent Vapour which is a conftituent or elementary Part of calcareous Earth. Phyficians, however,

however, were not content with accounting for the particular chymical Properties and medicinal Effects of the Acidulæ on the Principle of Gas, but they unwarrantably concluded, that all medicinal Springs containing a volatile Principle, real or fictitious, that was apt to escape on Exposure to the Atmosphere, owed their Virtues in the Cure of Diseases to Gas. Nay, so general was the Opinion that the Efficacy of a medicinal Spring refided in this permanent Vapour, that on no better Grounds than a Head-ach or Giddiness, or that Degree of Intoxication which is often the Confequence of drinking Spring-Water, and its precipitating Lime from Lime-Water, it was pronounced, that fuch a Water was poffeft of its particular Power in Difeases, in Consequence of the Gas contained therein; especially if it did not appear to be impregnated with any folid Subftances which might account for its medicinal Effects.

It is hardly neceffary to obferve, that fuch an Opinion was very ill-founded, becaufe it was not demonstrated that the volatile Subfrance abovementioned was Gas, or even that it did exist in the Water; and that a Head-ach or Giddinefs were peculiar Effects of this permanent Vapour impregnating Water; or, admitting the Precipitation with Lime-Water to be occasioned by Gas, that this Subfrance was in Quantity fufficient to justify the Conclusion. It was owing, most pro-B 3 bably, bably, to the Influence of this prevailing Opinion, that many ingenious and learned Writers have been led into the Error of referring the principal medical Properties of *Bath warm Waters* (d), and

(d) Dr. Falconer on Bath-Waters, Vol. I. Ch. iv. p. 322, 324, 328.

The Evidences of Gas in these Waters on which this celebrated Author grounds his Application and Explanation of the Effects of *Batb-Waters* are related p. 228. " This (viz. fixible Air) is discoverable by the sparking Appearance, pungent Taste and Smell, and intoxicating Effects of the Waters that contain it; they likewise precipitate Lime from Lime-Water on Admixture with the latter, and corrode and even discoverable from the states of the Air. The Air likewise conveyed from these Waters by a bended Tube on the Surface of a Quantity of Lime-Water will precipitate the Lime from it."

The only decifive or peculiar Property here related of Gas is its Effects on Lime-Water, and its lofing the Power of producing this Effect by Exposure to the Atmosphere. But as there are few Springs that do not precipitate Lime from Lime-Water, and as merely a Film was produced by the Steam of fresh drawn Bath-Water, conveyed to Lime-Water, which happens on mere Exposure of Lime-Water to the Atmosphere, these Effects are not Proofs of a Quantity of this permanent Vapour greater than in ordinary Springs. I wish the ingenious Author would repeat the Experiment of mixing Lime-Water with Bath-Water that has been fome Time exposed to the Atmosphere, for it is very extraordinary that this Water should part with its Gas by mere Exposure to the Atmosphere, fo as no longer to precipitate Lime in Lime-Water becaufe it is chymically combined with the Water, and fince Dr. Prieftley found it required a boiling Heat for feveral Hours to expel this permanent

and Matlock and Buxton tepid Springs, to Gas (e), as well as of many other medicated Waters.

The

manent Vapour from Bath-Water. But if these Remarks be not fufficient to convince the Reader that the Efficacy of Bath-Water was erroneously referred to Gas, the following Experiment-affords a convincing Proof of this Mistake .---From a Pint of Bath-Water, by boiling four Hours, Dr. Priestley obtained Air which was about one-thirtieth of the Bulk of the Water, and about one-half of it was Gas. The Refiduum appeared by the 'Teft of nitrous Air to be rather better than Air in which a Candle had burned out.

On this Experiment this Philosopher founded the following Opinion, to which I beg Leave to fubfcribe. " The Quantity of fixed Air, that appears by this Experiment to be contained in the Bath-Waters, is fo very fmall, that I think it very improbable that their Virtues should be at all owing to it. Few Spring-Waters, I believe, contain much less fixed Air, and many I know, which have no medicinal Virtue at all. contain more. The Pump-Water belonging to the House in which I now live contains about one-fourteenth of its Bulk of fixed Air, and it may be feen in my former Volume, page160, that my Pump-Water at Leeds contained about one-fiftieth of its Bulk of Air of the very fame Composition as the Air of the Bath-Waters, viz. half of it fixed Air, and half common Air a little phlogifticated ; fo as to be in about the fame State as Air in which a Candle had burned out."-Exper. and Obf. Vol. II. p. 223.

(e) Dr. Percival, fee Vol. I. of Dr. Prieftley's Exper. and Obf. on different Kinds of Air, fays: " In a Course of Experiments, which is yet unfinished, I have had frequent Opportunities of obferving, that fixed Air may in no inconfiderable Quantity be breathed without Danger or Uneafinefs. And it is a Confirmation of this Conclusion that at Bath where the Waters copioufly exhale this mineral Spirit the Batheré

The Negligence of Phyficians to inveftigate the Grounds on which they practifed was the more reprehensible, on Account of the Instruction they might have obtained, from the Addition which in modern Times has been made to the Stock of natural Hiftory, in particular to the History of permanent Vapours; by which it was thewn, that there were feveral other permanent Vapours produced by Art, and probably exifted in Nature, befides Air, Gas, and the Fire-Damp of the Miners, or Oil of Metals of the Chymifts; and that of all these Substances not one could be applied to the Lungs of Animals without fuffocating them, or was capable of fupporting Flame or Inflammation, excepting Air. Therefore, although the Conclusion of that fagacious Obferver, who first exhibited in a separate State (f)the

Bathers infpire it with Impunity; at Buxton also where the Bath is in a close Vault the Effects of such Effluria if noxious must certainly be perceived."

(f) It is probable we are indebted to Dr. Brownrigg for being a principal Means of rectifying the Error of Sir Ifaac Newton, Boyle, and Hales, who had met with feveral Species of permanent Vapour lately demonstrated, yet did not diftinguish them from Air; but supposed their not supporting animal Life and Flame was owing to something mixed with Air, as an extraneous Matter, and not that they were Substances as distinct from Air as Oil from Water, or any two Substances in Nature. As a Justification of this Remark I shall cite the following Paragraph from Dr. Hales's excellent Works. "As to the noxious Quality of these factitious Airs,

15

the volatile Spirit of Springs, and fhewed that Air was not the only permanent Vapour in Nature, was, confidering the limited Power of the beft Exertions of the human Mind, as just as could be expected when he advanced, that as the permanent Vapour of Spaw-Water fuffocated Animals, and extinguished Flame, it was the fame Subftance as the Choke-Damp in Mines, and mephitic Exhalations of certain Caverns, Fiffures of the Earth, and Lakes; yet after fo many Properties of Gas alone, and of this Substance combined and mixed with Water, had been difcovered; and Dr. Rutherford (g), Dr. Priestley, and fome

Airs, whether they are made by Fermentation, Effervescence, or Diffillation, there cannot reafonably be an Objection against their being true Air; because it is well known that common Air is frequently alfo impregnated with most noxious and deadly Vapours. That the Flames which afcend up in the Air from fermenting Wines are very pernicious, those alfo from burning Brimftone are most deadly, and fuch Mr. Hawksbee found the common Air which passed through heated Iron and Brass Tubes; but the Air which paffed through heated Glafs Tubes was not noxious; an Argument that the Vapours which arife from the Iron and Brafs were noxious and not the hot Air." In these Experiments Dr. Hales produced feveral diffinct Species of permanent Vapour diffinguished now-a-days, and termed Gas, phlogifticated Air or Compound of Air and Phlogiston, Gas Sylvestre, and perhaps others.

(g) Aër falubris & purus Refpiratione Animali non modo ex Parte fit Mephiticus fed aliam Indolis fuæ mutationem fingularem inde patitur. Postquam enim omnis Aër Mephii... fome others, had clearly diftinguished Gas from another Species of permanent Vapour, called *pblogisticated Air*; a Substance formed, or supposed to be formed, by the Union of Phlogiston with Air; which two Substances had been for some Time before not apprehended to be different Things; and that from the natural History of the Earth, we might have expected to meet with Air united with Phlogiston much more frequently than with Gas; I fay, was it not supposed for the the expectation of the phoses of the second se

ticus ex eo, ope Lixivii Caustici, fecretus & abductus fuerit, qui tamen restat nullo modo falubrior inde evadit, nam quamvis nullam ex Aqua Calcis Precipitationem faciat, haud minus quam antea & Flammam, & Vitam extinguit

— — Siculi Vita Animalium à libero aëris ufu pendet, ita hic omnino neceffarius est ad Flammam Ignemque alendum. Sed nec Minus ab Igne, quam à Respiratione transmutatur in Indolem utrique Usui ineptam & contrariam. Et quoniam effectus prorsus similes sunt, quæ prius de Respiratione protuli de Inflammatione repeti queant.

After observing that the Gas found in Receivers of Air in which Animals have died, or Substances burnt, is rather ex tricated from the Vessels of the Animal by breathing, and from the inflammable Body by burning, than is a Substance formed by Respiration or Combustion, from the Phenomena of the Inflammation of Phosphorus and Calcination of Metals in Receivers of Air the Conclusion is this: That the Air in the Receivers after Inflammation and Respiration is atmospheric Air united to, or, as it, were, faturated with Phlogiston.— See Differtatio Inauguralis de Aëre fixo dielo aut Mephitico. Edinburgh, 1772.

led

led to enquire, whether the Compound of Air and Phlogiston impregnated Springs more frequently, or as often as Gas. Had this Idea been as generally entertained as the Opinion that the volatile Part of medicinal Waters was Gas, the Nature of that Vapour which arifes spontaneously from Bath warm Springs had not been mistaken for Gas (b); and before this Time, Physicians would have

(b) Doctor Priestley, with his accustomed Sagacity, detected a few Years ago the Error concerning the Nature of a Vapour with which the warm Waters of Bath abound. This Philosopher, speaking of Bath-Water in the second Vol. of his Exp. and Obf. on Air, p. 224, fays, " befides the Air contained in the Bath-Water there is a confiderable Quantity of Air continually bubbling up from almost every Part of the Soil through the Water in the Bath. When I was about to examine this Air, Dr. Falconer informed me that it had been done already by Dr. Nooth, and that an Account of his Experiments was inferted in the fecond Volume of his Treatife on the Bath-Waters : " At the Place where the Springs rife in the Baths numerous Bubbles of Air are obferved to afcend along with them. A Quantity of Air of this Kind was collected at the King's Bath by inverting a Glafs and holding it over the Bubbles as they role and then conveying it in an inverted Bottle, which when full was carefully corked up and carried away. The Air thus obtained answered in every Respect to fixible Air precipitating Lime in Lime-Waters, and having every other Quality which that Substance posses."-Falconer on Bath-Waters.

" Being informed of this I thought it unneceffary to repeat the Experiment, but finding upon Enquiry that " Dr. Nooth had not examined what Proportion the Refiduum of the fixed Air bore to the Whole, or of what Qua-" lity have founded their Opinions of the Nature of the permanent Vapour that efcapes of its own Accord from the tepid Springs of Buxton, on Obfervations and Experiments made to determine its Properties.

Since Dr. Prieftley detected a few Years ago what he calls *phlogifticated Air* in *Pump-Water* and in the warm Springs at *Bath*, a permanent Vapour which was unfit for Refpiration and Inflammation, a Subftance probably poffeffing thefe negative Properties has been found in finall Quantity by another Author in Scarborough-

" lity that Refiduum was, though he fpeaks of the Whole as containing every Quality of fixed Air, I thought it would not be amifs as I was upon the Spot to make the Trial myfelf. Accordingly I took about a Pint of that Air in nearly the fame Manner that Dr. Nooth had done, and found upon Examination that only about one-twentieth of its Bulk was fixed Air precipitating Lime in Lime-Water and being readily abforbed by Water. The reft extinguifhed a Candle, and was fo far phlogifticated that two Meafures of it and one of nitrous Air occupied the Space of $2 \frac{19}{26}$ of a Meafure, that is, it was almost perfectly noxious."

It is very extraordinary that this permanent Vapour, called *phlogifticated Air*, of Bath-Water fhould have efcaped the Notice of Dr. Higgins who does not mention this Substance in his Analyfis of this Water published May 30, 1780.

The permanent Vapours found by this Gentleman in a Winchefter Gallon of *Bath-Water* were, 12 Ounce Meafures of acidulous Gas, (fixed Air) beyond the Quantity retained by the calcareous Earth in the Heat of boiling Water, and two Ounce Meafures of atmospheric Air.

Water

Water and Sea-Water (i); fo that it is now hoped Obfervers will direct their Enquiries to other permanent Vapours in Springs that are not refpirable as well as to Gas, which has hitherto almost entirely occupied their Attention.

I do not pretend that I entertained a Conjecture excited by any Part of natural Hiftory already known, or in particular by the Detection of the Error difcovered in the Opinion of the Kind of Vapour that spontaneously escapes from Bath-Water, that Spring-Waters in general were as often impregnated with the Compound of Air and Phlogiston, or other permanent Vapours incapable of ferving for Refpiration, as Gas; and therefore was led to examine more particularly the Evidences of the univerfal Belief, that the apparently permanent Vapour that rifes of its own Accord from Buxton-Water, p. 152, 153, Vol. I. was Gas; for fuch was my Ignorance and want of Sagacity, that during a Refidence of two or three Weeks at Buxton the latter End of the Summer 1781, although I was employed in Observation, I did not entertain a Sufpicion of the Truth of the prevailing Opinion concerning the efficacious Substance and volatile Part of these tepid Springs. I did not then know of any permanent Vapour excepting Gas of Effi-

(i) According to Dr. Higgins a Winchester Gallon of Scarborough-Water contains about four Ounce Measures of phlogisticated Air, and the same Quantity of Sea-Water contains about one Ounce Measure of this permanent Vapour.

cacy in Waters in general; and, my Attention being almost wholly employed in learning the medicinal Effects of these Springs by immersing healthy Bodies therein, I did not queffion the Evidences given, that Gas was the efficacious Matter in Buxton-Water. These Proofs were, the Abundance of Bubbles in the Bath; the Giddinefs or Head-Ach fo commonly occafioned by drinking it; its precipitating Lime from Lime-Water; its Deposition of calcareous Earth during boiling; and the Want of any other Impregnation to account for its Effects, together with the Information I received, that the Bubbles which feparate themfelves from the Bath had been collected by more than one Perfon, and had been indubitably fhown to be Portions of Gas; in as much as, among other Effects of which I could procure no authentic Account, they stifled Animals and extinguished Flame. It was the Event of fome Experiments in the Course of the Winter following, particularly the Difcovery of the Mistake in the Occasion affigned for the Precipitation of Earth in boiling Water; and that to the Teft of Lime-Water a Parcel of Buxton-Water, which had been fo preferved as to prevent any Gas from escaping, contained lefs Gas than common Pump-Water; that induced me to queftion the Foundation of the Opinion univerfally affented to concerning the Nature of the permanent Vapour that arifes of itfelf from Buxton-Water.

Water. The Judgment I formed was, that the above were but equivocal Proofs of the Truth of the received Opinion. The Reflection that this Water had not the leaft acidulous Tafte, which muft have been the Cafe had this Water been highly impregnated with Gas (becaufe before Gas can feparate itfelf fpontaneoufly from Springs they muft be fo fully faturated therewith as not to diffolve, or retain in a State of Mixture any additional Portion of this Subftance) was a fingle but pofitive Proof that the permanent Vapour which efcapes fpontaneoufly from Buxton-Water was not Gas.

By these Confiderations my Curiofity became fo far excited as to induce me to make an Excursion the Beginning of February 1782, in Order to learn, whether the Bubbles that escaped in such Abundance from the Bath at Buxton were Gas, according to the received Opinion.

I communicated on my Arrival at Buxton the Intention of my Vifit to Mr. Buxton, the fenfible and worthy Surgeon and Apothecary of that Place, who with his ufual Readinefs and Politenefs lent me his Affiftance; without which I could not have accomplifhed the Object of my Expedition. This Gentleman however, previoufly to any Experiment, told me the Subftance I was about to examine had been repeatedly tried, and that it had been declared univerfally, there was no Room for harbouring a Doubt of its being Gas.

4

Before relating my Experiments I shall observe, that a Tube filled to a certain Height with the Bubbles of Buxton Bath-Water while the open End of it was just below the Surface of the Bath, being immerged deeper in the Bath the Water rofe within it in Proportion to the Depth to which it was immersed, and descended to the same Place as before Immerfien upon raifing this Inftrument fo that the open F.nd was only just below the Surface of the Water. Alfo, when the Tube was filled to a certain Mark with these Bubbles of Vapour, upon stopping the open End fo that Part of the Finger was pushed within the Tube, the Water rofe above the Mark; and upon withdrawing the Finger while the Inftrument remained in the fame Depth of Water, the Water within it defcended to the Mark as before; from which I inferred, that these Bubbles were a compressible, elastic Substance. As it also preferved its Form of Vapour after Exposure to the Atmosphere in very cold Weather, by which it was contracted in its Dimenfions, it was concluded be a permanent Vapour.

Exper. I. Having collected, in the manner hereafter mentioned, about a Pint Jar quite full of the Bubbles that arife fpontaneoufly from Buxton-Water, p. 24, and fet it to ftand inverted in a wafh Bafin brimfull of Water, it was drawn over the Edge of this Veffel fo as to admit the Introduction of a lighted Wax-Taper. The Flame of this Subftance ftance was extinguished the Instant it was received within this inverted Jar filled with these Bubbles; but upon being introduced within this Jar filled with common Air, under this Circumstance, it continued to flame for several Seconds of Time. This Experiment was repeated several Times with the fame Event.

The above Experiment proved, that the Matter of these Bubbles is not either wholly, or in Part, Air.

Exper. II. To two Meafures of thefe Bubbles was conveyed one Meafure of nitrous Gas, in the ufual Manner, through a Quantity of Water, and agitated in a Phial; no apparent Diminution of Bulk, turbid Appearance, or Colour were produced by this Mixture; nor did the Mixture meafure lefs than three Meafures, if the Temperature and Preffure upon the Mixture when meafured was the fame as the Heat and Preffure to which the two Subftances were expofed feparately before they were mixt together. The fame Event, or nearly the fame, followed a Repetition of this Experiment; there being always rather more or fomewhat lefs than, or precifely three Meafures of Mixture.

This Experiment fhowed, that this permanent Vapour did not contain any Air, according to the Teft here employed, and further, that it is wholly unfit for Refpiration; becaufe no permanent Vapour is at all capable of fupporting Life that does Vol. II. C not not diminish more or less on Mixture with nitrous Gas.

There being no Diminution in Bulk of the permanent Vapour in transferring it through Water in this Experiment, is a Circumstance which also affords a very probable Argument that it is not Gas.

Exper. III. A Phial was filled quite full of thefe Bubbles, and conveyed well corked into a large Bafin of common Pump-Water, in which while in an inverted Polition the Cork was withdrawn. This Bottle was agitated fome Time in the Water; by which Means Water rofe rather above the Neck of the Phial, but no higher even after ftanding a whole Night.

A Phial filled with Gas feparated from calcareous Earth by Marine Acid, treated in the above Manner in lefs than an Hour was nearly full of Water. Alfo a Phial filled with Gas was inverted in the Bath and there agitated, by which Means it was foon filled with Water.

From this Experiment it may be inferred, that this permanent Vapour of Buxton-Water is not either wholly or in Part, Gas; for the Diminution of Bulk that appeared by the rifing of Water rather above the Neck of the Bottle was occafioned by the Contraction enfuing upon removing a Phial of warm permanent Vapour into a colder Medium than before.

The fpeedy Combination of Buxton-Bath-Water with the Gas in the inverted Phial fnews, that BuxtonBuxton-Bath either contains no Gas, or that it is not faturated with this Substance; therefore the Vapour which efcapes from it in the Form of Bubbles is not Gas.

Exper. IV. A Phial immediately after being filled with the Bubbles that arife fpontaneoufly from this tepid Spring, was inverted in a Bafin of Lime-Water of the Temperature of 56°. Water rofe within this Phial in about the fame Quantity as in the former Experiment, and advanced but a very little higher after agitating the Phial and leaving it to ftand inverted in Lime-Water a whole Night.

A Phial, of the fame Size as the former, filled with Gas, procured by decomposing Chalk, was agitated in an inverted Position in a Basin of *Lime-Water*; by which Means in a few Minutes the Bottle was almost entirely filled with a milky Fluid.

I make the fame Conclusion from this as from the last Experiment. No Difference in the Refult of it has occurred on repeated Trials, excepting what was occasioned by the Expansion or Contraction of the Bulk of this permanent Vapour of Buxton-Water by the different Temperatures of Lime-Water into which it was conveyed; and by the Difference of Preffure to which it was exposed.

Mr. Buxton who was prefent during these four Experiments, acknowledged they convinced him that the Opinion that this permanent Vapour was Gas was erroneous.

Having fatisfied myfelf that this permanent Vapour of Buxton-Water was not Gas, inflamma-

C 2

ble

ble Vapour, or Air, I propofed to inveftigate its other Properties on future Occafions. I therefore contented myfelf during this Vifit, with procuring feveral Quart Bottles full of this Subftance. It was prevented from communicating with the Atmosphere by a fmall Quantity of Water left within the Neck of each Bottle between the Cork and the included Vapour, by tying wet Bladders over the Corks, and preferving the Bottles inverted.

After this Time I found that a permanent Vapour, which had been miftaken for Gas, arifes spontaneously from Bath warm Water, see Notes, p. 11, of this Vol. and possesses feveral of the Proties above-related of this permanent Vapour of Buxton-Water; but so very few of its Qualities have been inveftigated that we can only conclude it is not Gas or inflammable Vapour; whether it be of the fame Kind as this permanent Vapour of Buxton-Water or of a different Species, is to be determined by future Enquiries. This Account, however, afforded me peculiar Satisfaction, because I confidered it to be a Sort of Test of the Truth of my own Observations. Hence, although to the best of my Knowledge I was the first Person that suspected and shewed by Experiments, that the permanent Vapour which parts of itself from the tepid Water of Buxton was not Gas, I have no Pretensions to being the first who discovered, probably, if not the fame Substance, certainly 3

certainly a permanent Vapour that was not Gas, or permanent inflammable Vapour in the warm Springs of Bath; which had been, as well as the permanent Vapour of Buxton-Water, confidentially believed to be Gas.

During a Refidence of feveral Weeks at Buxton in August and September 1782, the Summer after I had made the above the Experiments to shew that the permanent Vapour with which Buxton-Water abounds is not Gas, I availed myself particularly of that Opportunity to investigate the chymical History in general of these celebrated medicated Springs. The Refult of this Enquiry, together with my Experiments and Observations in Consequence of my Excursion the preceding Winter, is submitted in this Work to the Consideration and Use of the Public.

I fhall now relate the Progrefs I have made in the Knowledge of the natural Hiftory of the permanent Vapour which extricates itfelf fpontaneoufly from the Bath at Buxton.

Observation. Having attended to the Appearance of the Bath after the Water within it had been entirely let off to the Time of its being filled, a probable Explanation, as I conceived, occurred of the Appearance of the Bubbles as they arife from, and are contained in the Bath. See Vol. I. p. 152, 153.

The Streams or Clusters of Bubbles did not appear when the Bath was nearly empty, except-

C 3

ing

ing in a few Places, and in these in smaller Quantities than when the Bath was full. They not only rose through the Seams of the Pavement, and Fissures in the Rock through which the Springs flow into the Bath, but from various other Vacuities between the Stones of the Pavement through which no Water flows.

These tepid Springs contain a Quantity of the permanent Vapour which forms these Bubbles, merely by Means of Preffure and Adbefion ; either because the Water does not dissolve it, or because the Water is already fo faturated with this or other permanent Vapours or folid Substances, as not to be able to contain any other Vapour of the fame or a different Kind in a State of Solution; but, when the Springs burft through the Surface of the Ground the Preffure of the incumbent Earth is removed, and these Masses of Vapour expanding themfelves exhibit Water with a Quantity of small Particles of Vapour adhering to the Water or to Veffels containing it, or to Substances immersed therein. This Appearance happens, for the fame Reafon, upon withdrawing the Cork from a Bottle of vinous Liquor in a State of Fermentation, as Wine or Beer; which inftantly foams and appears replete with minute Particles of permanent Vapour or Gas Sylvestre; but when corked it was perfectly clear and without a Particle of Matter like Vapour in it.

Under

Under the flat Stones of the Pavement of the Bath are, probably, hollow Places that communicate with the Bath by Cracks between, or in the Seams of this Pavement. As the Bath fills, the Water occupies these hollow Places, and thus permanent Vapour being like other Substances in the Form of Vapour adhesive, Particles of it flick to the under Surface of the hollow Pavement, where they remain until they have collected in fuch Numbers as to attract each other and form larger and larger Maffes. These becoming at length too large to be retained by the Power of Adhefion and incumbent Preffure of the Bath, contrarily to their specific Gravity and Elasticity, burft through the Seams of the Pavement, and pass in Clusters straight upwards to the Surface of the Bath: After a certain Time, this Vapour gathers as before, and the fame Phenomenon is renewed.

The Manner of collecting permanent Vapour that arifes spontaneously from Buxton-Water.

This permanent Vapour may be collected moft conveniently by ftepping into the Bath with a Bottle, of any Size you pleafe, with a Funnel in it that has a wide Top. The Bottle with the Funnel in it are to be immerfed in the Bath fo as to fill them both with Water, and then inverted; taking Care to keep the Mouth of the Bottle immerged below the Surface of the Water.

C 4

A Station

.

A Station must be taken in the Bath near which Bubbles in the greatest Abundance have been observed to rife, and by looking a little attentively on the Floor of the Bath, the Clufters of Bubbles may be perceived to burft from the Nicks or Holes of the Pavement : upon these being seen the inverted Funnel with the Bottle upon it is inftantly to be held directly over them; by which Means they will be received within the Funnel and enter the inverted Bottle ; where, a Bulk of Water will be expelled equal to the Bulk of permanent Vapour that has afcended into the Bottle. The Bulk of a fingle Clufter of these Bubbles is various, being from one Drachm to two or fometimes three Ounce Measures. By a little Practice a Quickness is acquired in perceiving the Bubbles as they burft through the Pavement, and an Expertness in extending the Arm which holds the inverted Bottle and Funnel fo as to catch them. In this Manner a Perfon may collect from about two to five Pint Measures of this permanent Vapour in an Hour, according to his Adroitnefs in the Management of the inverted Bottle and Funnel, and the Width of the Funnel; alfo according to the Difference in the Quantity of the Bubbles difcharged from the Floor of the Bath in equal Times from the fame Parts.

About thirty Quart Measures of the permanent Vapour that escapes spontaneously from Buxton-Water were collected in fourteen Days, by a Perfon fon who ftood an Hour at a Time in the Bath every Day, but who, commonly, held in each Hand a Bottle and inverted Funnel; by which Means near double the Quantity of this Subftance was caught that is ufually collected in the fame Time by only one Bottle and Funnel.

For certain Experiments, or when a finall Quantity of this permanent Vapour is only wanted, it may be collected very readily by merely holding a tumbler Drinking-Glafs inverted in the Bath filled with Water over the Bubbles as they afcend in the Bath, inftead of the inverted Bottle and Funnel.

This permanent Vapour, (which is contained in the Water in minute Maffes by the Preffure and Cohefion of the Water in the Bath, and by the adhefive Property of this Vapour) may be procured by a Tube like a wide Barometer or Eudiometer-Tube, with a Funnel in it, filled with Water, and inverted in the Bath with the open End juft below the Surface thereof: For by this Means the Particles of Vapour will be feen to extricate themfelves from the Water and gradually difplace the Water in the Tube; efpecially if this Tube and Funnel, or the Water of the Bath under it, be agitated.

It was ufual, in order to prevent this permanent Vapour from mixing with the Air of the Atmofphere, to leave a little Water between the permanent Vapour and the Cork, and to preferve the the Bottle inverted; but, I believe, it will be fufficient for this Purpofe to cork the Bottles well with a found Cork and tie them over with a wet Bladder.

It has been shewn, p. 16 of this Vol. that these Bubbles are a compressible Substance. For Want of proper Instruments I could not determine the Spaces occupied under certain Degrees of Pressure, but from some Experiments I should be inclined to think that this Substance is subject to Laws, in this Respect, the same as those of Air. The following Experiment will prove clearly the Property of Compression of this Substance.

Exper. V. A strong Glass Tube one Inch and a half in Diameter, three Quarters of an Inch in Bore, and twenty Inches in Length was filled with Water. Ten Inches of Water within this Tube were then difplaced by the Introduction of this permanent Vapour. A Cork previously found to be exactly the Width of the Bore of the Tube was forced within it while standing inverted in Water, and the Water was observed to rife just as high above the Mark denoting ten Inches of Vapour, as the Length of the Cork pushed within the Tube. The Cork was then preffed with a ftrong Iron Rod, and the Preffure, by this Means, reduced the permanent Vapour from a Column of ten to four Inches in Length; fo that the Vapour was made more than twice as denfe as before.

The

The Heat of the Water in which the Tube ftood, and of the Atmosphere, were 40° of Fahrenheit's Thermometer.

To this Experiment I fhall fubjoin, that this permanent Vapour during Exposure to an intense Degree of Cold, produced by a Mixture of concentrated nitrous Acid in a fluid Form and pounded Ice, preferved its Form of Vapour and fuffered no Alteration, but in its Dimensions.

Although the Degree of Compression to which this permanent Vapour was exposed in this Experiment was by no Means the greatest that might have been employed by proper Instruments, yet it was fufficient to demonstrate that the Compressibility of this Substance was not to be destroyed by considerable Pressure. This Property of Compressibility together with its preserving the Form of Vapour in intense Degrees of Cold authorize us to pronounce that this Substance belongs to the Class of permanent Vapours.

The Effects of great Degrees of Preffure long continued, were not enquired into;—whether like Air it may be kept 16 or 20 Years in a highly condenfed State, as in a Wind-Gun, without lofing its Elafticity.

Observations. Almost every Experiment with this permanent Vapour of Buxton-Water, shewed it to be readily altered in its Bulk by the Difference of the Degrees of Heat to which it was exposed, as well as by Differences of Pressure. If Veffels after being quite filled with this permanent Vapour as defcribed, p. 23 of this Vol. were immediately corked, and after ftanding fome Time in a cool 'Place had' their Corks withdrawn in cold Water or Quickfilver, the Fluid in which the Bottles were uncorked inftantly rufhed up into thofe Veffels containing this permanent Vapour; and upon Expofure to Heat equal to that in which it was collected, namely, about 80°, the Fluid was expelled from thefe Bottles, and the permanent Vapour was of its former Volume.

If thefe Veffels after being filled with this permanent Vapour were not corked but fet to ftand inverted in the Water or Quickfilver when the Atmosphere was colder than the Bath Room; thefe Fluids rofe within the Bottles gradually, but in the fame Quantity only as when these Bottles had been corked immediately after collecting this permanant Vapour, and the Corks withdrawn in these Fluids, and when the Atmosphere was of the fame Temperature as that in which this gradual Diminution has taken Place in open Veffels. This permanent Vapour after this Contraction in its Bulk returned to its former Dimensions on Exposure to the Heat of the Bath-Room.

This Diminution of Bulk fhewn by the rifing of Water or other Fluids under the above Circumstances, 1 fufpect, has been mistaken for *Absorption*, and even confidered as a Proof of a Part of a permanent manent Vapour of this Kind in Bath-Water being Gas.

The Contraction fuffered on exposing this permanent Vapour immediately after collecting it, when it is heated to 75° or 80° of Fahrenheit's Thermometer, by ftanding a few Hours in a temperate Heat or 50° to 60° of Fahrenheit's Thermometer and under a mean Preffure of the Atmofphere, was about one-fiftieth of its Bulk.

A fecond ftriking Inftance, that occurred in the Courfe of my Enquiries, of the Expanfibility of this permanent Vapour was, that when the Hand was applied for any Purpofe to a Florence Flafk about three-fourths full of this Subftance ftanding inverted in Water the Water vifibly defcended in the Flafk, and upon withdrawing the Hand as fenfibly returned till it occupied the fame Space within this Bottle as before. If inftead of a warm Hand, Snow was placed upon the Flafk the Bulk of the included Vapour was diminifhed, for the Water vifibly rofe within it.

On Account of this Property, it was difficult to cork a Flask quite full of this Vapour without expelling a Part of it, for as foon as the Hand was applied, before the Cork could be introduced, Bubbles were expelled through the Water in which the Flask stood inverted.

It was in Contemplation to make fome Experiments with the View of learning the Time in which this and other permanent Vapours received Heat. Heat, as fhewn by their Expansion, and parted with Heat, as shewn by contracting in their Dimensions; but through want of proper Instruments this Design was only very incompletely executed by the following Experiment.

Exper. VI. I took two cylindrical Tubes as exactly as poffible of the fame Bore, which was three-fourths of an Inch; to each of thefe was applied a Tin Scale with Inches and Parts of Inches marked upon it, and made fo as to flide upon them. Thefe Tubes being filled with, and inverted in Water, the permanent Vapour of Buxton-Water was introduced into one, and Air of the Atmosphere into the other, in the Quantity of eight Inches of each according to the Index affixed, while standing inverted the fame Depth in a Veffel of Water; the Heat of which was 40° and the Atmosphere 42°.

The Tubes having flood a fufficient Time, to affume the Temperature of the Water in which they were inverted, were removed into a Veffel of Water heated to 120° ; from which they were carried into a Mixture of Snow, Salt and Water; and then fucceffively placed in Water heated to 40° , 60° , 80° , 100° , 120° , 140° . The Alterations in the Bulk of the Vapours, and the Times in which the Alterations happened in thefe various Temperatures were noted, according as they were declared by the Index,

This

This Experiment was repeated feveral Times, and both the Tubes were alternately used for each of the Vapours on Account of there being fome Difference of the Bore of them in particular Parts.

The Attentions particularly paid in this Experiment, befides noting the Expansions and Contractions, were to Measure the permanent Vapours from the Middle or most concave Point of the Surface of the Waters within the Tubes,—to preferve the Tubes at equal Depths in the Water in which they were inverted,—to take Care that the Tubes were in exactly a perpendicular Position when the Reports were made from the Scale, —and to use Waters from which all the Air had been previously expelled by boiling.

The Refult of this Experiment was, that there was very little Difference in the Contractions and Expansions, and Time in which these happened, with equal Decrements and Increments of Heat; therefore according to this rather inaccurate Experiment, the permanent Vapour of Buxton-Water is fubject to the fame Law with Regard to Expanfion as Air.

The two following Experiments were intended to difcover in a general Way the *Specific Gravity* of this permanent Vapour of Buxton-Water.

If this Substance be specifically heavier than common Air, under equal Circumstances of Heat, Pressure, and Purity, it may be naturally expect-

ed,

ed, that it will form a Stratum immediately over the Bath; becaufe the Air of the Bath-Room is nearly of the fame Temperature as that of this permanent Vapour of the Bath which is about 81° , provided it has no chymical Attraction for the Air of the Atmosphere or by Motion it be not diffufed therein; in the fame Manner as a Stratum of Gas Sylvestre (m) is frequently found over open Vessels containing Liquors in a State of vinous Fermentation, and of Gas over certain Springs of the acidulous Kind (n) exposed to the Atmosphere.

Exper.

(m) It is well known that if a lighted Candle be held near the Surface of a Vat of fermenting Liquor it will be extinguifhed, or if an Animal it will be fuffocated. Inftances frequently occur of People who unwarily exposing themfelves to the Action of this Vapour, are by its fedative Power either killed immediately, or Apoplexy or Palfy are, feemingly, produced.

(n) Seip relates that Ducks fwimming upon the acidulous Water near Spaw were killed by the Damp arifing from it.

I have fpeedily and with as little Motion as poffible paffed through Water in a fmall Tub to the Surface more than a Gallon Meafure of Oil of Metals, of this permanent Vapour of Buxton-Water, of Air altered by Iron Filings and Sulphur, by Putrefaction, and by Refpiration; and, after Transmission of each of these permanent Vapours through Water, held a lighted Wax Taper immediately over the Part whence they rose through the Water, but it burnt as well as in common Air.

No Inference can justly be made concerning the specific Gravity of that permanent Vapour which is called *Choke-Damp* by English Miners, nor of the Vapour of the Grotta del Cane

[33]

Exper. VII. A lighted Wax-Taper was repeatedly placed just over various Parts of the Gentleman's Bath at Buxton, especially where the Bubbles rose and burst most frequently, and likewise

Cane and other Caverns, nor of the Mofette of the Italians, which proceeds from Apertures of the Earth efpecially previous and during the Irruption of Volcanos, and with which old Italian Lavas and many Springs upon Mount Ætna and Vefuvius abound, from their Effects upon Animals, Plants, and Flame near or at a Diftance from the Parts of the Earth or Springs whence they arife; becaufe thefe Vapours from their Confinement, Difference of Temperature from that of the Atmosphere, and great Abundance, as well as Subftances with which they may be accidentally mixed, may manifeft themfelves as near unto, or at fuch Diftances from their Sources as is not confiftent with or would not be apprehended from their particular Gravities.

The whole Atmosphere of the little Island of Nesis was formerly infested with Mofette.

Emittit Stygium nebulofis Aëra Locis.

LUCAN. Lib. VI.

A permanent Vapour lighter confiderably than the Air of the Atmosphere may produce its peculiar Effects just over the Part from which it arises; as for Instance, a lighted Candle placed near the Surface of a Spring from which that inflammable Vapour called *Fire-Damp*, a Substance perhaps 10 or 12 Times specifically lighter than common Air, separates itfelf, produces an Explosion or Flame upon the Surface of the Water, because it is detached so copiously that the Portion of Air immediately over the Spring contains such a Portion of this inflammable Vapour as to explode or burn before it has had Time to mix with the general Mass of the Atmosphere.

Vol. II.

was

was exposed at different Heights above the Surface of the Water, and even fo as to be in Contact with the Bubbles of Vapour as they burft in the Air; but it always burnt apparently as well, and as long as in the open Air.

This Experiment was made after the Doors of the Bath-Room had been fhut close a whole Night, and when the Water was in a tranquil State.

Exper. VIII. The Diminution taking Place on mixing two Meafures, and alfo one Meafure of Air of various Parts of the above Bath-Room, from near the Surface of the Water to the Top of the Room, with nitrous Gas, was the fame or very little lefs than that with common Air mixt at the fame Time with the fame Quantity of the fame Parcel of nitrous Gas.

The Air of the Bath-Room was examined by Mixture in this Experiment always after the Doors had been shut for fome Time.

An Observation.

This permanent Vapour is very frequently efcaping from the *Gentleman's Bath* at Buxton but not very abundantly in feveral Parts. The Bath occupies nearly the Whole of the Bottom of the Room, excepting the Seats for the Bathers, and the Room is of a moderate Height. There are two Doors in this Bath-Room which are commonly kept fhut, but they have many finall Openings. Upon Enquiry it did not appear there was a fingle gle Inftance of any Suffocation or Difficulty of Breathing having occurred on entering the Bath-Room or during bathing; and no Attention is paid to avoid coming near the Parts where the Clufters of Bubbles rife in the Bath.

Inference. From Experiments VII. and VIII. and the Observation just related, it is not probable that this permanent Vapour of Buxton-Water is much, or at all heavier than common Air; for it appears to diffuse itself through the Air of the Bath-Room as foon as it escapes from the Water, and does not like Gas remain for fome Time upon the Surface of Springs till it has gradually diffused itself throughout the Air of the Atmosphere. It appears, moreover, that the Air of the Bath-Room is not liable to contain fuch a Quantity of this permanent Vapour of Buxton-Water as to be fenfible to the Teft of nitrous Gas; a Difference indeed which I fully expected. It does not appear that this Air is even fo impure, or more impure than the Air of a fmall fitting Room in which a Number of Perfons have been breathing, Candles burning, and Victuals standing, after the Doors and Windows have been closed for fome Time.

The fmall Degree of Contamination fuffered in the Air of this Bath-Room arifes probably on Account of the *Diffufibility* of *this permanent Vapour* of Buxton-Water through *common Air*, and its being as *light*, or *nearly as light*, or *lighter* D 2 than than common Air; and, the great Quantity or ftrong Current of external Air that is conftantly entering the Room through the Apertures towards the Bottom of the Doors, and the Egrefs of heated and contaminated Air of the Bath-Room through the fuperior Parts of the fame Doors.

It is on Account of this Property that Bathers owe their Safety from the Suffocating Effects of this permanent Vapour. The fixing of Ventilators would, however, obviate the noxious Effects of this Substance still more effectually.

The next Experiments shew more clearly the specific Weight of this permanent Vapour.

Exper. IX. I took three two Ounce wide Glafs Veffels, N° 1. contained Oil of Metals which was precipitated by adding diluted Acid of Vitriol to Iron-Filings; N° 2. was filled with the permanent Vapour that fpontaneoufly arifes from Buxton-Water; N° 3. contained Gas precipitated from Chalk by Acid.

Thefe Phials were inverted in Saucers of Water: after ftanding an Hour they were turned upright fucceffively, taking Care to agitate them as little as poffible, and a lighted Wax-Taper was applied to each of them *immediately*. The Event of applying this lighted Taper to the *Mouth* of N° 1. was an *Explosion*; when the Flame was exposed to the Mouth of N° 2. and N° 3. it was not extinguished, but upon introducing it a little within the Necks of the Bottles it was put out.

Thefe

These Phials were filled, inverted, and left to stand as before: after being placed upright and standing exposed to the Air for the Space of *ten Seconds*, the lighted Wax-Taper was applied to the Mouth of each of them.

With N° 1. there was no Explosion, but upon introducing the Taper within the Phial a very weak Flame extended itself for a Moment throughout the Phial. The Flame of the Taper was extinguished in a Second or two after its Introduction into the Phial N° 2; and instantly put out upon being dipped into N° 3.

These Phials were filled with the same permanent Vapours as before, and stood upright and exposed to the Atmosphere for balf a Minute before the lighted Taper was applied to the Mouth of each of them.

The Phial N° 1. neither exploded nor burnt on introducing the lighted Taper within it. The Taper burnt as long in N° 2. as in common Air; and was immediately extinguished in N° 3.

Upon another Occasion, a half Pint Tumbler-Glass filled with this permanent Vapour of Buxton-Water; and another Glass of the fame Figure and Size filled with Gas, with as little Motion as poffible stood exposed to the Air two or three Minutes; after which Time, on dipping the lighted Taper into the first Glass it was found to burn as in common Air, and in the latter it was extinguished.

As in this Experiment the Oil of Metals immediately mixed with the Atmosphere, and had escaped before the permanent Vapours in the other two Phials, and as the permanent Vapour that Spontaneously rifes from Buxton-Water had diffused itself through the Air of the Atmosphere before the Gas, we may venture to pronounce in general, that this permanent Vapour of Buxton-Water is not so heavy as Gas, nor so light as Oil of Metals : also that it readily diffuses through common Air

The fucceeding Experiment shews more decifively this Inference to be juft.

Exper. X. I filled two tall Jars, that contained about 12 Ounce Measures each, with this permanent Vapour of Buxton-Water; which stood fome Time inverted in Saucers of Water along with two fimilar Jars of common Air .. These Jars were exactly of the fame Width. One of thefe Jars containing the permanent Vapour of Buxton-Water was placed upright, and another containing common Air was inverted over it.

The other Iar of common Air was fet to ftand upright, and the fecond Jar of the permanent Vapour of Buston-Water was inverted over the Mouth of the Jar of common Air.

Thefe four Jars flood exposed to as little Motion as possible, in the fame Temperature, for fix Minutes. At this Time a lighted Wax-Taper was introduced within the Jar of common Air inverted

4

[39.]

verted over the Jar of the permanent Vapour of Buxton-Water, and it immediately went out, as well as on being inferted into the Jar of this permanent Vapour on which it flood. On introducing the Flame within the Jar of common Air on which flood inverted the Jar of the permanent Vapour of Buxton-Water it burnt as before, and was extinguished on its Introduction into the Jar of permanent Vapour of Buxton-Water inverted over this far of common Air.

Two of the above Jars were filled with Gas: over one of them was inverted a Jar of common Air, and the other was inverted over a Jar of common Air.

After standing five Minutes without Motion, the inverted Jar of common Air fuffered a Candle to burn in it, but the Jar of common Air over which was inverted a Jar of Gas immediately extinguished Flame. This Experiment was also performed with Air altered by Respiration, by Iron-Filings and Sulpbur, and by Putrefaction. 'The Result was exactly the fame as with this permanent Vapour of Buxton-Water.

Oil of Metals may be kept much longer in Bottles in an inverted Polition than in Veffels placed upright; and fome pleafing and furpriling Phenomena may upon the Principle of the much lefs fpecific Gravity of this Substance than common Air, be produced and explained.

D 4

This

This Experiment not only proves, in general, Oil of Metals to be much lighter, and Gas to be much beavier than the permanent Vapour that arifes spontaneously from Buxton-Water, but renders it probable, that it is nearly as light, or rather lighter than common Air; and that its specific Gravity is abcut the same as that of Air altered by Respiration, Iron-Filings and Sulphur, and Putrefaction.

The next Experiment was intended to determine more precifely the fpecific Gravity of the Subject under Inveftigation.

Exper. XI. A large Florence Flask containing about 40 Ounce Meafures was filled with and inverted in a Tub of Water, where it flood inverted by paffing the Neck of it through a Hole in a Shelf fixed in the Side of the Tub with the End of the Neck just below the Surface of the Water. The permanent Vapours intended to be weighed were transferred through the Water into the inverted Flask, in this Position; which, after remaining 12 Hours was corked while thus inverted with a foft and found Cork, previoufly found to fit the Flask. The Flask thus filled with permanent Vapour was then removed from the Tub, and the Water adhering at the End of the Neck being wiped off with a dry Cloth, it was fuspended, by Means of a String, to one End of a Balance that turned with one-fixteenth Part of a Grain, and its Weight afcertained. This done, the Flask was again inverted in the Water as be-

fore

fore and the Cork there withdrawn; and after remaining 12 Hours longer inverted was corked, dried, and weighed as before. The Flask was then inverted in the Tub of Water a third Time, the Cork withdrawn, and left to stand 12 Hours, after which it was corked, wiped dry, and weighed as before.

Erroneous Conclusions were attempted to be avoided by repeatedly weighing the fame Species of permanent Vapour from the fame, and different Parcels; by weighing them at different Times under the same Pressure, and exposed to the same Temperature of the Air and Water as nearly as poffible. Attention was also paid to various other Circumstances which might affect the Refult of the Experiment, fuch as to the Flask being perfectly clean; the Water perfectly transparent; to fill the Flask with permanent Vapour quite full when by fome Variation in the Preffure or Temperature of the Atmosphere during standing inverted, Water afcended a little Way within the Neck of the Flask; to avoid Loss of permanent Vapour, which was very liable to happen by the Heat of the Hand during the Time of corking the Flask, by interposing a cool Piece of Flannel between the Hand and the Flask; to use the fame String and Cork in all the Trials; and to determine whether any Air had mixed with the permanent Vapour weighed, owing to the Infufficiency of the Cork, by the Teft of nitrous Gas; also to weigh

weigh permanent Vapours of a known Weight, namely, common Air, Gas, and Oil of Metals, from which a Judgment might be made in general concerning the Truth of the Refult of the Experiment.

The Flask of permanent Vapour was placed inverted three Times in order to drain off perfectly any Water that might be left, and by the Uniformity or Difference of Weight to be fatisfied whether fuch a Circumstance had happened to affect the Refult. There was no uniform Difference of either greater or lefs Weight happening from weighing Vapour twenty-four, and thirtyfix Hours after inverting the Flasks. The Difference of Weight between twelve, and twenty-four Hours was, for the most Part, half a Grain to a Grain and a half less after the twenty-four, than after twelve Hours; but sometimes there was no Difference. Therefore it appeared that twentyfours Hours was the whole Time necessary for the Flask to remain inverted in order to drain off completely any adhering Water.

As this Experiment was in its Nature a very delicate one, and the Method employed liable to more Errors than fome other Ways of determining this Fact, I thought it prudent to repeat it, and put the Truth of the Refult to the Teft by the above Means. From fo many Events it was hoped a tolerably well-founded Conclusion might be drawn.

As

·[43]

As I wished to determine whether the Properties of this permanent Vapour of Buxton-Water were the fame as those of *Air altered* by various Substances, feveral Parcels of Air changed in all or many of its Properties by different Processes were also weighed.

This Experiment informed me,

1. That the Weight of this permanent Vapour of Buxton-Water is confiderably different from that of Gas and Oil of Metals, the former being five Grains, to five Grains and a balf in a Pint beavier, and the latter ten Grains to ten Grains and a balf in a Pint lighter than this permanent Vapour that arifes fpontaneoufly from Buxton tepid Springs, when the Barometer was 29 to $29\frac{1}{2}$ Inches, and the Thermometer of Fabrenheit 40° to 52° .

2. That this permanent Vapour of Buxton-Water, was at least as light as common Air; and as all the feveral Parcels of Air altered in its Properties by phlogistic Processes are probably of nearly the fame specific Gravity, or rather lighter than atmospheric Air (o), this permanent Vapour of Buxton-Water is of the same, or nearly the same specific Gravity as Air changed in its Qualities by various Processes called phlogistic.

3. That this permanent Vapour of Buxton-Water is in all Probability rather lighter than common Air;

(0) Exper. and Observ. on Air, by Dr. Priestly, Vol. II. P. 94.

but

but the Difference between this perimanent Vapour and Air was not uniform, being from a *Quarter of a Grain to nearly balf a Grain* in a Pint Meafure lighter than atmospheric Air.

The fame was the Refult with Air altered by Iron-Filings and Brimftone, with Air changed by Respiration and Putrefaction. Supposing this permanent Vapour of Buxton-Water to be a Compound of Phlogifton and Air; as it has been found (p)that Air by a Candle burning therein is diminished z of its Bulk, and yet is rather lighter than the Air before it was combined with Phlogiston, and Air is probaby diminished $\frac{1}{3}$ or $\frac{1}{4}$ when fully faturated with Phlogiston ;- this Diminution of fpecific Gravity of Air after Combination with Phlogifton, can only be accounted for by conceiving, either that something is precipitated from Air, during its Union with Phlogifton, or that by the Addition of Phlogiston to Air it is rendered lighter. Dr. Prieftley found no Precipitation was made of Lime-Water when Air was combined with Phlogiston by the Calcination of Metals: in Confequence of which Union, the Air was diminished 1 of its Bulk, but I do not know that Air fo combined with Phlogiston has been weighed.

The Event of the foregoing Experiment being perfectly confiftent with, and agreeable to former

(p) A Treatise on Gases, p. 10.

Experi-

[44]

Experiments and Obfervations p. 32 to p. 40, of this Vol. we may place more Dependence upon the Refult of each, than if the Conclusion had been founded on a fingle Experiment or Obfervation.

The Fact flewn by this Experiment is a convincing Proof, that this permanent Vapour of Buxton-Water is totally different from Gas.

Concerning the Colour of the permanent Vapour that arifes spontaneously from Buxton-Water.

It is not perhaps possible to difcover the Colour of this permanent Vapour, on Account of the enormous Bulk requifite to render this Property an Object of the Senfe of Vision. We had not known the Colour of Air had it not been naturally prefented before us in that large Mass which principally conftitutes the Atmosphere. When we look upwards we observe the Atmosphere appears of a blue Colour, and of that Shade of Blue which is called from the Colour of the Air of the Atmosphere Cerulean, or Sky-Blue. Also, Objects visible at a very considerable Distance on Account of their Elevation in the Atmosphere, as Hills, Forests, &c. are blue. Euler observes (q), and I have also had an Opportunity of observing, that the Forest of the Mountains of the Hartz, which are seen at Magdeburg, is Blue, but the same Object viewed at Halberstadt is Green.

(q) See Lettres à une Princess d'Allemagne; and D. Johann Peter E-verhard's Ersté Gründe der Naturlehre, p. 270.

Moft

[46]

Moft probably *this permanent Vapour* of Buxton-Water doth reflect coloured Rays, but the Colour is too dilute to be vifible in any Quantity we can obferve at once; becaufe fix, eight, or ten Quart Meafures of it have been feen together in a Glafs-Bell, but it did not appear that it had any Colour; or that Subftances within this Receiver were different in their Appearance from that which they have in the Atmofphere.

For the Appearance of this Substance mixt with or adhering to Water, fee p. 152, 153. Vol. I.

To determine whether this permanent Vapour has any *Tafte* or *Smell* the two following Experiments were made.

Exper. XII. A finall Bladder filled with *this permanent Vapour* of Buxton-Water was fixed to the End of the Stem of a Tobacco-Pipe and by preffing the Bladder a Stream of this Subftance was forced upon the Tongue, but I could not perceive any Tafte.

Exper. XIII. A Bell-Glafs containing four or five Quart Measures of this permanent Vapour of the tepid Springs of Buxton were made to pass fuddenly, and fpeedily through Water into the open Air, and the Nose was exposed as long, and as nearly over the Part of the Water through which it arose as was thought prudent, but I was not able to discover any Smell.

Observations.

[47]

Observations.

The Property of being *fonorous* may be inferred to belong to this permanent Vapour from its being *a Vapour*; becaufe Subftances of this Clafs are capable of a vibratory Motion, that excites the Senfation of Sound. Moreover, I actually obferved this Property to belong to this Subftance; for when to a Receiver which was a Glafs-Bell containing already feveral Quart Meafures of this permanent Vapour a frefh Quantity was added fo as to rife *rapidly*, and in pretty confiderable Quantity through Water into this Receiver, *a Noife was diffintly beard*.

This permanent Vapour is not only an Object of *Sight* and *Hearing* but of the *Feel*, for when it is forced through a Tube upon any Part of the Body externally it excites a Senfation exactly like *Wind*.

This permanent Vapour has the Quality of Vifcidity as well as, perhaps, all other permanent Vapours, by which we can account in fome Meafure for the Number of fmall Bubbles of this Substance which are feen adhering to the Sides of Veffels filled with Buxton-Water, or to Substances immerged in this Water.

Some Species of permanent Vapour are more vifcid than others.

The following Experiment manifests very clearly the Viscidity of this permanent Vapour.

Exper.

Exper. XIII. Fill a Basin or Tub of a proper Size with Water that has had all its Air extricated by boiling, and has just cooled to about 40° or 50°. Invert a Phial filled with Water which has been boiled therein, and afterwards flood to cool. in the Basin or Tub of the same. Expel the Water from this Phial by pouring in this permanent Vapour. Then place the Phial upright, and wholly immerged in the Water; by which it will be again filled with this Fluid. Generally, Bubbles will be feen flicking to the Sides of the Bottle as foon as it is filled with Water, and pretty certainly if you expose this Phial thus filled with Water opposite a large Fire ;---as the Phial grows warm many Bubbles will appear adhering to the Sides of the Phial.

I have now fhown that the Bubbles fpontaneoufly feparated from Buxton-Water are compressible, and elastic in Degrees of Cold from that which is produced by a Mixture of nitrous Acid and powdered Ice, to Degrees of Heat far exceeding the greatest Heat of the Atmosphere and that they are therefore a permanent Vapour;—that this permanent Vapour is not Gas or Air;—that it is probably subject to the fame Laws with regard to Expansion by Heat as well as with Regard to Compression as Air;—that it is fomewhat specifically lighter than Air;—that it diffuses readily through atmospheric Air;—that it does not refract visibly any coloured Rays;—that it has no Taste or Smelt;—that it it is fonorous, may be felt; and the Senfation excited by it is that of Wind, and that it is a viscid Substance.

I shall in the next Place relates

Effects of the permanent Vapour that rifes spontaneously from Buxton-Water on several Classes of Animals.

CLASS I. Quadrupeds:

Exper. XIV. Mice, (Mares domestici vulgares) of various Ages and in various States of Vigour, were repeatedly conveyed through Water, heated to about 70°, into a Receiver containing three Ounce Measures of this permanent Vapour standing inverted partially immerfed, upon a Stand, in a Bafin of this Water; inftead of living about twenty Minutes without fhewing Signs of Uneafinefs, and about ten Minutes longer in a State of Uneafinefs or Pain before dying, under these Circumstances in common Air, they manifested Signs of Uneafinefs, or they breathed fhort and quick in a few Seconds of Time after they arrived in this Receiver to the Time of their Death ; their Eyes then protruded, and they made two or three violent Exertions as if frantic and convulled, shewn by leaping streight up or against the Sides of the Glafs-during these Exertions they tumbled down suddenly, and lay upon one Side, or flat upon their Bellies with all their Limbs spread out as if deprived of the Use of them,-gasped a few VOL. II. E Times ;

Times; and died always in less than half a Minute after their Introduction into this Receiver.

In fome Experiments as the Water role higher within the inverted Glafs after withdrawing the dead Mice, apparently, than before their Introduction, I was inclined to believe this permanent Vapour was diminished in a finall Degree by Refpiration ;-but upon a Repetition this Event did not happen in any fensible Degree.

A Mixture of two Meafures of this permanent Vapour after these Animals had died in it, and one Meafure of nitrous Air, produced in a greenish Phial a Shade of Orange-Colour, and meafured, instead of three Meafures or thereabouts as upon other Occasions with this permanent Vapour before Mice had been stifled in it, only two Meafures and $\frac{7}{9}$ or $\frac{8}{9}$.

The Explanation of this curious Fact fuggefted by Dr. Fordyce is, that the Animal in dying throws out a Portion of Air from its own Lungs, that it carried with it into the Receiver. I doubt however whether this Event always happens.

I imagined that this permanent Vapour might produce Colour, diminish with the above Compound of nitrous Acid and Phlogiston, and be augmented in Bulk, in Proportion to the Number of Animals suffocated by a given Portion of it.

I found that a Moufe would live full as long, perhaps rather longer, in a Receiver of this permanent Vapour in which eight or ten Mice had been [51]

been stiffed, but the Bulk of it was not evidently increased, on the contrary was probably rather diminisched; and it diminisched with nitrous Gas as much only as after one Animal of this Species had expired in it.

A Moufe was introduced within a Receiver containing two Ounce Meafures of Gas Sylveftre from fermenting Beer. It fell upon its Side in half a Minute, but lay in a convulfed State breathing for ten Minutes before it died. The Gas in which this Animal was fuffocated diminifhed with nitrous Gas, and the Mixture was a little turbid: fo that it feems as if Air had been thrown out from the Lungs of the Moufe included in this Gas, unlefs a Portion of common Air was accidentally mixed with it.

The permanent Vapour that fpontaneoufly feparates itfelf from the tepid Spring mixt with a cold Spring (r), half a Mile South-weft of the tepid Springs of Euxton, had the fame Effect upon Animals as the permanent Vapour that extricates itfelf from Buxton-Water.

The Effects of this permanent Vapour of Buxton-Water upon Mice may be confidered as an Example of the Effects of it upon Quadrupeds (s) in general; and, therefore, that it is incapa.

(r) See Vol. I. p. 147.

(s) Linné Systema Naturæ. T. I. Ed. 13. p. 19. I. MAM-MALIA. Falcra: Pedes quatuor, exceptis mere aquaticis.

E 2

ble

ble of ferving for the Refpiration of Men, Monkies, Bats, Horfes, Affes, Cats, Dogs, Rats, Hogs, &c.

But it is a Queftion upon what Principle this permanent Vapour is unfit for the Refpiration of Quadrupeds.

It may induce Death, 1. by operating as a *Stimulus* upon their Lungs, in the fame Manner, probably, that volatile vitriolic Acid fuffocates Animals.

2. By its not having fome Property that renders Air proper for Refpiration, it becomes the efficient Caufe of Death, in the fame Manner as a Vacuum kills Animals.

3. By deftroying immediately the *Irritability* of the animal Syftem, as apparently happens when Weath is occasioned by Electricity.

In the above Experiment the Animals were not killed in fo fudden a Manner, as when Lifeis deftroyed by the third efficient Caufe; or, fcarcely, fo fpeedily as when this Event is produced by the first Occasion of Death, but the Phenomena caufed by this permanent Vapour were fuch as appear when Quadrupeds are included in exhausted Receivers. Further, I am inclined to believe this Substance deftroys Life by a negative Quality, because in performing Experiments, when by Accident one Side of a Glass-Receiver filled with this permanent Vapour standing inverted in Water, has been only for a Moment raised very

3

little

little above the Surface of the Water, in Confequence of which there was only a Possibility of a very finall Quantity of Air getting into the Receiver, instead of a Mouse dying therein in less than half a Minute, as would have happened before this Accident, this Animal would live feveral Minutes, or as long as might be expected in the small Portion of Air introduced without Mixture with this permanent Vapour, or any other Substance incapable of ferving for Respiration (t).

To

(t) When I was altering as much as possible a large Quantity of common Air by the Refpiration of Quadaupeds for particular Experiments, as four Quart Measures of Air in a Glafs-Bell employed as a Receiver, and made use of Mice for this Purpole; I found that after the first Mouse introduced had died, which it did by growing gradually weaker, and expiring without Convulsions or frequently any Struggles, and not from the Cold of the Water in which the Receiver was inverted, the included Air that had been exposed to the Effects of Respiration, diminished on Mixture with nitrous Gas; and a fresh Mouse being passed through Water into this Receiver, would live about half an Hour. After this fe-, cond Animal was introduced, the Air in the Receiver diminished in Volume still less with nitrous Gas than before. After this Time a third Animal of the fame Kind as the former would live in this Receiver, although a fhorter Time than the fecond Moufe lived, and the included Air, after the Death of this third Animal, was diminished in Bulk still.less than before with nitrous Gas : Nor could I ever alter Air by Refpiration fo that it would not diminish at all with nitrous Gas. After a certain Number of Mice had been introduced into

To determine in fome Measure this Question the following Experiment was made.

Exper. XV. An Ounce and a half Measure of atmospheric Air was introduced into a Receiver containing one Quart Measure of this permanent Vapour of Buxton-Water;—a Mouse was then passed through Water into this Mixture. The Consequence was, this Animal lived nearly as long, and I am not certain if not with as little Pain or Uneasines, as one might suppose it to live in an Ounce Meafure

into the Receiver they always died in a few Seconds, and fometimes inftantly, convulfed; but then a Mixture of two Meafures of the permanent Vapour thus altered by Refpiration, and one equal Part of nitrous Gas, by Meafurement after Mixture, was only two Parts and about $\frac{6}{5}$ or $\frac{7}{5}$. Hence it feems probable, that Air *altered* by Refpiration kills Animals by a *negative Quality*, although they die without injuring a fmall remaining Portion of Air; and when fuch a Proportion of it remains, as if mixed with the fame Proportion of permanent Vapour of Buxton-Water, would enable them to live a fhort Time and *alter* it.

The Reafon of feveral Animals being required to be fucceffively introduced to *alter* Air, to the Teft of nitrous Gas and Refpiration, as much as possible by breathing; and of an Animal living frequently for a fhort Time in Air in which one or more Animals of the fame Species had died by the *Alteration* produced by Refpiration, has been explained by Mr. Keir (*fee Notes, by Mr. Kirwan, to Scheele's Treatife on Air and Fire*) very ingeniously.—He found that only " the Air contiguous to an Animal is infected, and that a Candle will burn in a more diftant Part of the fame Air, and above the Animal." Mr. Kirwan fays, " this fhews that fixed Air only fure of common Air, that is about eight Minutes. To the Teft of nitrous Gas, the Portion of Air added diminished very little in Volume after the Extinction of the Life of this Animal. So that Respiration was performed by Means of the small Portion of Air diffused through this Quantity of the permanent Vapour of Buxton-Water.

The above-related Event happened in the Courfe of my Experiments with Air *altered* by Refpiration, Putrefaction, and the Mixture of Iron-Filings and Sulphur, to which fmall Portions of

only is formed by Refpiration, and not phlogificated Air; for this latter being fpecifically lighter than common Air, should be found over it." I do not know the Proofs in support of this Affertion. Air altered by Respiration has never been fhewn, as far as I know, to have the Properties of Gas; on the contrary, the known negative Properties shew that it is not Gas : Whether it be Air combined with Phlogiston is not, perhaps, conclusively demonstrated. The fingle Proof given by Mr. Kirwan would equally prove Air altered by Inflammation to be Gas. The Difference of specific Gravity, as I have found, between Air altered by Refpiration and common Air is very inconfiderable. It is however probable, that the Gas feparated from the Lungs by breathing, or precipitated from common Air by Respiration, occupies the inferior Part of the Receiver on Account of its greater specific Gravity than the other permanent Vapours, and that Air altered by Refpiration is only gradually diffufed throughout the whole Receiver; therefore the Air towards the Top of it may remain unaltered till the Air occupying the inferior Part is changed by Refpiration. Does not the feemingly torpid State of Animals dying in confined Air in the fame Manner as from Cold indicate the fedative Power of Air altered by Respiration?

E 4

Air,

fir, as above-mentioned, were added : but having lately found that an Animal died as foon in a Mixture of the above Vapour of Buxton-Water and a small Portion of Air, nearly, as in the above permanent Vapour alone, I suspected I might have been mistaken in my former Experiments and Deductions, and therefore repeated the Trials: the Refult of which was, that an Animal lived 15 Minutes, before it showed Signs of confiderable Weakness, in ten Ounce Measures of the above permanent Vapour and one and a half Measure of common Air. On its Arrival in the Receiver, after being conveyed through Water heated to about 66°, it appeared to be in great Pain, and in a few Seconds began to gape and fell upon its Side apparently dead; it foon showed Signs of Life again, and was not feemingly in an uneafy State. After breathing in this Receiver 15 Minutes, as it appeared very languid and weak, an Ounce Meafure of common Air was introduced, after which for the Space of two or three Minutes it did not appear to recover Strength, but afterwards recovered and lived 15 Minutes although it grew gradually weaker, without struggling or Convulsions. As it now feemed to be almost dead, it was withdrawn and placed near a warm Fire, where it lay feveral Minutes without shewing Signs of Life; but as it dried it recovered, and was well as before being fubjected to this Experiment. I imagine fometimes Animals are choked as they are cona ser a s veyed

F 56 7

veyed through Water, and on that Account die in the Receiver fooner than they otherwife would do;—they fhould alfo be made to fit in the Receiver quite dry, out of the Reach of the Water; and the Water fhould be kept warm.

In making this Experiment with Air altered by Refpiration, Putrefaction, &c. the permanent Vapour fhould be first transferred repeatedly through Water to separate Gas, or other accidental Matters mixed therein; otherwise no Conclusion can be made concerning the Effects of the permanent Vapour that we wish to afcertain.

The Iffue of this Experiment renders it extremely probable that animal Life is not extinguifhed by any *positive Property* of this permanent Vapour of Buxton-Water; at least, not by a ftimulant or fedative Quality; because it has no apparent or confiderable Effect while exposed to the Animal, in a very large Quantity, till the Portion of Air mixed with it be much altered.

The Freedom of Refpiration in the Air of the Vault in which is the Bath at Buxton that feparates this permanent Vapour (u) is alfo a Proof of this Subftance having no ftimulant, or fedative Effects to occasion the Death of Quadrupeds included in Receivers of it. And upon this Principle may be explained the Observation of Mr. Boyle that Animals live nearly as long in Air in which Candles have burned out as in common Air.

(u) Page 152, 153, Vol. I. and 34, 35, of this Vol. None

None of the permanent Vapours are capable to support animal Life, or they are all suffocating excepting Air and dephlogisticated Air (x) (if this last be deemed a distinct Species of Matter from pure Air); but they are not all Poifons. For Inftance, volatile vitriolic Acid is poifonous but Gas is innoxious, and even medicinal. Pliny and the antient Poets mention various Springs that occafioned the Death of those Animals which drank of them (y), but from the Defcription given by these Authors it is impossible to determine, whether they destroyed Life by acting as Poisons when taken into the Stomach, or by a fedative, stimulant, or negative Property operating upon the Lungs or nervous System in general. Many other Springs, of which Number are the Acidula, are mentioned by Writers of natural Hiftory in antient Times as well as by modern Authors that oc-

(x) See Dr. Priestley's Experiments and Observations, Vol. II. p. 29.

(y) Pliny fays the Styx, a Lake near Nonacris in Arcadia, has neither Smell nor Taile, and occasions Death as foon as it is drank.

Seneca's Description of this Water is as follows. " Cirea Nonacrin in Arcadia Styx appellata ab incolis advenas fallit, quia non facie non Odore suspecta est: qualia sunt magnorum Artificum venena quæ deprehendi, nisi morte, non posfunt."

A Spring, which hiffes like Water thrown upon Lime, is mentioned in France, that is fatal to Birds, by a late Writer whofe Work I do not now recollect.

Pliny mentions Springs which are poifonous when drank, and yet Fishes live in some of them.

cafion

tation noxious Effects, or at leaft difagreeable Confequences for a fhort Time, fuch as Head-ach, Giddiness, Heaviness, Sleepiness, Delirium, Depravation or Loss of Sight (z).

As the Intoxication occafioned by Wine is owing in Part to the Gas Sylveftre which it contains, and the Gas Sylveftre is either composed of Gas, that unites with Quicklime and forms calcareous Earth, and fome other Substance; or is a Subftance that has the effential Properties of Gas with fome other peculiar Qualities fuperadded;—after the Difcovery that the acidulous Quality of Springs was owing to Gas, it was inferred without Examination, that the efficient Caufe of the above noxious or difagreeable Effects of all Waters was this permanent Vapour. As Buxton-Water was liable to produce fome of thefe difagreeable Confequences, the Occafion of them was faid to be Gas, but the very firft Enquiry into this Matter fhewed

(z) The River Lynceftis in Macedon is according to Pliny and Ovid, one of the Acidulæ, and produced the intoxicating Effects of Winé.

Quem quicunque parum moderato gutture traxit, Haud aliter titubat, quam fi mera Vina bibiffet.

Ovid. Met. Lib. xv.

Cui non audita est obscenæ Salmacis unda Æthiopesque Lacus? quos si quis Faucibus hausit Aut furit aut mirum patitur gravitate soporem. Ovid. Lib. xv.

Many Springs are called by the old Naturalist, from their intoxicating Effects, vinous Fountains.

the

the efficient Caufe affigned not to exift, p. 19 of this Vol.; but it made appear another Species of permanent Vapour which we do not hefitate to pronounce is the only evident efficient Caufe of the Vertigo, Head-ach, or Heavinefs fubfequent to drinking Buxton-Water.

Having learned the Effects of this permanent Vapour on the Lungs, and nervous System in general of Quadrupeds; I made the following Experiment to afford an Instance or two, whether the permanent Vapour that separates spontaneously from Buxton-Water be a medicinal, poisonous,. or inert Substance on the Systems of Quadrupeds, when applied to the Stomach.

Exper. XVI. An eight Ounce Phial containing ... five Ounce Measures of this permanent Vapour, and three Ounces of Water were placed inverted in a Bafin of Water opposite a large Fire; by which Means the permanent Vapour within the Phial was fo rarefied as to expel all the Water contained within it; upon which, the Mouth of the Phial being ftopt with the Finger, it was removed into a Bafin containing Solution of Gum Arabic of about the Confiftence of White of Egg. This Bafin with the inverted Phial being fet in a cool Room the Solution foon filled, as the Water had done, three-eighths of the Bottle. It was then corked and the Vapour and Solution were mixt together, as much as possible, by Agitation; -they

-they produced a whitish Mixture full of small Bubbles.

This Mixture was directed to be preferved inverted; and when ufed poured out as quickly as, poffible, and again corked as fpeedily as poffible. It had no Tafte or Smell. First one and then two Table-Spoonfuls were taken every four Hours.

In the Cafe of a Woman, aged fixty, labouring under a Catarrh, Uneafinefs at the Stomach, Sicknefs, Head-ach, and Purging followed the taking of this Mixture into the Stomach: No obvious Occasion of these Effects appeared, excepting this Mixture.

This Mixture was given to a Patient in a Cafe under nearly fimilar Circumstances to the former, without any Confequences that could be referred to this Substance.

Both of these Cases of Disease were cured, but there, was no Reason to suppose this *permanent Vapour* either impeded, or accelerated their Removal.

From the Experiment here related we infer, that this permanent Vapour may be taken fafely into the Stomach in much larger Dofes than when swallowed by drinking Buxton-Water; but what may be its particular Effects in the above Quantity or in a larger, or finaller Dofe would require many Experiments to determine. If the Effects mentioned in the first Cafe of the Experiment were produced by this Substance they are Signs of its ftimulant Power.

CLASS

[62]

CLASS II.

Birds (a).

Exper.XVII. A Pullet about eight Months old was immerfed in a Trough of River-Water heated to 60°, and its Head and Neck made to rife within a wide Jar or Sugar-glafs containing two Pint Meafures of the permanent Vapour that arifes from Buxton-Water. For about ten Seconds this Animal appeared to fuffer no Pain, but afterwards it began to gape,—to ftruggle a little,—to alternately clofe and open its Eyes,—to fhow Signs of Sicknefs by inclining its Neck and Head at Times, —and was motionlefs in about a Minute and a half from the Time of its Introduction into the Receiver and Immerfion in Water. Being then withdrawn it was found to be quite dead.

I fufpect this Bird would not have lived fo long in this Experiment had there not been a fmall Quantity of *Air* mixt with the above permanent Vapour, afforded by a Substance like Moss growing in the Water in which this permanent Vapour of *Buxton-Water* had been kept.

CLASS III. Fisces (b).

Exper. XVIII. A weak Eel, in Weight about two Ounces, was introduced into a wide Jar con-

(a) Quadrupeds and Birds have double Hearts. two Auricles and two Ventricles—their Blood is warm and red—they have Lungs; and their breathing is involuntary.

(b) Fifthes have fingle Hearts—one Auricle and one Ven* tricle—their Blood is cold and red—moft, of them are furnished with Swimming-Bladders. taining taining a Pint and a half of this *permanent Vapour* of Buxton-Water; another Eel of about the fame Size and in the fame State was put into a fimilar Jar of *common Air*. The Jars flood inverted in River-Water, the Heat of which was 54°, and did not contain Water enough to cover the Fifhes within them.

The Eel within the Jar of this *permanent Vapour* of Buxton-Water, moved itfelf about three Hours; after which Time, it was motionlefs. The Fifh in the other Jar only fhewed Signs of Life for two Hours.

A very lively Eel being cut afunder for a Purpole different from the Object of this Experiment, the Part with the Head of this Fish was introduced into a Jar containing about a Pint Measure of *this permanent Vapour* of Buxton-Water; and, the other Portion was put into another Jar, of the size, of *common Air*. Both Jars stood inverted in Water of a temperate Heat, and contained very little Water within them.

The Portion of this Eel in the Jar of this permanent Vapour of Buxton-Water wreathed itfelf, raifed its Head, gaped much, and threw itfelf into various Postures, for more than half an Hour; and was not motionlefs, till a Quarter of an Hour longer. The other Portion ceased to move in about ten Minutes.

From this Experiment it appears, that this Species of Fish can live much longer than Quadrupeds drupeds in this permanent Vapour of Buxton-Water.

1 64 T

The Eel living a fhorter Time in common Air than in the other permanent Vapour, is most probably to be afcribed to its being when introduced in fuch a State as to be lefs able to fupport Life than the other Individual of the fame Species fubjected to this Experiment.

I believe *Fifhes* in general will live longer, and efpecially Eels, which are remarkably tenacious of the Principle of Vitality, in exhaufted Receivers than *Quadrupeds*.

Exper. XIX. A very lively fmall Trout was put under a large Water-Glafs containing half a Pint Meafure of this permanent Vapour of Buxton-Water, and three-fourths of a Pint of frefh River-Water heated to 50°. This Fifh fwam about without any Signs of Weaknefs or Unealinefs for eight Minutes, at which Time it began to leap upon the Surface of the Water, then fell upon its Side, and lay without Motion. It was immediately withdrawn and put into a Pail of frefh River-Water, where it lay a few Seconds without Motion : It then began to move, and in a few Minutes quite recovered.

This individual Fifh was introduced a fecond, and a third Time under the Glafs with this permanent Vapour of Buxton-Water, and the fame Appearances happened: And it was reftored a third, and a fourth Time, as before, by being put put into the Pail of River-Water. It did not feem have to fuffered the leaft Injury, by being thus repeatedly introduced and fickened, by Confinement in the Receiver of Water and this permanent Vapour.

»[65]

This fame Fifh way then put into the above Receiver with common Air inftead of the above permanent Vapour, and under otherwife the aforementioned Circumstance;—it fwam about, leaped frequently for five Minutes, then began to gape and throw out Bubbles through the Water—fell upon its Side, and lay still at the Bottom of the Water; but was recovered by throwing it into a Pail of fresh River-Water.

The fame Event was produced by a fecond, and a third Confinement of this individual Animal in this Receiver of fresh common Air and River-Water; and it was recovered a fecond Time as before, but allowing it to remain more than a Minute the third Time upon its Side at the Bottom of the Water, it was found to be irrecoverable in the Pail of fresh River-Water.

The Iffue of the preceding Experiment is very extraordinary, for it teaches us that the fame Species of Fifhes fubjected to this Experiment lived longer confined in a Portion of this permanent Vapour of Buxton-Water and Water, than when confined in the fame Portion of common Air and Water.

For if it fhould be conceived, that a fmall Part of a given Bulk of Air by being united with Vol. II. F Phlogifton, Phlogifton, renders the Air with which it is mixt, unfit to fupport the Life of this Species of Animal, and therefore in about five Minutes the half Pint of Air in the inverted Water-Glafs contained fuch a Quantity of Phlogifton or other Matters as to be no longer capable to affift the Life of this Creature; how doth it happen that this permanent Vapour, which is improper to ferve for the Refpiration of Quadrupeds, (p. 51, 52, this Vol.) and doth not combine with Phlogifton, fhould fupport, at leaft not deftroy, its Vitality *in lefs than eight Minutes*?

The Truth of this Experiment is confirmed by the Event of the one immediately preceding, which fhews, that Eels live longer in this permanent Vapour than in Air, or at leaft as long as im Air.

Exper. XX. This Experiment was made to learn, whether the Buxton-Water was hurtful to, or deftructive of the Life of Fifnes; like Water impregnated with Gas, and Water containing nitrous Gas.

A very ftrong and lively *Trout*, of about half a Pound in Weight, was let go into the Gentleman's Bath at Buxton. It immediately fwam with great Velocity entirely round and near the Bottom of the Bath; then with Rapidity came to the Surface of the Water, and again plunged towards the Bottom of the Bath; immediately returned to the Surface; there moved very very weakly, turned upon its Back or Side, and fhewing its white Belly fell, like a lifelefs Animal, either fick or dead to the Bottom of the Bath. It was taken out in a few Minutes, but could not be reftored to Life by fresh River-Water, and cool Air.

This individual Animal was boiled along with two or three more of the fame Species that had died merely for want of Water; but no Difference was perceived either in the Confiftence, or Tafte, between it and the others which had died out of Water in the open Air.

Pliny gives Inftances of hot Water in which both *Fishes* and *Plants* lived. It is faid that no "living Creature" will live in the warm Bath at Aix.

Mr. John Hunter (c) found the Heat of a Pond $65^{\circ} \frac{1}{2}$, and the Heat of the Stomach of a Carp therein 69° , or $3^{\circ} \frac{1}{2}$ greater than the Water ;—that a Tench bore the Heat of Water of 65° , and its own Heat was thereby increased from 41° to 55° ; —that Eels live in 31° to 65° , and affume the Heat of the Medium in which they fwim :—in short that the actual Heat of Fishes may to certain Degrees be varied confistently with Life according to the Temperature of the external Fluid, which is not the Cafe with Quadrupeds, at least it is not the Cafe with one Species of this Class,

(c) Phil. Tranf. Vol. LXVIII.

F 2

Man,

Man, whofe Heat is very little varied by external Circumftances. It is nearly the fame when the Air is below 0, as when it is of the Heat of boiling Water or 212° , or even a much greater Heat— 240° or 260° : a Degree of Heat in which Beef-Steaks and Eggs were roafted in a few Minutes (d).

In Summer-Time it is common to find Fifhes dead upon the Surface of Rivers or Pools, in Confequence of the Water being heated to an unufual Degree by the Sun-Beams acting upon the Banks of Rivers or Ponds. I was told by feveral credible Perfons, that a few Years ago on laying dry the Sough which carried off the Water from the Baths at Buxton to the River, fome very large and lively Eels were taken in this Sough, where the Water was not many Degrees cooler than the Baths.

Having these Facts before me, I questioned whether the Death of the Trout, in the above Experiment, was occasioned by the Impregnation of the Water; or, whether the Animal was not exposed to greater external Heat than was confistent with the vital Functions of its System; or, whether the Air of the Bath-Room, which this Fish fought for fo greedily while in the Bath, was not of a Temperature unfit for the Purposes of its Life.

(d) Phil. Tranf. Vol. LXV. P. 1. and P. 11. for 1775.

Exper.

Exper. XXI. Several very lively finall *Trout* were put into the *Bafin of the Well*, p. 158, Vol. I. which is exposed to the open Air on one Side of the Temple, within which it is inclosed.

In about *balf a Minute* they appeared unable to bear the Water; they fwam round the Bafin with great Celerity as if delirious or frightened, without any external Caufe;—frequently leaped out of the Water for half a Minute longer; they then fell on their Side and tumbled motionlefs to the Bottom of the Well, from which they were immediately removed into frefh River-Water, where they recovered in a very fhort Time.

These Fishes were repeatedly subjected to this Experiment with the fame Event, and as often recovered; excepting the last Time they were put into the Water of the Well, when being lest longer than usual at the Bottom of the Well in their State of Sickness before they were removed into River-Water, they could not be recovered.

It appears from this Experiment, that it was not the warm Air of the Bath-Room that deftroyed Fifhes in the Bath; but that Death was occafioned either by the Heat of the Water, or its Impregnation.

Exper. XXII. As foon as a Tub containing the tepid Water of Buxton had cooled to 58° by ftanding in the open Air, feveral fmall Trout were put therein :—thefe Fifhes lived without Signs of Weaknefs or Uneafinefs for three Hours in this F 3 Veffel Veffel of cooled Buxton-Water, and were then removed.

Hence it does not feem probable, that Buxton-Water destroys the Life of Fishes in Confequence of its Impregnation.

Exper. XXIII. The Fiftes fubjected to the laft Experiment were let go into a Tub of River-Water beated from 80° to 82° , while the external Air was 50° . In about a Minute they all appeared upon the Surface of the Water, then fwam about in great Agitation for about half a Minute; fell upon their Side, and tumbled to the Bottom of the Veffel, apparently lifelefs; but upon being inftantly removed into cold River-Water they all foon recovered.

Thefe Fifhes were feveral Times fickened as above-mentioned, by Expofure to this heated River-Water; and as often reflored by Removal into cold River-Water.

From this Experiment it appears, that this Species of Fifh, either for want of Cuftom, or from the Nature of the Conflitution cannot live in its native Medium, Water, of the Temperature of Buxton-Water, or of 82°: for, although the fluid Medium which they inhabit, Brooks or Rivers, varies in its Temperature very confiderably, and they affume the Heat of the furrounding Fluid, yet all the Variety it is liable to is perhaps comprehended between 32° of fluid Water and 60°;—when thefe Limits are exceeded the

the Functions effential to Life can no longer be long performed.

But the natural Heat of the Fluids and Solids of Men, and many other Quadrupeds, not being, like that of Trout and feveral other Fishes included between 32° and 60° according to the Temperature of the furrounding fluid Medium; but, uniformly preferving nearly the fame Heat, to wit, about 97 Degrees, exposed to all the Varieties in the Heat of the external Medium of. permanent Vapour in which they are deftined to. live; they are governed by different Laws concerning the Heat of their Constitutions from those of Fishes; and, therefore it is not surprizing that Buxton-Water, or any common Spring-Water heated to 82° should be so great a Degree of Heat as to be intolerable to Fishes, and such a Degree of Heat as to excite the Sensation of Coolness (e), when the. Bodies of living Men, and perhaps many other Animals of the same Class (f), are immersed therein. But when Water exceeds 104° or 106° it is also in-

(e) Water heated to 82° as I have found by repeated Trials, excites the Senfation of *Coolnefs* rather than of *Warmth* or *Cold*—a Fact of practical Importance.

(f) I was told at Buxton, that the Heat of Buxton-Water, or of the Heat of the Air of the Bath-Room is in a flort Time fatal to Water-Rats, as appeared by turning an Animal of this Kind into the Bath; but I with this Experiment to be repeated before this Fact be credited.

F 4

tolerable

tolerable to the Constitutions of Men on Account of its Heat (g).

CLASS IV. Amphibious Animals (b).

Exper. XXIV. A very lively fmall Newyt, a Species of the Lizard, was put into a Receiver containing three Ounce Measures of the permamanent Vapour of Buxton-Water just collected from the Bath, and a finall Quantity of Water, but not nearly fufficient to cover the Animal. This Veffel was fet to ftand in cold Water. The included Newyt crawled upon the Sides of the Receiver, and gaped frequently for fome Time ; but at last it adhered to the Side of the Glass. where it continued without the leaft Motion for an Hour and a half. This Animal was then withdrawn and thrown, apparently dead, into a Bafin, containing a little cold Water. In a few Minutes it discharged Bubbles from its Mouth, after which it fuddenly ran round the Basin and appeared as lively as ever.

This Animal after being perfectly recovered, was introduced a fecond Time into the Receiver

(g) Confult the Experiments of my Friend Dr. Parr of *Exeter*, published in his Inaugural Differtation at Edinburgh, 1773; of which there is an Analysis in the first Volume of the Medical Commentaries of Edinburgh.

(b) This Clafs of Animals have, like Fifnes, only fingle Hearts,—one Auricle and one Ventricle—their Blood is red and cold—they have Lungs, and their Refpiration is voluntary.

[72]

of

of this permanent Vapour; in which it walked about and gaped much for about five Minutes. It was then motionlefs, and not being diffurbed remained in that State for three Hours. This Newyt, as was fuppofed being quite dead, was removed into a Bafin with a little cold Water. In about an Hour it fhewed Signs of Life, but appeared extremely weak and unable to move; being left all Night, it was the next Morning found to have fo far recovered as to have crept up the Sides of a deep Bafin and made its Efcape.

The permanent Vapour, in which this amphibious Creature had lived fo long, mixed with an equal Bulk of nitrous Air, diminished from 20 to 18 Parts.

Exper. XXV. A lively Frog was conveyed through Water into a Jar containing about ten Ounce Meafures of this permanent Vapour of Buxton-Water that feparates fpontaneoufly; there was about half an Ounce of Water alfo within this Jar. This Animal appeared uneafy in a few Minutes; after which Time it gaped frequently, and fhewed Signs of Pain:—in about two Hours and a half it was motionlefs, and apparently dead. In this State it was fuffered to remain more than an Hour longer: it was then withdrawn with every Appearance of a dead flaccid 'Animal. It was put into a Cup with a little Water, and left in a Room of the Temperature of about 55° for three three Hours. It then appeared in the fame Pofition as I first left it in, and supposing it dead I took it up in my Hand to throw it alide, but to my Surprize, upon being touched it leaped up as if awoke from fleep, and did not appear to have fuffered from the Experiment.

This Animal was immediately introduced into the fame Jar as before, and was observed to again fhew Signs of Uneafinefs for an Hour. It was left all Night in this Jar and the next Morning appeared dead : it was then removed into a Bafin with a little Water, and exposed to the open Air of the Temperature of 55°, but it was not by this Means reftored to Life as before.

Dr. Priestley found that a Frog struggled two or three Minutes confined in nitrous Gas, and could not be restored after being exposed a Quarter of an Hour to this permanent Vapour. Probably this Gas kills Animals by fome politive Property like volatile vitriolic Acid, but the above permanent Vapour destroys Life by a negative Property.

This Experiment furnishes another Proof of the Probability that those Animals which live long in exhausted Receivers, as Snails, Frogs, Snakes, and other Amphibia (i), also require a long

(i) The Reafon of this Clafs of Animals living longer without Air than Quadrupeds is affigned from a Confideration of the Structure of the Parts appearing on Dissection, by Baglivi-Opera omnia, p. 442. Boerhaaves

long Time before they die in Receivers of this permanent Vapour of Buxton-Water, as well as, according to my Obfervation, in *Air combined* with Phlogiston; and, that they die therein, for the fame Reason that they cannot live in Vacuo.

Or we may account for the torpid State of Animals of this Class by Exposure to the abover permanent Vapour, on the fame Principle that the Sleep of the Hamster or German Marmot is accounted for in the Monthly Review for Nov. 1782, p. 366. " At the Approach of Winter they (the Hamfters) fhut up the Apertures of their Holes with great Address. There, if undisturbed by the human Race, they feed on their Stores in perfect Tranquillity till the Severity of the Froft, or rather perhaps, as will appear afterwards, the Air phlogisticated by them, in Conjunction with the Cold, brings them to a torpid State. If, at, this Time, the Holes are opened the Hamster is found lying upon a Bed of foft Straw; the Eyesare fhut, and when the Eye-lids are forced open, they inftantly clofe again. The Members are ftiff, like those of a dead-Animal; and the whole Body feels as cold as Ice. When diffected, however, even at this Period, the Heart is feen alter-

Boerbaave, in his Chymiftry, obferves, that Animals whofe Hearts have two Ventricles, and no Foramen Ovale, as Cats, Dogs, Mice, Birds, &c. die in half a Minute in the Receiver of the Air-Pump, counting from the first Exfuction, and a Mole as foon; but that a Bat lived longer.

nately

nately contracting and dilating; but at the flow Rate of fifteen Pulfations in a Minute. This Animal's Heart, in its active State, beats 150 Strokes in the fame Time. The Inteftines difcover not the fmallest Degree of Irritability, even on the Application of Spirit of Wine or Oil of Vitriol. Nevertheles, the Animal fometimes opens his Mouth, as if he wanted to respire.

" Mr. de Buffon is not answerable for our preceding Obfervation with Refpect to the Phlogistication of the Air; but we find that the Hamfter which he had in his keeping in the open Air did not become torpid though exposed to a Degree of Cold during the Winter, probably fuperior to that which the Hamsters endure in a State of Nature, at the Depth of three, four, or five Feet under the Surface of the Ground. Befides, according to M. Allamand's curious Account of this Animal, a Hamster shut up in a Cage filled with Earth and Straw, and exposed to the open Air in a Window, to a Degree of Cold fufficient to freeze Water never becomes torpid. But if the Cage be funk four or five Feet under-ground, and be well fecured against the Access of Air, he becomes, at the End of eight or ten Days, as torpid as if he had been fuffered to remain in his own Burrow. If the Cage be now brought up to the Surface, even in the coldest Weather, the Hamfter will awake in a few Hours : and on putting him below the Earth his torpid State will after

after a proper Interval, return. Warmth, neverthelefs, undoubtedly accelerates, and Cold retards, his Revivifcence. His temporary Death and Refurrection probably depends upon thefe two conjointly."

CLASS V. Infects (k).

Exper. XXVI. *Flies* of various Species, namely, Bees, Wafps, and Butterflies, were put into Phials of the permanentVapour that efcapes fpontaneoufly from Buxton-Water; but as many of thefe Animals could not be fafely paffed through Water, fometimes a fmall Quantity of Air muft almoft neceffarily be fuppofed to have mixed with this Vapour, before the Bottles were corked.

Thefe Animals lived feveral Hours in this Vapour, without being apparently affected; and would no Doubt have lived ftill longer had they not been fet at Liberty. A ftrong lively Moth was feemingly killed in a few Seconds in an Ounce Phial of this permanent Vapour of Buxton-Water in which Putrefaction had taken place, and lay for dead in the open Air for an Hour;—it then came to Life again.

This *Moth* was introduced a fecond Time along with a common black Fly. The Moth lived 15 Minutes, and was then motionlefs : the Fly appeared lively and well four Hours longer.

(k) Infects have fingle Hearts—one Auricle and one Ventricle,—their Blood is white and cold,—they have no Lungs, but lateral breathing Holes, called Spiracula.

I put

I put a finall Quantity of Water containing putrefied animal and vegetable Matter, and which I observed by Means of a good Magnifier to abound with Animalcules not unlike Millepedes, into a Phial containing about four Ounce Measures of the permanent Vapour of Buxton-Water that rifes fpontaneoufly; which was corked and inverted. Another Portion of this fetid Water was poured into a four Ounce Phial filled with common Air, corked and inverted. . And a third Phial containing this foul Water was left open. Thefe three Bottles were placed in the fame Exposure and after 12 and 24 Hours Animalcules were observed as before, although diminisched in Number, and apparently changed in Kind in each of the Bottles. After two Days no living Animals could be difcovered in any of the Phials.

I fuppofe the Animalcules in the Phial of permanent Vapour of Buxton-Water found fufficient Air for the natural Term of their Life in the Water from, perhaps, Plants growing in the Water; and that the permanent Vapour of Buxton-Water poffeffes no politive noxious Quality.

Mr. Scheele found Flies lived feveral Days and did not diminish the Bulk of Air in which they were confined; but that after they were dead the Milk of Lime diminished its Bulk one-fourth Part, and the reft extinguished a Candle.

Bees, Caterpillars and Butterflies, after living in confined Air and dying therein, while the invert-

ed

ed Veffel in which they were included ftood in Lime-Water, were found to diminish its Bulk very confiderably; and form or to precipitate a confiderable Quantity of Gas: for the Water role daily within the Receiver. This great Diminution of Bulk Mr. Kirwan, with good Reason, afcribes to the Motion of this Animal, occasioning them to phlogisticate more completely the Air in which they were confined than most other Animals.

Mr. Kirwan feems to have expected that Bees, &c. fhould have lived as well in confined Air as in the open Air; becaufe Dr. Prieftley found that Infects live in putrid Air. And he explains their Death in Mr. Scheele's Experiment by obferving, that they probably died for Want of Nourifhment: but I confefs it appears to me that they died clearly becaufe the confined Air was rendered unfit for further fupporting the Functions of thefe Animals; and if other Infects lived longer in Air altered by Putrefaction, I apprehend it was not confined Air but communicated with the ambient Air, or was mixed with common Air.

Infects in general have been found to live a long Time in Vacuo, viz. Wafps, Bees, Hornets, Grafshoppers, Lady Cows, the Animalcules in Pepper-Water, &c. and it has been lately obferved that this Clafs of Animals live in Air infected by Putrefaction. Dr. Prieftley found Wafps, Butterflies, Spiders and Flies either died immediately or in a very fhort Time in nitrous Gas, Gas, Exp. and Obf. Vol. I. p. 227, but by Exposure to inflammable Air, Wasps were rendered torpid, and recovered on being removed into the open Air.

This Experiment fhews, that this permanent Vapour of Buxton-Water and perhaps Air combined with Phlogifton, or *altered* by Refpiration, Putrefaction, and phlogiftic Proceffes, deftroys the Principle of Life for the fame Reafon that a Vacuum does.

The other Claffes of Animals were not included in Receivers of this permanent Vapour, but I am inclined to think the Effects would have been found to be the fame as those of a Vacuum.

It was next enquired, whether this permanent Vapour of Buxton-Water will, like Air, combine with that Subftance called Phlogifton, and thereby decompose those Things of which this Subftance may be a component or elementary Part.

Exper. XXVII. A fmall Piece, about four Grains in Weight, of *Phofphorus*, was conveyed into a two Ounce Phial filled with *this permanent Vapour of Buxton-Water*. This Phial ftood inverted in a Bafin containing Quickfilver, and the Phofphorus was paffed through this Fluid into this permanent Vapour.

This permanent Vapour was previously found not to diminish on Mixture with nitrous Gas.

The fame Quantity of Phofphorus was introduced, in the above Manner, and under the above Circumftances, into a Phial of *common Air*.

Both

This Experiment was feveral Times repeated with different Parcels of this permanent Vapour of Buxton-Water, and with the fame Refult.

The Appearance in this Experiment was rather furprifing; becaufe, the *Light* produced by Phofphorus is believed to be occafioned by the Phlogifton of this Subftance combining with Air only, or by the Inflammation of the Phofphorus. But it is here fhewn that Phofphorus produces Light included in a permanent Vapour totally different from Air, and therefore that the fhining of Phofphorus is not a Criterion of Air (l).

Phofphorus

(1) Phosphorus is decomposed flowly by Air, perhaps in all the various Temperatures of the Atmosphere near the Surface of the Earth, and produces, during this Decomposition, or Inflammation, Light, but no fensible Heat, or but a small Degree of Heat. It is also decomposed, by greater Heat than that of the Atmosphere, rapidly; during which Inflammation, or more properly Combussion, there is much Light and Flame, and very great Heat.

Sulphur, Iron, &c. decompose or burn in the Heat of the Atmosphere, as well as when exposed to greater Degrees of Heat.

The Light emitted from animal and vegetable Matters undergoing the mucilaginous and putrefactive Fermentations, is probably occasioned by the Air of the Atmosphere decompofing *Phosphorus*; for, by these Fermentations, to the Test of Vol. II. G Silver.

[82]

Phofphorus has been found upon fome Occafions to emit Light in exhausted Receivers, but the Experiments were not made with such Attention as to enable us to determine whether this luminous Appearance might not be produced by a small Quantity of Air in an extremely rarified State left in the Receiver after it was exhausted.

Dr.

Silver, and Paper impregnated with Solution of Saccharum Saturni, Phlogifton is detached; and phofphoric Acid, either combined or in a feparate State, is alfo formed or extricated. By the Union of this phofphoric Acid and Phlogifton, Phofphorus is formed within the mucilaginous or putrid Mafs; which Compound, upon Expofure to the Atmofphere during the two above-mentioned fermentative Proceffes, is decompofed by the Air of the Atmofphere attracting the Phlogifton of the Phofphorus ftronger than it is attracted by the Acid of Phofphorus.

The Light produced from animal Matter while in a State of Prefervation from Fermentation by Means of Sea-Salt, or Nitre, has the fame efficient Caufe as the Light of the above Substances; becaufe the Fermentations of the animal Subftance are only partially prevented taking Place.

The Light or Flame emitted from the Bodies of, certain living Animals *, may be accounted for on the Supposition,. that fuch Animals excrete or fecrete Phofphorus; which is decomposed immediately upon its Exposure to the Air on the: Surface of their Bodies; and, the Acid of Phofphorus remaining after this elective Attraction has taken Place is either: combined with the atmospheric Air alfo, or is taken up by the Abforbents.

> > The

Dr. Priestley found Phosphorus to shine and sinoke in marine acid Air, just as it would have done in common Air, but not in alkaline, nitrous or vitriolic acid Air. Dr. Rutherford fays, Phosphorus of Urine continues to burn and shine in Air in which a Candle has burnt out (m).

The luminous Appearance of the Sea, fo frequently obferved, is probably occafioned either by the Decomposition of Phofphorus formed by the Fermentation of animal or vegetable Matters, extricated from these Subfances, and mixed with the Water; which Particles of Phofphorus being exposed to the Air by the Motion of the Sea, as happens especially in a Gale, are decomposed, and therefore emit Light; or by living Animals separating Phofphorus, and producing Flame in the fame Manner as they do upon other Occasions.

. The Aurora Borealis may, perhaps, be explained upon the Principle of Phosphorus decomposed by the Air of the Atmosphere; but it may seem difficult to state the Circumstances for such an Operation in the Atmosphere, because it is found, that Phofphorus burns in all the known Temperatures of the Atmosphere : Therefore cannot long exist there without being decompounded. This Difficulty may probably be removed by fuppoling, Acid of Pholphorus, which is faid to be frequently diffused through many Parts of the Atmosphere, to unite with Phlogiston in Regions where the Cold is too great for the Air to decompose Phosphorus, and therefore under fuch a Circumstance this Compound may be found in Air without being decomposed. But when by Motions in the Atmosphere this Substance is conveyed into more inferior, and confequently lefs cold Regions of the circumambient Air, it will then be decomposed ; the Effect of which is that Meteor called northern Lights or Streamers.

(m) Differtatio Inauguralis, 1772, p. 19.

G 2

In

[84]

In the Courfe of fome Experiments I had occafion to powder Pbosphorus, in the Manner described by Dr. Fordyce, (Phil. Tranf. Vol. LXVI. p. 11.). An eight Ounce Phial, half full of Water, containing fome Phosphorus of Urine was held near a Fire until it was heated fo as to melt the Phofphorus; in which State it was agitated and reduced to Powder. Before, as well as after, Agitation, the empty Part of the Phial was filled with white Fumes or Smoke, and in the Dark it was very luminous; but upon flanding corked the Light vanished, and was renewed in a most vivid Degree, throughout the whole Phial, by Agitation; and upon the least Motion of the Water, it was a just Refemblance of the phofphoreal Light of the Sea. This Phenomenon excited my Curiofity to know, whether it would happen in any Kind of permanent Vapour, as well as Air.

Exper.XXVIII. An eight Ounce Phial, containing about eight or ten Grains of Pho/phorus of Urine, was filled with diftilled Water recently boiled, into which were transferred about three Ounce Meafures of Air, to the Teft of nitrous Gas, wholly changed by Expofure to a Mixture of Iron-Filings and Sulphur. The Phial was corked and preferved inverted, and immediately upon the Introduction of this altered Air the Part occupied by it was uniformly whitis as from Smoke, and in the Dark was luminous. Moreover the whole Phial shone while agitated, and was luminous

in

in the Part filled with this permanent Vapour foon after being shook, but upon flanding, the Light disappeared, and was again reftored upon the least Motion, fo as to render the Surface of the Wave of Water thereby produced vilible.

After agitating this Phial fome Time, in a warm Room, without any other View than amuling myfelf with the Phenomenon of the Light produced, it was carried to a Tub of Water in order to mix the permanent Vapour it contained with nitrous Gas; when to my Surprize fome Bubbles which efcaped through the Water into the open Air, although the Room was lighted with Candles, were feen to emit Light, or burn with a Flame diffinctly upon the Surface of the Water; and I produced this pleafing Appearance feveral Times with this Parcel of permanent Vapour.

This Experiment was repeated with fresh Air altered by a Mixture of Iron and Sulphur, with the fame Event; excepting that it did not burn upon its Appearance on the Surface of the Water as on the first Trial.

The Experiment was also repeated with Air completely changed, according to the Teft of nitrous Gas, by Refpiration, and by Putrefaction; with Oil of Metals, Gas, nitrous Gas, common Air, and various Mixtures of these permanent Vapours with each other; in all of which the Phenomena above-related happened, if not without, certainly on Exposure of the confined permanent Vapours to

to Heat, excepting the fpontaneous Inflammation with Light, that manifefted itfelf upon paffing the permanent Vapour through Water, upon the Surface of that Fluid, and exposed to the Atmosphere in the first Trial of this Experiment. By Attention, however, and Repetitions of this Experiment, I discovered the Circumstances necessary to the Production of the *Flame* observed the first Time of performing this Experiment on passing the permanent Vapour through Water.

I found that the Phial with any of the above permanent Vapours as above-defcribed, emits Light if not without, certainly with Agitation, and Exposure to Warmth ; during which, the Part of the Phial occupied by the permanent Vapour had its Transparency disturbed by a whitish Fume. If the Phial be agitated frequently for fome Time, and during that Time be kept very warm, by being placed near a large Fire, the permanent Vapour will in general become again transparent, and as foon as its Transparency was reftored, and not before, it was found to have lost its Property of affording Light, although affifted by Heat and Agitation; even Heat to the Degree of rendering the Phofphorus fluid in the included permanent Vapour.

In this transparent State the permanent Vapour, especially if warmed, being passed through Water, on its Arrival upon the Surface thereof exposed to the Air, exhibited a beautiful Flame, for

[87]

for the Space of a few Seconds. This Effect may perhaps always be produced with most of the permanent Vapours, that are capable of being rendered transparent by long Agitation; but Gas could not be rendered transparent, therefore, afforded no flaming Vapour; and nitrous Gas, although it was rendered transparent, never blazed upon the Water.

If permanent Vapour, by the above Means, rendered capable of *flaming* fpontaneoufly on mere Expofure to the Atmosphere was poured into a Tube, instead of being passed through Water into the Air, *no Light* was produced; but as foon as common Air was added to it in the Tube, in two or three Trials, it was for a few Moments *quite light* in the Part of the Tube occupied by the permanent Vapours.

The Light in the Phial containing Phofphorus, Water, and permanent Vapour, appeared to be transmitted from the Phofphorus at the Bottom of the Vessel through the Water, and not from Particles of this Substance adhering to the Sides of the Phial, in the Part containing the permanent Vapour, or floating upon the Surface of the Water; for it was produced when no Particles adhered to the Sides of the Vessel, and when Water was added to fill the Phial brimful, *no Light* was produced upon the Surface of the Water above the Neck of this Bottle; and, because when this Water was poured off, in the Dark, into a Basin, G 4 there there was no luminous Appearance upon the Surface of the Fluid thrown out.

This Experiment accounts for the phosphoreal Light at Sea extending itself throughout the Substance of the Water to some Depth, and not being merely superficial.

After the Light vanished by continuing the Agitation and the included permanent Vapour had become transparent, on adding a fresh Quantity of permanent Vapour to the Phial containing the fame Phofphorus and permanent Vapour in which Light could no longer be produced, the luminous Appearance was renewed. To the Teft of nitrous Gas, none of the above-mentioned permanent Vapours after Agitation in Water with. Phofphorus were altered, excepting the common Air. The Inflammability of the Oil of Metals was not by this Means diminished, or increased; and all the other permanent Vapours extinguished Flame, excepting that upon one or two Occafions they exploded a little on Contact with a lighted Taper; which Effect was most probably occafioned by fome Particles of Phofphorus that chanced to be fuspended in the permanent Vapour. Nitrous Gas faturated the fame Quantity of common Air with Phlogiston, as before it was fubjected to this Experiment.

As it appeared that *Light* was produced for a confiderable Time, without Agitation, by Warmth, from a very fmall Quantity of Phofphorus in Wa-

ter;

ter; and, as according to the foregoing Experiment there is Reason to believe by Motion it would produce Light for many Days, perhaps for feveral Weeks, it occurred that if Phofphorus. were put into a very large white Glafs Bottle blown thin or a very large Receiver containing a fmall Quantity of Water, and were preferved inverted, or the Veffels were clofely thut fo as to exclude effectually the external Air, Light might be produced in fufficient Quantity for fome Purpofes in Mining; when on Account of the Abundance of Fire-Damp in certain fubterraneous Countries this Bufiness cannot be carried on by the Affiftance of burning Substances which furnish Light. Upon such Occasions the Light produced by ftriking a Pick-axe against a hard Stone, and the Light afforded by Heads of Fishes in a nafcent putrefcent State is all the Light the Miners have to affift them in their Labour. If fuch Means be fufficient, Phofphorus as above defcribed included in a Receiver with Water and permanent Vapour might answer much better.

The fpontaneous Inflammation of permanent Vapour on Exposure to the Atmosphere reminded me of a fimilar Phenomenon of Nature which had been communicated to me by a Gentleman of Accuracy and Judgment, namely, that in India there are Springs which fpontaneously exhibit a Flame upon the Surface of the Water as foon as they burft out of the Earth; but which, I believe, I believe, only appears upon the Water in the Part where they ooze out of the Ground.

Suppofing a Vapour of this Sort to be formed in the Earth by Putrefaction or other Proceffes, and to break out through certain Fiffures or Pores of the Ground, it would produce a Phenomenon juftly refembling the *Ignis fatuus*.

The Explanation of the Appearances in this Experiment, that I have been able to conceive, is this. When Phofphorus is expofed to the Action of Air it is deprived of its Phlogifton until it forms a Compound—Air faturated with Phlogifton. If this *Compound of Air and Phlogifton*, or any of the above-mentioned permanent Vapours' excepting Air, be applied fo as to act upon Phofphorus, a chymical Combination alfo takes Place, fhewn by the turbid State of the permanent Vapour, and fubfequent Transparency; either between Phosphorus or the Phlogiston of the Phofphorus and permanent Vapour, till (n) the permanent Vapour be faturated; by which Union a Compound is formed readily decomposed on the

(n) Inflammable Subflances upon other Occafions' have been found to decompose in, or have their Phlogiston attracted by, various permanent Vapours as well as Air; for Dr. Prieftley found, that the Phlogiston which is separated from a Mixture of Iron-Filings and Sulphur in Air is also, probably, extricated from this Mixture included in Receivers of *nitrous* Gas, Air faturated by nitrous Gas, Gas, Oil of Metals, and in exhausted Receivers, or excluded by Water from permanent Vapours of any Sort. See Exper. and Obs. Vol.], 'II, 'III.

Appli-

[90]

Application of Air; becaufe Air attracts more ftrongly the Phofphorus or the Phlogifton of the Phofphorus united with Air faturated with Phlogifton of the Phofphorus, and the other permanent Vapours fubjected to this Experiment, than this Compound of Air and Phlogifton and thefe other permanent Vapours attract Phofphorus, and the Phlogifton of Phofphorus.

The next Substance examined with the View mentioned p. 80. 1. 14. of this Vol. was nitrous Gas.

Nitrous Gas is a permanent Vapour composed of nitrous Acid and a large Proportion of the Principle of Inflammability (0): it is decomposed by Air, because

(o) "A Metal in its metallic Form is a Compound of a pure Calx and a Substance which has been called inflammable Air, but which is an Oil found out by Stahl to exist in Metals, and which we would call the Oil of Metals. The nitrous Acid decomposes this Oil at the fame Time that it acts on the Calx itsfelf."—Dr. Fordyce, Ph. Tr. Hence we understand why no Oil of Metals is precipitated by the Solution of Metals in nitrous Acid, and how nitrous Gas is formed.

In order to learn whether Oil of Metals would be decomposed by nitrous Acid, and by nitrous Acid combined with Phlogiston, or by nitrous Gas, I made the following Experiment.

A Phial, containing one Ounce of Water and fix Ounce Meafures of Oil of Metals, was exposed to Heat, and inverted in a Saucer of Water, fo as to empty the Bottle of the Water it contained; upon which it was removed with the Mouth ftopt with the Finger into a Bafin of concentrated nitrous Acid, in which about as much nitrous Acid rofe within the Phial as Water had been expelled. It was then closed with a Glafs Stopper, and ftood inverted in a warm Exposure feveral Weeks; during which it was frequently agitated. Along with becaufe Phlogiston has a stronger Attraction for Air than for nitrous Acid; and during the Decomposition of this Substance by Air, Heat is sensibly produced, but without Light or Flame (p), attended with a turbid Appearance, yellowish Fumes, or Smoke: a Diminution in the Sum of the Bulk of the two Substances mixt together, and Transparency are immediately subsequent to these Appearances.

It is to Dr. Prieftley that Philosophy is indebted for the Discovery of this permanent Vapour, with this Phial stood a Mixture composed of equal Quantities, viz. an Ounce Measure each, of Oil of Metals, and nitrous Gas, in a Phial inverted containing a very small Portion of Water.

After standing the Time above-mentioned, on Examination, the Mixture of Oil of Metals and nitrous Gas was inflammable as before, and did not diminish with nitrous Gas; the Oil of Metals which had stood exposed to the Action of the nitrous Acid was also as inflammable as before, and did not diminish with nitrous Gas; —therefore Oil of Metals could not be decomposed by nitrous Acid, or nitrous Gas; but they perhaps may effect a Decomposition under different Circumflances.

(p) In order to difcover whether any Light was produced by the Decomposition of nitrous. Gas the following Experiment was made.

To a Flafk, inverted in Water, containing a Pint and a half of common Air and a Pint of Water, was added in the Dark as fpeedily as poffible, a Pint Meafure of nitrous Gas; and the Mixture was agitated :---the Flafk felt warm, but no Light was perceived. In a few Minutes the Mixture was transparent, and the Dimensions of it were much lefs than the Sum of the Bulk of the two Subfrances composing it before they were added together.

which

which he called nitrous Air, (Exper. and Obfer. Vol. I. Sect. 6.) agreeable to his Phrafeology, viz. the denominating permanent Vapours of all Species, Airs.

This Philofopher alfo fhewed (q), that no permanent Vapour decomposes this permanent Vapour but *Air*; and, that therefore this Substance might be most usefully applied to discover not only the Presence of Air, but the Purity of Air, or the Proportion it bears in Mixtures of this permanent Vapour and other permanent Vapours, Fluids, and Solids.

Nitrous Gas is then, an inflammable Subftance, becaufe the *Phlogiston*, which is an effential or elementary Part of its Conftitution, is attracted by Air; and thereby is effected the Decomposition of nitrous Gas, the Production of Heat, and a Compound formed confisting of Phlogiston and Air.

Nitrous Gas belongs alfo, probably, to that Kind of inflammable Subftance, called Oil; becaufe *it burns*, and *is not foluble in Water* (r);

(q) Exper. and Obf. p. 114. " It is exceedingly remarkable that this Efferve/cence and Diminution, occafioned by the Mixture of nitrons Air, is peculiar to common Air, or Air fit for Refpiration; and as far as I can judge from a great Number of Obfervations, is at leaft very nearly, if not exactly, in Proportion to its Fitnels for this Purpole; fo that, by this Means, the Goodnels of Air may be diffinguished much more accurately than it can be done, by putting Mice, or any other Animals to breathe in it."

(r) Dr. Fordyce's Elements of Agriculture, p. 44.

6

and

and as Oil of Metals is decomposed in Confequence of the Phlogiston which enters into its Composition being attracted by Air, and is a Substance *infoluble in Water*, it is also on the fame Grounds pronounced to be Oil (s). Hitherto however Mankind have not been accustomed to conceive Oil in the Form of permanent Vapour, but Substances only which are Fluids or Solids in the various Temperatures of the Atmosphere; as the Fat of Animals, Ether, Phosphorus, Oil expressed from the Seeds and Fruits of certain Vegetables, &c.

It has been already demonstrated that on adding the permanent Vapour of Buxton-Water to nitrous Gas, there was no Heat or Disturbance in the Transparency of these permanent Vapoursmixt together; and no subsequent Transparency, and Diminution in the Sum of the Dimensions of the Substances composing the Mixture, p. 17, this Vol. Therefore there are no Signs of the Inflammation of nitrous Gas in the permanent Vapour of Buxton-Water that rises spontaneously, but as the Quantity of the Substances mixed together might not be substances to make the Signs of burning observable, I made the following Experiment.

Exper. XXIX. To a Pint Measure of nitrous Gas contained in a Florentine Flask, inverted in Water, the Neck with Part of the Shoulder of which was broke off, was added a Pint and a

(s) See Notes (o), p. 91, and (r), p. 93, this Vol.

half

half Meafure of this permanent Vapour of Buxton-Water as fpeedily as poffible : not the leaft Heat, or Difturbance of Transparency were perceived; nor any fubsequent Diminution in the Sum of the Bulk of the two Substances after Mixture difcovered, excepting what might be allowed for the Inaccuracy of the Method used for measuring the Bulk of permanent Vapours.

This Experiment determined that nitrous Gas doth not burn in, or is not decomposed by, this permanent Vapour of Buxton-Water, at least not in a Manner that can be made fensible by this Experiment; but the permanent Vapour separated by Means of Heat, (p. 231. Exper. XVIII and XIX. Vol. I.) has been shewn to be Air mixed with some other Substance.

Therefore as it is now proved that the permanent Vapour which detaches itfelf fpontaneoufly from Buxton-Water, (p. 152, 153. Vol. I.) and is alfo obferved mixed in the Form of fmall Bubbles with this Water, (p. 152. Vol. I.) is a permanent Vapour totally different from Air, it is fhewn that there is the greateft Probability that the Subftance mixed with the Air procured by expofing this Water to a boiling Heat, (p. 239. Vol. I.) is this permanent Vapour that feparates itfelf fpontaneoufly and is mixed in Form of fmall Bubbles with Buxton-Water.

To demonstrate further whether the permanent Vapour procured from Buxton-Water by boiling be be Air mixed with the permanent Vapour that rifes fpontaneoufly, and the *Proportion* of these to each other, the following Experiment was contrived.

Exper. XXX. I mixed the permanent Vapour which rifes fpontaneoufly from Buxton-Water with Air, in the following Proportions.

N° I. A Mixture of equal Quantities of the permanent Vapour that rifes fpontaneoully from Buxton-Water and common Air.

Two Meafures of this Mixture and one Meafure of nitrous Gas mixed together, produced a fomewhat turbid Appearance, no fenfible Heat, and meafured after Mixture two Meafures and one-fourth. On Repetition of this Trial the fame Appearances enfued, and the Mixture meafured two Meafures and eleven thirty-fixth's of a Meafure : and on a third Trial three Meafures of thefe two Subftances meafured two Meafures and $\frac{r}{r}$.

Equal Quantities of this Mixture and nitrous Gas, after ftanding together, were reduced between one Meafure and five-ninth's, and one Meafure and twenty-three-thirty-fixth's, as appeared on fix Trials.

One Meafure of this permanent Vapour of Buxton-Water, and half a Meafure of nitrous Gas, meafured after Mixture, Agitation, and ftanding, the fame as the Sum of the two Subftances feparately, or one and a half Meafure; excepting about $\frac{1}{35}$ of a Meafure exceeding, or lefs than, this Bulk. But after adding half a Meafure of Air to this Mix-

[97]

Mixture it measured one Measure and $\frac{1+}{1+}$ of a Measure.

N° 2. A Mixture of two Measures of this permanent Vapour of Buxton-Water, and one Meafure of Air.

Two Meafures of this Mixture and one Meafure of nitrous Gas, mixed together, meafured in the Trials made, two Meafures and $\frac{5}{9}$; two Meafures and $\frac{4}{9}$; two Meafures and $\frac{13}{36}$ of a Meafure.

Equal Bulks of this Mixture and nitrous Gas, after being agitated together, meafured from one Meafure and $\frac{67}{80}$ to one Meafure and $\frac{63}{80}$.

N° 3. A Mixture of three Parts of this permanent Vapour of Buxton-Water and one equal Part of common Air.

Two Meafures of this Mixture and one Meafure of nitrous Gas meafured on the Trials made two Meafures and $\frac{2}{5}$, and two Meafures and $\frac{7}{75}$ of a Meafure.

N° 4. A Mixture of *one* Part of this permanent Vapour of Buxton-Water and *three* Parts of common Air.

Two Measures of this Mixture and one Meafure of nitrous Gas measured, after standing together, two Measures and $\frac{1}{18}$. Two Trials.

N° 5. A Mixture of two Parts of common Air and one Part of this permanent Vapour of Buxton-Water.

Two Meafures of this Mixture and one Meafure of nitrous Gas meafured, after Mixture and Vol. II, H standftanding together, two and $\frac{1}{TT}$ to two Measures and $\frac{1}{6}$. Four Trials.

Equal Parts of this Mixture and nitrous Gas meafured one Meafure and $\frac{6}{10}$ to one Meafure and $\frac{27}{40}$ of a Meafure, as appeared on feven Trials.

Two Meafures of Air in which a Candle had burnt out and one Meafure of nitrous Gas meafured two Meafures and $\frac{1}{9}$: and at the fame Time two Meafures of common Air and one Meafure of nitrous Gas meafured/nearly two Meafures.

Effimating the Proportion of common Air to the other permanent Vapour that is feparated along with it by Heat from Buxton-Water, by the Teft of nitrous Gas applied to Mixtures of thefe two Subftances in various Proportions, the *fmalleft* Proportion of Air is one Part of this Vapour to three Parts, or rather more, of the permanent Vapour of Buxton-Water; and the greateft Proportion is three Parts of Air and one Part of the permanent Vapour that rifes fpontaneoufly p. 236, Vol. I.

There is no Difficulty in accounting for the Difference of the Proportion of these two Subftances.

1. As the permanent Vapour that rifes fpontane, oufly from Buxton-Water is contained therein in a State of Suspension, by being divided into fmall-Maffes as Oil in Water, as well as, probably, Solution, and the Circumstances which occasion this Suspension are liable to vary exceedingly, the Quantity Quantity of a given Bulk of this Substance in Water, recently taken from the Bath, must also vary; and, therefore supposing the Quantity of Air contained in a given Quantity of Water to be always the same, because it is either combined with, or diffused through, this Water, we can readily understand how it happens that different Parcels of Water separate these two permanent Vapours in different Proportions to each other when exposed to Heat.

2. The Proportion of these two permanent Vapours to each other is not only liable to be different in different Parcels of Water, but if the permanent Vapour separated by Heat from the same Parcel of Water be received in different Vessels, each Vessel will be liable to contain these two Substances in various Proportions :--- from the different States of *Mixture* and *Combination* in which they are contained in the Water, they will probably be extricated at different Times, or inunequal Proportions at the same Times.

Suppose we confider the Quantity of permanent Vapour contained in Buxton-Water separable by Heat to be four Ounce Measures, in a moderate Heat of the Air, in fixteen Pints of Water, according to a former Experiment, p. 233, Vol. I. then the mean Proportion of Air and the other permanent Vapour to each other is about equal Quantities of the permanent Vapour that rifes suppose the permanent Vapour that rifes foontaneously, and of Air; or about two Ounce H 2 Measures Measures of the permanent Vapour that extricates itself from Buxton-Water, and the fame Bulk of Air, in this Quantity of Water; fo that a Pint of Buxton-Water contains one Drachm Measure of the former permanent Vapour, and about as much Air: and Buxton-Water contains $\overline{\sigma_{\pi}}$ of its Bulk of permanent Vapour of the above two Kinds and Proportions separable by Heat (t).

The

(t) This may be the proper Place to obferve, that Dr. Higgins in his Advertisement, mentioned p. 310, Vol. I., after stating the Quantity of Sediment, and the Kind of Substances of which this Sediment confisted, in a Winchester Gallon of Buxton-Water, fays, this Quantity of Buxton-Water contained " four Ounce Measures of phlogisticated Air. and two Ounce Measures of acidulous Gas, exclusive of the Quantity retained by the calcareous Earth in the Heat of boiling Water." Thefe two Vapours Dr. Higgins reports were found in his Examination of a Gallon of Buxton-Water, filled April 1, 1782, under the Infpection of Mr. Benjamin Priolu, Bath-Man; therefore it is evident, the permanent Vapour that arifes spontaneously from Buxton-Water, p. 152, 153, Vol. I., did not in a separate State fall under the Notice of this excellent Chymift; but probably those Vapours which are separable from it by Means of Heat, p. 231 to 240, Vol. I. The Vapours I found by this Means were a Mixture of Air and the permanent Vapour that arifes Spontaneon fly from Buxton-Water, p. 236, Vol. I. and p. 75, Vol. II. The Refult of Dr. Higgins's Experiments is in this Part of the Analysis of Buxton-Water different from mine. He fays he obtained " four Ounce Measures of phlogifficated Air, and two Ounce Measures of acidulous Gas . from

The Effects of the above Mixtures on Animals. related in the following Experiment, fhew further the Refemblance between them and the permanent Vapour obtained from Buxton-Water fubjected

from a Winchester Gallon of Buxton-Water." By what Method Dr. Higgins separated these Vapours is not mentioned. Nor does he define what is to be understood by the Term phlogifticated Air. If by this Term he means permanent Vapour which extinguishes Flame and which is not Gas, without other Properties being confidered, this Substance, called phlogisticated Air, may be the permanent Vapour I found p. 237, Vol. I. I could not separate any Gas, by Means of Heat, from this Water, p. 235, 244, Vol. I.; and by elective Attraction, p. 263, Vol. I. only one Ounce Measure of this Gas from seven Ounce Measures of Buxton-Water. Unless Dr. Higgins had published the Experiments from which he gave the above Refult, it is impossible for the Public to determine whether his Account, or mine, of the permanent Vapour of Buxton-Water be best established by Proofs. In the mean Time the Reader will pleafe to confider attentively the Methods I have purfued, and the Obfervations I have made in various Parts of this Work, particularly p. 231 to 303, Vol. I.; and judge for himfelf concerning the Sufficiency of the Experiments to make appear the Substances and Properties for which they were intended, and also with Regard to the Justice of my Deductions and Remarks.

As in the above-quoted Analyfis of Buxton-Water phlogisticated Air is mentioned to have been found therein, I think it necessary to observe, to justify the Affertion I have made in a former Part of this Work, that till the Experiments related p. 16 to 20, of this Vol. the permanent Vapour that arifes spontaneously from Buxton-Water was univerfally

H 3

fubjected to a boiling Heat, p. 237, 238, 239. Vol. I.

Exper. XXXI. Into a Receiver containing two Ounce Measures of the Mixture N° 2. of last Exper.

univerfally believed to be Gas, that I could not derive any Affiftance from that Account becaufe the Date of its Publication in a Hand-Bill is June 9, 1782, and the Water of which the Examination was made in is this Advertifement faid to be "filled the 1ft of April (1782) under the Infpection of Mr. Benjamin Priolu, Bath-Man;" whereas I made the Experiments, which fhewed this permanent Vapour to be a totally different Species of Matter from Gas, about the 2d or 3d of February of the fame Year, in the Prefence of Mr. Buxton, (p. 19, this Vol.); and in the Courfe of that Month communicated the Refult of them to feveral of my Friends; among others, to Dr. Fordyce in London, and Dr. Duncan in Edinburgh.

Alfo in the Month of April 1782, I had the Honour and Satisfaction of examining along with the Hon. Mr. H. Cavendish, the Nature of the permanent Vapour that rifes spontaneously from Buxton-Water, and the permanent Vapour separated by boiling from this Water, by Mixture with nitrous Gas. These Trials being made with the most accurate and best contrived Instruments hitherto known, I shall for the further Satisfaction of the Reader relate the Refult of them.

First one, and then a second Measure of nitrous Gas was added to two Measures of the permanent Vapour examined, as nearly as could be made: Accordingly, the first Column contains the Quantity of permanent Vapour according to Measure; the second Column the Bulk of this Vapour after Mixture with, as accurately as possible, one Measure of nitrous Gas. The third Column shews the Bulk of the two Measures Exper. was introduced a Moufe. This Animal lived without apparent Uneafinefs four Minutes; —it then had a Shortnefs of breathing and flaring with Protrusion of its Eyes; and in four Minutes more it expired.

Into the fame Receiver containing two Ounce Meafures of the Mixture of N° 1. of last Exper. a Mouse was conveyed. It lived seemingly with-

Meafures of permanent Vapour mixed with one Meafure of nitrous Gas to which a fecond Meafure of nitrous Gas was added. Hence may be feen the Difficulty, or Impofibility of obtaining, precifely, by Meafure a required Quantity of Vapour, and the fame Quantity feveral Times together.

Land			
N° 1. Two Measures of the per- manent Vapour that rifes spon-		With one Meafure of nitrous	With a fecond Meafure
taneoufly from Buxton-Water were found to meafure in the		Gas.	of nitrous Gas.
Eudiometer Tube — —	2,02	2,89	
Ditto from a different Parcel	2,025	2,85	
N° 2. Air phlogisticated by Iron- Filings and Sulphur —	2,000	ż,88	
Nº 3. Permanent Vapour from			
Buxton-Water by Means of a			
boiling Heat of Water		1,82	2,315
N° 4. Air in which a Candle had			,
burnt out 👘 🛶 🛶	1,995	1,78	2,49
Trials by Weight, in which only one Measure of the above Va-		Oblerva- ble Dimi-	True Di-
pours were used.	-	nution.	minution.
Nº 1. — — — —	,998	1	,138
N° 2	1,008	,085	,085
N° 3	- ,998	,928	,930
N° 4	· ,992	,799	
Common Air — — —	1	1	1,08
TT			

 H_4

out

out Pain for fix Minutes then shewed Signs of Uneafiness, and died with its Eyes appearing as if ready to start out of its Head.

These Animals diminished the Volume of these Mixtures in which they were included. It appears that these Mixtures had the same Effects on Animals as the Vapours separated from Buxton-Water by boiling, p. 237, 238, 239. Vol. I.

Having found that Animals could not live, nor Substances burn, in the permanent Vapour which rifes fpontaneoufly from Buxton-Water, I enquired, whether Seeds would live or grow exposed to this permanent Vapour, instead of Air. Alfo as fome of the Properties of this permanent Vapour were found to be like those of Air united with Phlogiston, and Air altered by Respiration and Putrefaction, the Effects of Seeds of Plants confined in Air thus altered were at the same Time investigated,

Exper. XXXII. In the Month of March, 1783, feven Garden-Difhes of the fame Size were filled with Earth from a Garden; in one half of each of thefe Difhes were fown the Seeds of Garden-Creffes, and in the other half those of Mustard, in as exactly the fame Manner as possible. Each of these Difhes were then put into a much larger Difh, capable of holding an inverted Receiver containing four or five Quart Measures of permanent Vapour, and Water sufficient to prevent the included

.

cluded Vapour from mixing with the Air of the Atmosphere.

These Receivers, which were Glass-Bells, were inverted over the Difhes containing Earth and Seeds by immersing the smaller Difhes in the larger ones in a Tub of River-Water of the Heat of 54°, and while immersed, placing the Receivers of permanent Vapour within these larger Difhes; by which Means an inverted Receiver containing a Pot of Earth fown with Seeds standing within a large Difh with Water interposed between the Atmosphere and permanent Vapour included in the Receiver was brought out of the Water, and exposed to the Atmosphere. Care was taken that the Water should not be in such a Quantity within the Receiver as to keep the included Pots under Water.

The Receiver Nº 1. contained atmospheric Air.

_____ N° 2. was nearly filled with the permanent Vapour that extricates it/elf spontaneously from Buxton-Water.

- N° 3. held Air *altered*, to the Teft of nitrous Gas, as much as possible (*u*), by the

(*u*) The joint Dimensions of two Measures of this altered Air with one Measure of nitrous Gas, after Mixture, were two Measures and $\frac{7}{9}$; and it could not be further altered by Respiration, although several Animals were included in this Parcel of Air after being changed in this Manner and heated to 70°.—They lived a few Seconds, sometimes half a Minute therein,

Respira-

Respiration of Mice, and which had been previoufly paffed repeatedly through a large Quantity of Water.

The Receiver N° 4. contained Air, to the Teft of nitrous Gas, completely changed by the Putrefaction of animal Matter (x), and freed from fetid Matter and Gas by transferring it feveral Times through Water.

———— N° 5. was Air wholly faturated with Phlogiston, detached during the Decompofition of Iron and Sulphur mixt together, and deprived of a fulphureous Smell occasioned probably by the Admixture of volatile vitriolic Acid, or of a permanent Vapour of the hepatic Kind, by Transmission through Water.

------ N° 6. was filled with Oil of Metals precipitated from. Iron by diluted vitriolic Acid.

(x) I procured a large Quantity of Air fo altered by Putrefaction that no Part of it combined with nitrous Gas, by exposing animal Matter, in Glass-Bells inverted in Water, to the Heat of a Dunghill covered with a Melon-Frame.

I once placed thefe inverted Glaffes with animal Subflances to ferment in a Hot-houfe; but very difagreeable Confequences happened :—the Fermentation was fo rapid in this Exposure as to expel fuch a Quantity of fetid Vapour through the Water in the Difh interposed between the included Air and the Atmosphere, as to be intolerable to either Plant or Animal.

The

The Receiver N° 7. was a Pot of Earth and Seeds exposed to the open Air.

The Situation of these inverted Receivers was a large Room in which they were exposed to the Light of the Sun, or of Candles constantly, excepting about fix Hours every Night; and in a Heat that was variable between 46° and 54°.

In the Space of feven Days the Seeds of the *Creffes* could be just perceived *coming up* in N° 1. and N° 7.

In a Fortnight further the *Creffes* had grown two Inches in Height in N° 1. and N° 7., but there was not a Sign of Vegetation in the other Receivers, or of Growth of the Mustard in N° 1. and N° 7. The Earth of N° 7. being dry was moistened with River-Water.

In another Week's Time the Creffes in N° 1. had grown taller, and looked bealthy and vigorous. In the other Receivers there was no Appearance of Vegetables, or in the Parts of the Pots fown with Mustard in N° 1. and N° 7.

In a Week further the Creffes in N° 1. had not grown taller, and were in a *languid State* while those of N° 7. in the open Air had every Sign of. *Health*. The Seeds had not come up in the other. Receivers.

The Seeds of Creffes fown and contained under the Receivers N° 2, N° 3, N° 4, N° 5, N° 6. not having come up after being in the Earth five Weeks, and having vegetated and appeared in N° 1. N° 1. and N° 7. in one Week, although all these Numbers were under fimilar Circumstances of Expositive to Heat, Light, Pressure, &c. the included Pots of N° 2, 3, 4, 5, and 6. were withdrawn from under the Receivers and exposed to the open Air, under otherwise the same Circumstances as before. The Earth on withdrawing these Pots from under the Receivers was observed to be fufficiently humid for Vegetation.

After fix Days Expofure I difcovered the Creffes just appearing through the Earth in all the Difhes that had been under the Receivers; after which Time they continued to grow, and there was an *abundant Crop* of this Species of Plant, but not a Plant of Mustard appeared. It was observed however, that the Creffes were especially luxuriant under N° 3. The Taste of these Plants was the fame as when they grow exposed to the Atmosphere.

This Experiment was repeated when the Atmolphere was warmer, in April following, and with the fame Event; namely, the Seeds of Creffes only grew in the Receiver N° 1. in a weakly Manner, and in the Pot N° 7. in the fame Manner in general for a certain Time as in the open Air: but upon Expolure of the Pots of Earth that had been included in the Receivers N° 2, N° 3, N° 4, N° 5, and N° 6. to the Atmolphere, there was a plentiful Produce of them; and not a Plant of Multard appeared.

I do

I do not know why the Seeds of Multard did not grow in this Experiment as well as the Seeds of Creffes, unlefs the Heat to which they were exposed was not fufficient for Vegetation, or that their *Living-principle* was injured or deftroyed before they were fown.

I believe Homberg, Mr. Boyle, Muffenbroek, Boerhave, Dr. Derham, and Cygna, among feveral other Authors have affirmed, that Seeds do, not grow in Vacuo. Seeds fown very deep in the Ground are obferved by the Hufbandman not to come up, and *it is here fhown for the first Time*, *as far as I know, that Seeds will not grow in the permanent Vapours under the Receivers* N° 2, N° 3, N° 4, N° 5, N° 6. in the above Experiment, any more than in exhaufted Veffels. Alfo it is rendered extremely probable by the Event of this Experiment, that Eggs cannot be hatched in the permanent Vapours in which Seeds do not grow.

In the above Experiment it is fhewn that Seeds will grow in confined Air, but that after the Plants have vegetated therein a certain Time, the Air becomes then unfit for Vegetation, and unlefs fresh Air be applied the Vegetables die.

riment of Mr. Scheele, perhaps, the Gas was feparated from the Peafe during fprouting, or as the Author fuppofes, a Portion of the Air was converted into Gas, and the Air by Union with Phlogifton or fome other Means being altered extinguished Flame. The Air was diminished one-fourth in Volume, fupposing the Gas to have been added from the Seeds; and the Roots in this Experiment do not appear to have either absorbed Air, or to have feparated it.

The permanent Vapours N° 2, N° 3, N° 4, N° 5, and N° 6. in my Experiment, moft probably operate upon Seeds by fome *negative Quality*, as well as many of them do upon the *Lungs* of living Animals, and as a *Vacuum* does upon Seeds and Refpiration. The Principle of Life appears to have prevented the Seeds in the above Experiment from putrefying, for they were otherwife under favourable Circumftances for undergoing the putrefactive Fermentation. But it is not the Living-principle, or not that Power alone that occafions Seeds to refift Putrefaction in exhaufted Receivers, becaufe no Kind of *dead* Matter will grow putrid in *Vacuo*.

The Principle of Life not only exifts in animal Substances " devoid of apparent Organization," as in Eggs, according to the Observations of Mr. John Hunter; but in unorganized vegetable Matter as shewn in the foregoing Experiment.

I con-

I confider this Experiment as affording a very curious and interesting Fact relating to vegetable Life. It has been suggested that it furnishes a a Ground for the Preservation of Seeds under Circumstances in which they would *putrefy* or *die*.

Having learned the Effects of the above-mentioned Species of permanent Vapour on *living* Seeds, I proceeded to inform myfelf concerning their Effects on *living Plants*.

Exper. XXXIII. Water-Creffes, Brooklime, and Garden-Mint, feparately, in fhort Jars filled with Earth and Water, were at the fame Time introduced within each of the Receivers of permanent Vapour of the flaft Experiment, namely, N° i, N° 2, N° 3, N° 4, N° 5, and N° 6. in the fame Manner in which the Pots containing the Seeds were there placed within them; and 'expofed to the fame Quantity of Light, and Degrees of Heat as there mentioned. Thefe Plants were alfo placed in the fame Exposure in the open Air, and diffinguished by being marked N° 7.

The Plants in the Receivers looked very healthy and greve for about 14 Days, mean while these in the open Air appeared in a lefs flourisbing State; but at this Time N° 7. continued vegetating as before, and N° 1, N° 2, N° 3; and N° 4. were either very languid, or in a dying Condition; and N° 5 and N° 6. were in Health:

A few Days after this Time all the Plants were dead excepting those of N° 1 and N° 7. In 6 N° 1. N° 1. they had grown to fuch a *Length* although they appeared *fickly*, that the Receiver was too fmall for them to fhoot longer. The Plants were now all withdrawn.

To the Teft of nitrous Gas, as well as Flame, the permanent Vapours were not altered, excepting the Air in N° 1. which required lefs Phlogifton to faturate it than before, and it extinguifhed Flame. The weakly State of the Plants in N° 7. in the open Air was probably occafioned by the open Air being too cold for luxuriant Growth, or by fome other Circumftance unfavourable to vegetable Life and Growth not underftood. The Extinction of Flame by N° 1. was probably either occafioned by the Putrefaction of fome Leaves, or of the Water of the Receiver, or by fome Alteration occafioned by the Vegetation of the Plants.

This Experiment fhews, that Plants grow lefs luxuriantly but for a much longer Time in a Receiver of common Air than in any of the other five Receivers of permanent Vapours examined in this Experiment; for Plants, no more than Animals, cannot live long without a frefh Supply of Air, although the Changes produced by Plants on Air, by which it is rendered unfit for Vegetation be not inveftigated. Dr. Prieftley found Plants grew when exposed to that inflammable Vapour called Oil of Metals, inflead of Air, for feveral Months. I have feen no Experiments fhewing shewing that they vegetate in the permanent Vapours in the Receivers N° 2. and N° 5: nor perhaps in the Air of N° 3. and N° 4. so intirely or confiderably altered by Respiration and Putrefaction.

Happening to leave the Receiver N° 6. of Oil of Metals ftanding in Water, I was furprized to find a Day or two after the Plants were with drawn, that Water had rofe confiderably within it, and after fupplying the Difh in which it ftood inverted with fresh Water, in a Day or two further this Receiver was three-fourths full of Water. I could affign no Reason for this great and fudden Diminution of the Volume of Oil of Metals, but by supposing a Decomposition had taken Place; however upon Trial the Residuum was as inflammable as before this Alteration of Bulk. It fuffered no further Decrease of Bulk by standing three Months longer.

Oil of Metals has been found by Dr. Prieftley (y) to lofe its Inflammability by long flanding in Water, and the Refiduum extinguished animal Life and Flame; and that by Agitation in Water it may be made respirable. It becomes then a Question whether the above Diminution of Bulk of Oil of Metals was not occasioned by a partial Change of this Substance into Air unfit for Inflammation and Respiration, which being

(y) Exper. and Observ. on Air, Vol. I. p. 59. Vol. II. I

10

10 or 12 Times specifically heavier than Oil of Metals, may account for this Phenomenon; and be in too small a Quantity to prevent the Inflammation of the remaining Oil of Metals with which it was mixed.

Exper. XXXIV. On the 11th of December, 1782, Plants of the fame Species were included in the Receivers of permanent Vapours as in the laft Experiment; and of the Kind there marked N° 1, N° 2, N° 5; and were alfo exposed to the open Air in the fame Manner as N° 7. in that Experiment.

During the Time of this Experiment the Heat of the Atmosphere to which the Plants were exposed was 36° to 44°.

The 14th of this Month the Plants in the Receivers all looked healthy, and had grown a little, but those in the open Air N° 7. were in a languid State.

On the 23d of December the Plants in N° 2. and N° 5. were in a *luxuriant State* of Vegetation, having many additional Shoots and Leaves, and being grown taller and the Leaves broader than when first introduced; fo that the Receivers N° 2. and N° 5. containing those Plants, appeared almost *filled with green Leaves*, while those of N° 1. continued growing, but not luxuriantly; and the Plants N° 7. in the open Air were in a *weak*, or even dying State.

The

The 27th of this Month the Plants in Nº 2. and N° 5. were all either in a languishing, or dying State; those of N° 1. were growing as before, and the Plants N° 7. were not quite dead.

T TIS T

January 24th, 1783. The Plants in Nº 2. and N° 5. were all either languishing, or apparently dead. In N° 1. the Vegetation continued, but the Plants did but look weakly; the Stalks being finall and the Leaves of a lefs Size than natural, and of a pale green or yellowifh Colour. The Plants in N° 7. in the open Air were quite dead.

On February the 8th following, the Plants in N° 1. were grown to long that the Receiver was too small for them, but otherwife they appeared extremely unhealthy; --- those in N° 2. and N° 5: were dead, excepting a Stalk or two of Mint that had put out many lateral Needle-like white Fibres.

Upon Examination, the permanent Vapour of Nº 2. and N° 5. to the Test of nitrous Gas, was not altered ;- that of N° 1. was not examined.

The Event in general of this Experiment is not different from the former Experiment. For it appears in this Experiment that Plants lived, and flourished about 17 Days in the permanent Vapour that separates itself from Buxton-Water, and Air faturated with Phlogiston, or, to the Test of nitrous Gas, totally changed by a Mixture of Iron-Filings and Sulphur; and then languished, and gradually died;-that they lived and grew, but not vigoroully, in the Receiver of common Air Iwo I 2 Months

[116]

Months or longer; and that they died in a few Days in the open Air.

In this Experiment the Plants died in the open Air, probably, on Account of its not being of a fufficient Degree of Heat.

The latter End of March, 1782, the following Experiment was made to afcertain the general Effects from Plants of Mint exposed to the permanent Vapour that rifes fpontaneously from Buxton-Water: in particular to know whether there was any Refemblance between this permanent Vapour and Air altered by Respiration and Putrefaction, and Air changed by, or combined with Phlogistop.

Exper. XXXV. Three four Ounce Phials containing River-Water and Sprigs of Garden-Mint, were introduced within a wide Jar that was filled with two Pint Measures of this permanent Vapour of Buxton-Water and one Pint of River-Water, through a Tub of the fame Water. For want of a Jar fimilar to the above one, a four Ounce Phial containing two Sprigs of Garden-Mint were placed within a Jar that held ten Ounce Measures of Air of the Atmosphere and two Ounces of River-Water.

Thefe two Jars ftanding inverted in Difhes of River-Water were placed in the fame Exposure, in a Room the Heat of which was variable from 44 to 52 Degrees, along with three four Ounce Phials

· · · · ·

E 117]

Phials containing Sprigs of Garden-Mint exposed to the Atmosphere.

In five or fix Days the Plants in the permanent Vapour of Buxton-Water were in a *luxuriant* State; for the Leaves were broader, of a darker Green, and more in Number than those included in the Jar of common Air, or exposed to the open Air.

In ten Days further, the Plants in the confined Air, and in the open Air were grown *taller* than those in the Jar containing the permanent Vapour of Buxton-Water, where they had made no Progress in Growth since the last Report, but looked very *healthy*.

On the Morning of the *feventeenth Day* of this Experiment all the Plants of Mint included in the permanent Vapour of Buxton-Water were found to have died during the preceding Night; for their Stalks were bent as if broken near the Neck of the Phials; the Leaves were flaccid and blackifh, inftead of a deep green Colour which they had the Evening before. After remaining 12 Hours longer in this Jar they were withdrawn, and found quite dead; even in a mucilaginous State.

The Plants in the open Air and in the Receiver of common Air grew well feveral Weeks longer; after when they were removed; and at that Time the Sprigs of Mint in the confined Air were in a weakly State, and had an unhealthy Appearance.

The

The permanent Vapour of Buxton-Water inwhich the Plants were included in this Experiment was mixed with nitrous Gas feveral Times in the Courfe of this Experiment, without the leaft Diminution in the Sum of the Dimensions of these two Substances, separately, being perceived after Mixture.

This Experiment was repeated by introducing Plants into the Receiver of permanent Vapour of Buxton Water above-mentioned in this Experiment in May, 1782, with nearly the fame Iffue: for the Plants grew more luxuriantly for a few Days in this permanent Vapour of Buxton-Water than in confined Air, or in the Atmosphere, but died in lefs than a Fortnight in this permanent Vapour of Buxton-Water, lived feveral Weeks in a weakly or unbealthy State in confined Air; and at the fame Time lived, and were as bealthy as these Plants ufually are in the Phials of Water exposed to the open Air.

It appears then from the three laft related Experiments, that vegetable Life cannot long be continued in any of the permanent Vapours contained in the Receivers N° 2, N° 3, N° 4, N° 5, and N° 6. See Exper. XXXII. this Vol.—that Plants live a much longer Time in *confined Air* than in thefe permanent Vapours, but become unhealthy, and afterwards die, while the fame Species of Plants exposed to the Atmosphere under otherwise like Circumstances to those included in the Receivers grow

grow and are healthy; provided the external Air be of a proper Temperature. The Plants were affected by these permanent Vapours in the Receivers upon the fame Principle, if not because they are all the fame Substances, excepting that of N° 6. : for they lived nearly the fame Space of Time, vegetated with about the fame Degree of Vigour, and died with the fame Appearances;if the permanent Vapours fuffered any Alteration this Change was, perhaps, alike in all of them. These included Vegetables appear to have been killed by a negative Quality of these permanent Vapours, rather than by any positive noxious. Property; and on the fame Principle that it has been fhown, p. 52. 57.75, 80. this Vol. that Animals are deprived of Life by these Substances, and that Vegetables and Animals die in Vacuo, or in extremely rarefied Air. For the Plants did not die in these permanent Vapours fo fuddenly, or with the fame Phenomena as when the Death of Animals and Vegetables is occafioned by permanent Vapours that kill Plant's by politive Qualities, as volatile fulphureous Acid, Gas, &c.; but flowly in the fame Manner as imperfect Animals die in thefe permanent Vapours, and Plants and these Classes of Animals die in exhausted Receivers. Further; Plants live in Receivers of these permanent Vapours mixed with a small Quantity of Air, probably, as long as they would live in the fame Quantity of Air alone. Alfo at Buxton in 'the' I4 Room

Plants do not die in Receivers of these permanent Vapours in Consequence of any Change in the Qualities of these Vapours operated by Vegetation, because after Plants have lived and died in them fresh Plants being introduced lived as long, and with the same Degree of Health as the former.

Vegetables live much longer than even the most imperfect Animals in the above permanent Vapours, or than these Animals in exhausted Receivers; not only because they carry into these Receivers of permanent Vapour a Quantity of Air adhering to their Surfaces, and have a Supply of Air for a Time from the Water in which the Receivers stand inverted, and the Earth in which they grow; but because Plants, from the Nature of their Constitutions, can live longer without Air than, I believe, the most imperfect Animals: and Animals hear the Air-Pump in Proportion to their imperfect State. So that in Truth, although Vegetables lived even in a vigorous State in these permanent Vapours between two and three Weeks, they are as unfit for fupporting vegetable as animal Life; and it is for the above Reafons that we can understand why Plants

Plants die in confined Air long before it is wholly changed, to the Teft of nitrous Air, and yet fresh Plants live in this Air for a Time in which Plants have died, and in the permanent Vapours in the above Experiment.

Living Vegetables, under certain Circumstances, excrete Air much more pure than atmofpheric Air (z); and under certain Circumstances alfo, probably, injure, or render it improper for fupporting animal Life and Flame, and also, perhaps, for vegetable Life, But neither the Effects of Air; thus excreted and altered, on vegetable Syftems, nor all the Circumstances in which this Excretion of Air and this Change happens, are well understood. Probably, however, in the preceding Experiment the Excretion of pure Air either did not take Place, or it was again vitiated by the vegetable Functions, for it was not apparent to the Teft of nitrous Gas: and on Account of the Difference of the Powers of Plants at different Times in feparating pure Air, in vitiating Air, and the different Quantities of Air adhering to the Plants introduced within the Receivers, and contained in the Water and Earth to which they are exposed, as well as the accidental Injury of the included Air from the dead Parts of Plants. Infetts, and Animalcules in Water, the Length of. Time in which a Plant will live in the above per-

(z) Phil. Tranf. Vol. LXXII. F. ii. p. 426.

manent

manent Vapour, under the above Circumstances, ' is more various than the Length of Time in which an Animal will live therein.

Plants live a fhorter Time in nitrous Gas than in Air faturated with the Phlogifton of nitrous Gas; becaufe, perhaps, the nitrous Gas combines with the pure Air as faft as it is excreted, thereby robbing the Plant of the Air that would fupport it a fhort Time, and alfo by combining with the Air accidentally contained in the Receivers in which the Plants are included.

Dr. Prieftley found (Exper. and Obf. Vol. I. p. 61.) that Plants grew feveral Months in inflammable Air precipitated from Zinc, and alfo from Oak, without diminifhing at all, or only very little, its Inflammability; probably, they would not have lived fo long had not the inflammable Air been mixt with a Portion of common Air.

Although the permanent Vapours above-mentioned are as unfit for fupporting vegetable Life as extremely rarefied Air, yet during the fhort-Space of Time Plants lived therein they manifefted, for a few Days, Signs of their Functions being performed with an extraordinary Degree of Vigour; which State of high Health did not proceed from thefe permanent. Vapours affording more Nourifhment than Air, but, I conceive, might arife from the permanent Vapours to which they were exposed proving a Stimulus to the vegetable Powers; or they might occasion more luxuriant

luxuriant Growth than in common Air, under fimilar Circumstances, on Account of their deftroying in a fhort Time the Infects or Animalcules in the Water, Earth, or upon the Surface of. the Plants, which being killed would afford Mu-. cilage,-the most nutritious Food of Plants;--although these Vapours were unfit for continuing vegetable Life; they forwarded their Growth until the Stock of Air was rendered improper for Vegetation, or was absorbed; after when, the Plant languished and died like Animals and Plants in exhaufted Receivers. This luxuriant Growth may be. compared to the Struggles of imperfect Animals for a short Time after being included in these permanent Vapours; which are fucceeded by a torpid or motionless State for some Time before Death enfues. It may however be queftioned whether permanent Vapours, operating as a Stimulus in the Manner above-mentioned, mixt with a Quantity of Air sufficient for vegetable Life, may not render Air more falutary both to Animals and Vegetables.

It has been found first by Dr. Priestlev, and afterwards by various Experimenters, that upon fome Occasions Vegetation has the Power of meliorating Air rendered impure by Respiration, Inflammation, Putrefaction, and Phlogiston, though that Alteration has not been well understood. I have endeavoured to explain the Effects of Vegetation getation upon foul Air more fully than has been hitherto done, p. 82, Note (e), Vol. I.

The three preceding Experiments fhew the Refemblance between the permanent Vapour that feparates itfelf from Buxton-Water and Air altered by Refpiration, Inflammation, and Putrefaction, in their Effects upon the Life of Plants: it was therefore next enquired, whether living Vegetables have the Power of decomposing the permanent Vapour that arifes from Buxton-Water, or of changing Receivers of this Substance partially or wholly to the State of Air.

Exper.XXXVI. Garden-Creffes, Water-Creffes, Brook-lime, Common, and Pepper-Mint, in a very healthy State, were introduced into two Ounce and four Ounce Phials filled,

First, With the permanent Vapour that separates itself from Buxton-Water.

Secondly, With Air altered, as much as poffible, to the Teft of nitrous Gas, by Refpiration; and previoufly transferred repeatedly through Water.

Thirdly, With Air changed entirely by beingunited with the inflammable Principle, by Expofure to a Mixture of Iron-Filings and Sulphur.

Fourthly, With Air totally altered, to the Teft of nitrous Gas, by Exposure to the putrefactive Fermentation.

Fifthly, With common Air.

The Plants were passed into the Phials through River-Water and corked while inverted in this Water, leaving always a fmall Quantity of Fluid, between the Cork and the Plants.

These Phials containing Plants, and Phials of the above permanent Vapours without Plants, were repeatedly exposed to Light, to the direct Rays of the Sun, and excluded from Light, for two, five, and ten Hours; and to the natural Light and Darkness for one, two, three, and five Days of the Month of March, 1783.

The Heat of the Air during the Exposure of these Phials was in the Sun about 56° to 60°, otherwise it was from 36° to 50°.

After ftanding in the above Circumstances one Measure of included permanent Vapour was mixed with one equal Measure of nitrous Gas, but not the least *Diminution* of the Bulk of the two Substances was observed, or any *turbid Appearance* with the four first permanent Vapours, excepting upon one Occasion, which was as follows.

The very first Time Plants were subjected to this Experiment was at Three, P. M.; when a one Ounce and a half Phial of the above permanent Vapour of Buxton-Water containing a single Sprig of Pepper-Mint and a small Bunch of Garden-Cress; and another Phial of the size filled with Air changed as much as possible by Respiration, containing the same Kind and Number of Plants as the other Phial were exposed to the direct Rays of the Sun;—the Asternoon being clear for

[126]

for three Hours. At this Time a Part of each of thefe two Phials of permanent Vapour being mixed with nitrous Gas, there was a yellowifh Colour produced fucceeded by Transparency, and instead of the joint Dimensions of these Substances separately, being as before Exposure to the Light and Plants two Measures and one-tenth, they were one Measure and one-fourth with one; and instead of the other Mixture being, as before this Experiment, one Measure and nineteen-twentieths, it was at this Time one Measure and one-feventh. So that one of these Species of permanent Vapour was as pure as common Air, and the other about as pure, perhaps, as Air in which a Candle has burnt out.

These Phials with the Plants, permanent Vapours, and River-Water that contained the permanent Vapour used in this Experiment, stood the following Night within Doors and in the Morning were mixed with the fame Parcel of nitrous Gas as before, but there was no turbid Appearance on Mixture a second Time, and upon Admeasurement the Dimensions of the Mixture with the permanent Vapour of Buxton-Water was nearly the fame as before the Experiment, and with the other permanent Vapour was reduced from two Measures to one Measure and two-thirds. So that the permanent Vapours within the Phials had returned in the Courfe of the Night to the fame State, or nearly to the Condition,

[127]

tion, they were in before they were exposed to the Influence of Vegetation and Light.

The Plants looked healthy in all the Phials of permanent Vapour.

The atmospheric Air after Exposure to the Action of Vegetation and Light was not either uniformly fo much better, or fo much worse than before this Exposure, as to be able to pronounce whether the Exposure of it to the vegetable Functions and Light had produced any Change.

I have in a former Part of this Work observed that we are not authorifed to conclude, from any Experiments hitherto published, that Vegetation changes Air rendered impure by Respiration, Putrefaction, &c. and Compound of Air and Phlogifton to the State of Air; and that it is most probable when Air combined with Phlogiston and injured by various Means has been exposed to the Influence of living Vegetables, and Air was found in the Receivers or Veffels after this Exposure to Vegetation, it was not produced by any Decompolition or other Change of the included permanent Vapour, but was Separated from the living Plants and was added to the included permanent Vapour. This Addition of pure Air, perhaps, has escaped Notice, because at the fame Time that Plants separated this pure Air, they, as well as the Water in the Veffels in which the Vegetables were exposed, might absorb some impure Air. When no Alteration was produced in the State of the

the permanent Vapour to which Vegetables were exposed, I suppose no pure Air was excreted. And when the included Air was rendered more impure, that either the Fermentation of a dead Part of the Vegetable, or some Operation of the living Vegetable itself at particular Times, or Animalcules in the Water and upon the Plants produced this Effect.

In the above Experiment it is probable, either that the permanent Vapour of Buxton-Water, and Air altered as much as possible, to the Test of nitrous Gas, by Refpiration, is a Compound of Air and fome other Substance, perhaps Phlogiston, fuppoling the Air found after expoling this permanent Vapour to Vegetation to have been produced by Decomposition; or that pure Air was excreted by the vegetable, and fome of the permanent Vapour of Buxton-Water was absorbed by the Plants. The Air thus produced was foon either vitiated by the Plants, Animalcules, or dead animal or vegetable Matter within the Phials, or was abforbed by the Water or the Plant; and the permanent Vapour first absorbed by the Vegetable was again feparated.

The next Subject of Enquiry was, whether the permanent Vapour that extricates itfelf from Buxton-Water has any, and what Power in preventing, impeding, or promoting Fermentations.

I. Saccharine;

II. Vinous, and

III. Acetous Fermentations.

I am

I am not able to relate any fatisfactory Experiments or Observations to shew whether Substances can be at all converted into Sugar, Wine, or acetous Acid, or are more flowly, or fpeedily changed into these Things, included in this permanent Vapour of Buxton-Water instead of Air. The following Experiment is not decifive, because this permanent Vapour was not applied in fufficient Quantity, and the Temperature of the external Air was too various, and frequently unfavourable to the Production of fermentative Proceffes:

Exper. XXXVII. A Phial containing half an Ounce of Syrup of Violets, a quarter of an Ounce of Water, and an Ounce and à half Measure of the permanent Vapour that separates itself from Buxton-Water was corked, and exposed in an inverted Polition for four Months to the Sun on the Outfide of the Window of a Chamber, or near the Fire of a Sitting-Room in the Day-Time, and in the Night generally was placed in a Room of à temperate Heat. During this Exposure the Degrees of Heat were included between 40 and too.

The Syrup changed to a brown Colour, but did not manifest any Signs of Fermentation, nor did it lose in the finallest Degree its faccharine Taste.

It is affirmed by fome eminent Chymists, but I do not know on what Obervations, that Air is effentially neceffary to the Production of Wine K from

VOL. II.

from Sugar, as well as to the other Species of Fermentation.

The fubsequent Experiments will perhaps be deemed fufficient to afcertain the Influence of this permanent Vapour of Buxton-Water on the *mucilaginous* (a), and *putrefactive* Fermentation.

IV. Mucilaginous,

See a S

V. Putrefactive Fermentations.

Exper. XXXVIII. Two Phials of this permanent Vapour of Buxton-Water containing a Slice, in Weight about a Drachm, of Ox-Muscle, and half a Drachm of Water were corked and placed inverted. A Thread was tied round these Masses of animal Matter, fo that they could be withdrawn at Will.

Two like Phials of common Air with the fame Quantity of animal Substance from the fame Parcel, and the fame Quantity of Water were also corked and inverted.

These four Phials were exposed in a Window to the Sun in the Month of September, 1782, within a Sitting-Room during warm Weather.

During the first three Days of Exposure, some Bubbles were observed adhering to the Surface of the included animal Matter in each Phial; and

(a) There are two Stages of Putrefaction, the first produces Mucilage, the fecond converts it into calcareous Earth, muriatic and nitrous Acids, and volatile Alkali.—Dr. Fordyce's Elements of Agriculture, p. 64, and Appendix, p. 3-

the

the Bulk of this Matter was enlarged. The animal Matter was then withdrawn from each of the four Phials, and all found equally in a mucilaginous State; and all of them alfo were rather fetid; fo that the mucilaginous Fermentation had taken Place, and the putterfactive Fermentation was commencing.

· These Masses of animal Substance were then returned into the Phials and exposed as before in the Sitting-Room Windows. During fourteen Days further, the Bubbles as before observed continued to be feparated, and many of them adhered to the Surface of the Muscle and Water, and rather more abundantly in the Phials of permanent Vapour of Buxton-Water, than in those of Air. The putrefying Substances changed their Colour, and were enlarged still more in Bulk. The Corks upon being loofened to withdraw the putrid Substances, were expelled out of the Bottles, and an Explosion accompanied their Expulsion. The included Muscle from all the Phials was found to be extremely loofe, foft, and stunk intolerably.

This Experiment was repeated by including a Portion of the *Liver of a Sheep* within a Phial of this permanent Vapour of Buxton-Water, and another Portion in a Phial of *Air*, to the Teft of nitrous Gas, totally *altered* by Expofure to a Mixture of Sulphur and Iron; and a third Portion in a Phial of common Air.

K 2

In

In each of these Bottles were a few Drops of Water, and they were corked, tied over with wet Bladder, and placed inverted in a Sitting-Room for three Months, during the Winter 1782 and 1783. The fame Phenomena occurred as in the first Performance of this Experiment, and after standing the above Time the *Corks* were withdrawn while the Phials were immersed in a Tub of cold Water;—immediately upon loofening and withdrawing them, Bubbles rushed copiously through the Water, which emitted a most fetid Odour, and the included animal Matter was forced out of them attended with an Explosion, and appeared in fibrous Pieces or Shreds on the Surface of the Water.

The Phials, having thus emptied themfelves of the included Portion of Sheep's Liver in a putrid State, were placed inverted in Saucers of cold Water, within which Water rofe immediately juft above their Necks; and in a few Days it occupied without any Variation in the Heat of the external Air, about one-fourth of the Space of each of the Phials.

I again repeated this Experiment in the following Manner. I collected at Buxton the permanent Vapour as it role from the Bath, p. 23. this Vol. frequently in Bottles that contained near four Wine-Pints. A Mafs, of about fix Drachms in Weight, of Muscle of a Calf was introduced into one of these Bottles filled with this permanent Vapour

Vapour just after collecting it, and the Bottle was corked and preferved inverted. Several Months after this Time, this Bottle was uncorked in cold Water;-upon drawing out the Cork there was an Explosion, and a large Quantity of most insupportably fetid Bubbles were discharged through the Water. The animal Matter included was completely putrefied, and the permanent Vapour in which it was included was extremely fetid.

The Eels in Exper. XVIII. p. 62. this Vol. were left to putrefy in inverted Jars flanding in a deep Dish of Water. The Fermentation went forward in the open Air during the Summer 1783 pretty much alike in all of them, and the Water gradually rofe within them, fo as to occupy one-third of their Contents in about three Months. During this Space of Time a large Quantity of green Matter collected in the Difh of Water in which the Jars were inverted. I attributed this Diminution of the Bulk of the included permanent Vapours, partly to the Abforption of the Gas feparated by the putrefactive Fermentation, but principally to the Combination of the permanent Vapour of Buxton-Water in one Jar, and the Air altered by Exposure to Substances undergoing the putrid Fermentation in the other Jar, with the Water of the Difh; becaufe this Water from its Expofure to the Sun separated its usual Portion of Air in the Day-Time, and therefore more readily abforbed

forbed the confined permanent Vapours. I was rather furprized however, in Confequence of fome late Experiments, to obferve Water containing fo large a Quantity of putrid Matter fo full of Vegetables.

The preceding Experiment furnishes abundant Proof, that the mucilaginous and putrefactive Fermentations go forward as speedily in the permanent Vapour of Buxton-Water that rises from the Bath, and in Air *altered* by Expofure to Iron mixed with Sulphur as in common Air.

Subftances during Putrefaction feparate Phlogifton, inflammable Air, Gas, fetid Matter either in the Form of a permanent Vapour or of a Solid or Fluid diffufed through the permanent Vapour to which the Subftances attending it are expofed; and if the fermenting Mafs be furrounded with Air, the Phlogifton, probably, combines therewith and forms a Compound totally different from Air; frequently of late called phlogifticated Air; by which Union the Bulk of the Air fo combined is diminifhed.

To the permanent Vapour included in the Bottles during this Experiment were added the above Substances extricated during the putrid Fermentation, hence upon removing the Pressure by uncorking the Bottles Part of the included compressed Vapours, in Consequence of their Elasticity, rushed out of the Phials and occasioned a Sound, and still left the Vessels full of permanent nent Vapour, or nearly fo. After standing exposed to the Action of Water a short Time one of the Substances separated by Putrefaction, Gas, being readily foluble in Water was diffolved therein; which, together with the Combination of a fmall Part of the other permanent Vapours with the Water, occasioned the Water to rife within the Phials after standing a few Days uncorked inverted in Veffels of Water. This Experiment fhews that the Increase of Bulk of the Air in which Substances putrefy arising from the Extrication of the Vapours during Putrefaction, is greater than the Decreafe happening in Confequence of the Union of Phlogiston and Air, and perhaps other Means; which Effect is not obferved commonly, becaufe animal or vegetable Mucilage being fet to putrefy in Veffels inverted in Water, the Gas as well as fome of the other permanent Vapours are diffolved by the Water in which they are inverted.

This Experiment, perhaps, demonstrates, that Putrefaction is effentially different from Inflammation (b). For Inflammation is the Operation of

(b) Dr. M'Lurg in his inaugural Differtation, at Edinburgh, 1770, confiders Putrefaction to be a Variety of the Process of Inflammation, as appears from the following Paragraphs, p. 34, 35.

43. Principia autem Putrefactionis facilius adtingere valemus, etiamque corum effectum, credo, definire.

Sunt equidem Calor, Humor, atque Aër. Jam vero demonstratum est, hæc omnia Phlogisti Separationem imprimis promoof the chymical Attraction between the Principle of Inflammability and Air; but Putrefaction takes Place in the permanent Vapour that arifes from Buxton-Water, and in Air faturated with Phlogifton, or in Air totally *changed* by Exposure to Iron and Sulphur mixed together, as appears in this Experiment, as well as in Air; therefore, Air is not effential to the putrefactive Fermentation, and confequently this Process is not Inflammation.

promovere: priora, dum Phlogiston quodammodo amistis deturbent; alterum dum idem ad ipfum trahat.

Num Causis, hoc Casu, effectum à communi alienum tribuimus? Haud necesse est, cum Phænomena quoque Separationi Phlogisti maxime conveniant.

44. Ad fpeciem tardæ feparationis potius adtinet, cum in communi Atmospheræ Calore, modico tantum Humore adjuto, fuccedat.

Dr. Rutherford in his valuable inaugural Differtation at Edinburgh, 1772, adopts the fame Opinion as that of Dr. M'Lurg, and which I believe was proposed by the learned Professor of Chymistry, Dr. Black.

Aër denique qui oritur ex Carne Putrescente Flammam fimiliter concipit & ex parte etiam fit Mephiticus. At certe Putresactio Carnis haud magis hujus Separationi attribui potest quam carbonis Inflammatio. Immo plurima Putresactionis Phænomena adeo lentam Inflammationem mentiuntur, ut veri fimile videatur utramque ex eadem Causa varie Modificata pendere Phlogisti nempe varia Agitatione, dum è Corpore effugit & in Auras dissipatur. Et huc quidem respicit quod Aër in quo Caro putida evaserat, ex Parte in Mephiticum, ex Parte in aliam illam Speciem ficut ab Inflammatione, conversus eft.—Rutherford, de Aëre Mephitico, p. 24.

Putre-

Putrefaction also goes forward in close Veffels with the smallest Quantity of Air; but a small Quantity at leaft of permanent Vapour of fome Kind is neceffary to this Process, for it does not take Place in Vacuo. The Combination then of Phlogiston, separated from Substances putrefying, with furrounding Air is not effential to the putrefactive Fermentation, but is an accidental Concomitant, only taking Place when the permanent Vapour to which the putrefying Matter is expofed is Air. According to the Experiments of Mr. Boyle, and Obfervations made concerning the Prefervation of animal and vegetable Subftances by including Things, which are fubject to putrefy, in the exhaufted Receiver, and excluding them from the Air by Oil, &c. it appears, that without certain permanent Vapours externally applied the putrefactive Fermentation cannot happen,

It is probable, however, that each Species of Fermentation has its peculiar efficient Caufes, and there are various Kinds of Fermentations in living Bodies to which external permanent Vapour is not effentially neceffary. For Inftance, the purulent Fermentation goes forward frequently in the mulcular, and other internal Parts of the Body, as in the Subftance of the Brain (c) where

(c) Were it neceffary to flate the Evidences of this Fact, I could relate Cafes in which I have found upon Diffection Abceffes in the Subflance of the Brain.

there

there is no Air, or other permanent Vapour applied; and Pus is demonstrably the Product of a peculiar Fermentation of animal Fluids, or of animal Matter deprived of Life;—one of the effential Requisites of which is Exposure in a Cavity possessed of the Principle of Life (d).

It

(d) The Change of animal Fluids into Pus is an Effect of which we have daily Examples in the Cafe of Extravafations by Contusions, Strains, Ruptures of Vessels, Burns, certain Aimulant Applications, as Cantharides, &c. Sir John Pringle, in the Appendix to his Observations on the Diseases of the Army, feems to confider Pus as a Matter deposited in Confequence of the Evaporation of the watery, or volatile Parts of the Serum. " I have (fays this learned and industrious Obferver) already obferved, that the Serum of human Blood upon flanding but a little Time in the Furnace, becomes turbid before it grows offensive, and then gradually drops a Sediment refembling digested Matter, &c. May we not therefore conclude that the Serum is perpetually oozing into Ulcers, but from the Heat of the Part, and the natural Volatility of animal Fluids, it is all quickly evaporated, excepting this Matter that remains in the Sore, in the Form of Pus, and which is fo requifite to the Cure ?"

I have frequently exposed Serum of human Blood to Heat in the Manner juft mentioned, and observed the turbid Appearance and Deposition, but never before the Fluid was rather fetid, and the Deposition continued to be made by flanding; fo that, for aught I know, the whole of this Fluid may be converted into this Sediment, which has been faid to refemble " digested Matter." The Nature of this Sediment remains to be investigated, but it certainly is not formed, as this Author affirms, by Evaporation of the volatile or watery Part of the Serum, because it happens when there is It has been been afcertained by Experiments that an Animal killed by a Shock of Electricity putrefies far more fpeedily than if it had been killed by fome mechanical Injury of its Organs effential to Life. A Sheep killed by an electric Shock became fo putrid in 24 Hours that it could not be ufed for Food.

This Fact fuggested the following Experiment; to know, whether Animals killed by Exposure to the permanent Vapour that arises from Buxton-Water putrefy in the fame Time that they do when their Death is occasioned by fome Injury of a vital Part by mechanical Means.

Exper.

is no Evaporation, as in close Vessels; and it is connected inseparably with, if not merely formed by, the putrefactive Fermentation.

• Nor is Pus formed in Ulcers, &c. by the Evaporation of the watery Part of the Serum, or animal Fluids, becaufe the efficient Caufe does not exift—there being no Evaporation in internal Abceffes; and becaufe did it exift, mere Exhalation could not produce Pus.

Moreover, not only the Fluids in general or Serum in particular are convertible into Pus; but alfo the animal Solids and Muscles in general.

Nor can Pus be produced, by animal Fluids or Solids alone mixed with Pus, in close or open Vessels, subjected to the Heat of 96°, as I have found on Trial; but by this Means Putrefaction is speedily induced.

But I have formed Pus by exposing dead animal Muscle in a living Cavicy that was producing Pus: viz. an Abscess among the Muscles of the Foot, Leg, &c.; and at my Request Mr. Hey, of Leeds, very obligingly repeated the Experiments I had made for this Purpose, without knowing the *Exper.* XXXIX. I killed two lively Eels by fevering their Heads from their Bodies with a fharp Knife; and exposed two Eels, of the fame Size and equally alive as the former, in Receivers of the permanent Vapour that arifes fpontaneoufly from Buxton-Water, till they were dead.

After Death the Eels killed by the mechanical Means were more rigid than those destroyed by the permanent Vapour.

The Eels killed by these two different efficient Causes were exposed in Pint Jars filled with common Air, inverted in Water, to a Heat of about

Event I had experienced; and the Refult of them was exactly conformable to that of my Experiments. The Conversion of animal Matter deprived of Life into Pus, by exposing it to the Action of *living Cavities*, to which is necessfary alfo, perhaps, an inflamed and purulent State, and the obvious Change of extravalated Serum, &c. into Pus, as in the Cafe of Vesications, seems to shew that a Part must be *deprived of Life* before it is sufceptible of the purulent Fermentation. So were it possible for a Finger, or Toe, or a small Animal, while *alive*, to be exposed in a Cavity affording Pus, they would not undergo the purulent Fermentation, but deprive these Parts, or this Animal, of the vital Principle, and they would then be converted into Pus.

When a Part of the Body of a *living* Animal, is by any Means killed, it then undergoes one of two Species of Fermentation, according to the Circumftances prefent, viz. it either mortifies or undergoes the putrid Fermentation, or it is changed into Pus; but what these Circumftances peculiarly are have not been investigated.

54°

[141]

54° during the Day-Time, and 44° during the Nights.

It did not appear either from the Increafe or Decreafe of the Bulk of the included Air, or the Signs of Putrefaction in the confined animal Matter, that the putrefactive Fermentation proceeded differently in the Fifhes killed by the above different Caufes; but I would not infer from this Experiment that fuch a Difference doth not happen upon other Occafions.

The Queftion next in Order in my Plan of Inveftigation was, whether *diluted Solutions of Alkalies in Water*, affifted by Heat and Agitation, were convertible into Magnefia, and any other Earth (e); whether diluted Solutions of neutral Salts with Alkalies for their Bafes, affifted by Heat and Agitation, would be converted into

(e) Boerhaave fays, that by repeatedly diffolving alkaline Salt in Water, and evaporating this Solution to Drynefs, there remains after each Evaporation a Portion of Earth; fo that the whole Alkali may be changed into Earth, as mentioned by Van Helmont.

" All compound Salts, diffolved in Water (fo that the Solution shall contain a very large Quantity of Water in Proportion to the Salt) and exposed to the Air are decomposed, viz. in the *neutral Salts* the Alkali is converted into Magnesia, with which the Acid combines and forms an earthy Salt. In the earthy and metallic Salts the Acid flies off into the Air, and the Earth or Metal subsides, leaving the Water pure; hence River-Waters, &c. are purer than Spring-Water.—Elements of Agriculture by Dr. Fordyce, p. 42, 43.

- - neutral

neutral Salts with earthy Bafes; and whether neutral Salts with earthy and metallic Bafes might be decomposed by diluted Solution in Water, accompanied with Heat and Agitation, exposed to the permanent Vapour that extricates itself from Buxton-Water, and also Compounds of Air and Phlogiston, or Air wholly *altered* by Respiration and Putrefaction, in place of atmospheric Air; but I had only Time to determine a Part of this Question.

Exper. XL. I faturated a certain Quantity of Rain-Water with *blue Vitriol*, another Portion with green Vitriol, and a third Parcel with white Vitriol. These Solutions were filtered through Paper and came through the Filter quite transparent, but on standing a little appeared rather turbid, although they did not deposit a Sediment.

A Part of each of these Solutions was mixed with twenty Times its Bulk of Rain-Water, and stood in open Veffels exposed to the Atmosphere.

Another Part of each of thefe faturated Solutions was diluted with the fame Quantity of Water as the first Part, in Quantity four Ounces of Solution diluted to this Degree, and was exposed in a large wide-mouthed Bottle to a Pint and a half Measure of the permanent Vapour which rifes sonce in Contact with the Air of the Atmosphere; and being corked was preferved inverted.

A third

A third Part of each of these faturated Solutions was diluted to the fame Degree as the two former Parts, and preferved in Bottles quite full, and corked and inverted without having been in Contact with the Air of the Atmosphere.

I contrived to mix the faturated Solution with the Quantity of Water with which it was to be diluted without the diluted Solution being once exposed to the Atmosphere; by passing a small narrow Phial with a very straight Neck filled with the faturated Solution through a Quantity of Water in which was inverted the Bottle of Water with which it was to be diluted through the Mouth of the inverted Bottle, and as foon as it was landed therein, the inverted Bottle was corked, and by Agitation the faturated Solution contained in the fmall Phial paffed within the inverted Bottle was mixed with the Water. With a little Care the Phial containing the faturated Solution may be introduced through Water within another Bottle without fcarcely mixing at all with the Water through which it is paffed.

All the above diluted Solutions were immediately *turbid*, and on ftanding deposited *Sediment* from a clear Fluid in about the fame Quantity and in the fame Time.

These diluted Solutions became again turbid, and deposited fresh Sediment on Exposure to Heat or further Addition of Water.

6

The

[144]

The Sediment deposited was diffolved by vitriolic Acid, and formed a metallic Salt which was decomposed by Dilution as before.

If a little vitriolic Acid was added to the faturated filtered Solution of metallic Salt, it became immediately perfectly transparent, and was not decomposed by *Dilution*, *Heat*, and *Agitation*.

Paper ftained with Archill, and dried, was put into a Veffel of Water in which was decomposed faturated Solution of metallic Salt by the Dilution, without any Colour being induced that indicated Acidity.

It was inferred, that to the Decomposition of metallic Salts by Water the Application of Air is not effential;—that if Air forwards that Decompofition, the permanent Vapour that feparates from Buxton-Water does fo alfo, or certainly does not impede it;—and that the Decomposition depends effentially upon the Mixture with Water, and in Proportion to the Quantity of it, but may be promoted by Heat, and Agitation.

As the Acid was not denoted by the Archill in the Water it occasions the Question, whether it be some how destroyed, or be in too small a Quantity to be perceived by this Test.

It has been already obferved that upon the Principle of Decomposition by Water may be explained many Phenomena of mineral, and other Waters; and, I believe, as I before obferved, we are entirely, or principally indebted to Doctor Fordyce Fordyce for the Application of it to interpret this common Appearance of Nature.

The following Experiment was made to know whether this permanent Vapour of Buxton-Water be of an acid Nature.

Exper. XLI. A Shred of Paper ftained by dipping it in Archill, and afterwards dried, was paffed through Quickfilver into an eight Ounce Phial filled quite full, at the Bath, with permanent Vapour that rifes from Buxton-Water; and then was well corked and kept tied over with a wet Bladder.

Another Piece of this ftained Paper was in like. Manner introduced within a half Pint Phial of *Gas* precipitated from Chalk, and was corked.

A third Piece of the fame coloured Paper was put into a Phial of common Air of the fame Size, with a little Water.

In a few Hours the Paper within the Phial of Gas was evidently changed of a reddifh Colour; and that in the others was purple as when first introduced; nor did any further Change ensure on standing.

No Acidity in the permanent Vapour which feparates itfelf from Buxton-Water could be difcovered by this Teft, as was manifefted decifively by this Means in Gas; which furnishes an additional Proof of its being a very different Substance from Gas.

Vol. II.

Paper

L

Paper stained with the Juice of black Cherries is, I believe, a still more sensible Test of Acidity than Archill; but that Substance could not, at the Time of this Experiment, be procured.

Exper. XLII. To know whether the permanent Vapour that feparates fpontaneoufly from Buxton-Water be of an alkaline Nature, two Drachms of very fresh and very blue Syrup of Violets with as much Water were included in a five Ounce Phial of this permanent Vapour. The Vapour and diluted Syrup were agitated together, but neither immediately nor on standing was any greenish Colour observed; therefore it was not of an alkaline Nature.

This Quantity of Syrup was introduced by filling the Phial with permanent Vapour, excepting half an Ounce of Water. The Phial was then exposed opposite a Fire inverted in a Basin of Water so as to rarefy the included permanent Vapour till it expelled half of the Water. This done, the Neck was stopped with the Finger and carried inverted into a Basin containing Syrup of Violets, wherein the Syrup ascended into the Phial equal in Bulk to the Water displaced by Rarefaction.

There are blue Juices of Flowers, as the *Flores Cyathi*, which are, I am told, more delicate Tefts of Alkalefcency than the Juice of Violets; but they could not be obtained at the Time of this Experiment.

As

[147]

As there are both Acids and Alkalies in the Form of permanent Vapour, as Gas and volatile cauftic Alkali, the two preceding Experiments were neceffary.

Exper. XLIII. If the permanent Vapour that feparates from Buxton-Water contain Phlogifton which flies off fpontaneoufly, or is attracted by Sugar of Lead, it was apprehended it might be difcovered by including a Piece of writing Paper that had been dipped in a Solution of this metallic Salt and afterwards dried, in an eight Ounce Phial of this permanent Vapour recently collected in the Bath.

After this impregnated Paper had ftood fome. Time exposed to this Phial of permanent Vapour, no Colour, or Alteration of the Paper was oberved; therefore no Phlogiston separated itself or was attracted.

I next exposed the permanent Vapour that eparates from Buxton-Water to the Action of he following Acids, Alkalies, neutral, earthy, nd metallic Salts; inflammable Substances, and oaps, to fee if it could be decomposed or comined in confiderable Quantity with any of these ubstances.

Exper. XLIV. Thin made five Ounce Phials ontaining three Ounce Meafures of permanent apour that feparates from the Bath at Buxton, verted in deep Saucers of Water were exposed opofite a large Fire fo as to expel the included L_2 Water Water by the Rarefaction of this permanent Vapour; upon which they were removed, with the Mouth of each ftopped by a Finger, into feparate Bafins of the following Subfrances:

I. Concentrated vitriolic Acid.

2. Diluted vitriolic Acid.

. 3. Concentrated nitrous Acid. '

4. Strong marine Acid.

5. Acetous Acid.

6.-Caustic vegetable Alkali.

7. Spiritus Cornu Cervi.

8, Solution of mild Alkali in Water.

9. Concentrated Solution of Nitre in Water.

10. Do. _____ of Glauber's Salt

11. Do. ----- of green Vitriol.

12. Do. _____ of blue Vitriol.

13. Do. _____ of white Vitriol.

14. Alcohol.

. . .

15. Oil of Olives.

16. Oil of Turpentine.

17. Solution of Soap of the Confiftence of thi. Jelly.

After the above Fluids had occupied the Plac of the expelled Water during Exposure in a coi Room they were corked, or closed with Gla Stopples, and set to stand two Months in a Roo of the Heat of about 50°; during which Tin they were frequently agitated.

After these Eluids had stood the above Tir without any obvious Change of them, the Cor and Stoppers of the Phials containing them were withdrawn in Water; but this Fluid, of nearly the fame Temperature as that of the Fluids when first included therein, rose only in finall Quantity within the Phials.

Upon examining the permanent Vapour that had been thus exposed to the above Substances with nitrous Gas it did not appear to have fuffered the least Alteration.

The Solution of Soap, which had been exposed to the permanent Vapour in this Experiment, diffolved in diftilled Water without the least Decomposition,

I next attempted to afcertain whether any, or what Quantity of the permanent Vapour that arifes from Buxton-Water may be combined with Water.

Exper. XLV. This permanent Vapour of Buxton-Water in an inverted wide Tube, clofed at one End, with 100 Times its Bulk of frefh Pump-Water, after ftanding feveral Weeks in an inverted Pofition in a Jar of the fame Water in a Temperature of the furrounding Air that was denoted by 46° to 54°, during which Space of Time it was agitated, did not appear diminifhed.

When this Experiment was made with Lime-Water made of cold Pump-Water, the Bulk of permanent Vapour was rather increased.

This Experiment explains why Springs fo frequently exposed to the permanent Vapour called L 3 ChokeChoke-Damp, may not be oftentimes combined therewith, viz. becaufe these Springs are already

faturated, or nearly, fo with Air. The above Experiment is confirmed by the Refult of Experiments III. and IV. p. 18 and 19. this Vol.

As the Water employed in the preceding Experiment was faturated, or nearly fo, with Air, I concluded that Water fo faturated would not combine with this permanent Vapour of Buxton-Water; therefore the following Experiment was made.

Exper. XLVI. Three Flasks that held about 40 Ounces each were filled with Rain-Water immediately after it had been boiled more than three Hours.

Into N° 1. was introduced half a Drachm Meafure of common Air;

 \sim N° 2. was paffed the fame Bulk of permanent Vapour that feparates itfelf from Buxton-Water.

---- N° 3. was introduced a like Quantity of Air combined with Phlogiston or totally *altered*, to the Test of nitrous Gas, by exposing it to a Mixture of Iron-Filings and Sulphur.

These Flasks were corked, and because these Corks did not perfectly exclude the external Air from the Water within the Flasks, they were also inverted in boiled Water.

In

T 151 7

In the Space of two Doys the permanent Vapour introduced into all the three Flasks was combined with the Water.

The three above-mentioned permanent Vapours were introduced in the Quantity of a Drachm Measure at a Time repeatedly as foon as each Drachm Measure was combined with the Water, for about three Months; after which Time the Whole, or Part of the last Portion of the permanent Vapour in each of the Flasks remaining upon the Top of the Veffel of Water for three Weeks, it was concluded the Water in the Flasks was faturated with the permanent Vapour exposed therein.

The Amount of the Portions of permanent Vapour combined with N° 1. was feven Drachms Measure; with N° 2. fix Drachms Measure; and with N° 3. five Drachms Measure.

Upon a Repetition of this Experiment it appeared that three Pints of boiled River-Water, excluded from the Atmosphere from the Time the Water began to grow cool, diffolved, and was faturated by, feven Drachms Meafure of the permanent Vapour that separates from Buxton-Water; and at the fame Time this Quantity of boiled Water diffolved, and was faturated by, eight Drachm Measures of common Air; and eight Drachm Measures of the Compound of Air and Phlogiston, formed by exposing Iron-Filings and Sulphur to common Air, faturated this Quantity L_4 of

[152]

of boiled Water of the fame Parcel as the above. Three Pints alfo of this Parcel of boiled Water would diffolve no more than eight Drachms and a half Meafure of a Mixture of equal Parts of Air of the Atmosphere and the permanent Vapour that feparates from Buxton-Water.

The permanent Vapour must be fupposed meafured when the Temperature of the Air was about 40° or 50° ; and the Preffure of the Atmosphere denoted by $29\frac{1}{2}$ Inches of the Quickfilver-Barometer.

In this Experiment it appears that Water is faturated by about $\frac{1}{4+6}$ or $\frac{1}{4+5}$ of its Bulk of Air of the Atmosphere, by about $\frac{1}{5+3}$, to about $\frac{1}{5+5}$ of its Bulk of the permanent Vapour that separates from Buxton-Water, and by $\frac{1}{4+8}$ to about $\frac{1}{6+3}$ of its Bulk of Air *altered* by Exposure to Iron mixed with Sulphur: also by about $\frac{1}{4+5}$ of its Bulk of a Mixture of equal Parts of Air and of the permanent Vapour that separates foontaneously from Buxton-Water.

Hence we fhould believe that there is no great Difference in the Solubility of common Air, this permanent Vapour of Buxton-Water, and Air faturated with Phlogifton.

In this Experiment it is of practical Importance to obferve, that a greater Quantity of a Mixture of the permanent Vapour that feparates from Buxton-Water and Air was united with Water than is found naturally combined in the tepid Springs Springs of Buxton, for we found Water combined with $\frac{1}{4.5}$ of its Bulk of this Mixture; whereas the Springs of Buxton only afforded $\frac{1}{64}$ of their Bulk of a Mixture of thefe two Subftances.

But as little or no Agitation or extraordinary Prefiure was employed in this Experiment to unite permanent Vapour with Water it is probable that befides the Quantity of it chymically combined in this Experiment, a further Quantity may be diffufed through, or fufpended in, the Water.

As the Quantity of permanent Vapour diffolved by Water is greateft (f) when the Water is pure, and under certain Degrees of Heat, Preffure, and Agitation; when it is wifhed to exhibit as a Medicine the permanent Vapour of Buxton-Water, and it is required to have as large a Quantity of it as poffible in the Water, these Circumstances must accompany the Combination; and we can, therefore, compose by Art, a Water more copiously impregnated with this permanent Vapour than is furnished by Nature; provided however that the Whole of the permanent Vapours contained in Buxton-Water be feparable by the Heat employed, p. 233, Vol. I.

It is very probable, however, that Buxton-Water contains a greater Quantity of the permanent Vapours than can be feparated by the Heat em-

(f) P. 242, Vol. I. this Work.

ployed,

[154]

ployed, (p. 232, Vol. I.) becaufe it has been fhewn by Mr. De Luc that Water retains a Quantity of Air that cannot be detached by a boiling Heat long applied, but which was yielded by long-continued Agitation in Vacuo (g). And therefore the Effects of Buxton-Water upon the human Body produced by the permanent Vapour that rifes fpontaneoufly are not to be confidered, perhaps, as the mere Effects of the Quantity obtained by Exposure to Heat, but also of what remains fo united with Water as not to be extricated by this Means.

There is a great Variety in the Refult of the Experiments to fhew the Quantity of Air capable of being combined with Water. Some Experimenters have found that Water combined with $\frac{1}{28}$ of its Volume of Air, others only with $\frac{1}{70}$ of its Bulk of this permanent Vapour. It is there-fore very probable there may be also a confider-able Difference in the Quantity of this permanent Vapour of Buxton-Water capable of being united with Water upon different Occasions.

The following Experiment was made to learn whether this permanent Vapour of Buxton-Water can be changed wholly or partially to the State of Air by Decomposition or Combination, in Confequence of Agitation in Water, or by mere Expofure to Water.

(g) — Treatife on Gafes, p. 76.

Exper.

Exper. XLVII. I have not found that this permanent Vapour is at all *altered* by being in Contact with one hundred Times its Bulk of boiled pure Snow-Water, or Lime-Water, from the Space of one Week to fix Months; or that it fuffers the finalleft Alteration in Quality by being repeatedly transferred through this pure boiled Snow-Water and Lime-Water for feyeral Minutes.

About two Ounce Measures of this permanent Vapour of Buxton-Water in a ten Ounce Jar of Pump-Water, and this Quantity of Air wholly changed by uniting with Phlogiston, or by other Means, during its Exposure to the putrefactive Fermentation, in a like Jar of Pump-Water, were agitated in a fmall Tub of the fame Pump-Water for two or three Hours in a Room of a temperate Heat. After this Time the Bulk of the included permanent Vapours was evidently enlarged although it was of the fame Heat, and fubject to the fame Preffure as before this Agitation in Water. Being now fubmitted to the Teft of nitrous Gas I found one equal Measure of the former permanent Vapour and nitrous Gas were reduced after Mixture to one Measure and eleven-eighteenths; and the other permanent Vapour mixt in the fame Quantity with nitrous Gas was diminished in Bulk to one Measure and thirteen eighteenths. Before this Exposure to Water these Vapours were found not to fuffer any Diminution with nitrous Gas that could be afcribed to Combination.

This

This Increase of Bulk after Agitation was referred entirely to the Addition of Air extricated from the Pump-Water during shaking; but as the Diminution of its Volume on Mixture with nitrous Gas appeared greater than might be expected to happen from the additional Quantity of Air, I conjectured that the Air was produced partly by being extricated from the Pump-Water, and partly by a partial Change of the included permanent Vapours to the State of Air, provided no Part of the included permanent Vapours was absorbed by the Water.

This Experiment was made more accurately by using Water that had been long *boiled*, and exposed as short a Time as possible to the Atmosphere after boiling.

Inftead of an Increafe of Bulk as before, the permanent Vapours by Agitation for two Hours and a half were *diminifhed* confiderably; and the Dimenfions of a Mixture of equal Bulks of nitrous Gas and the above permanent Vapours were, after Mixture, reduced to one Meafure and about one-fourth.

This Experiment was repeated a fecond Time with boiled Water in which the above permanent Vapour of Buxton-Water was diminished by Agitation $\frac{1}{\pm 0}$ of its Bulk : and the Bulk of a Mixture of two Measures of this Substance and one Measure of nitrous Gas was, after Mixture, two Measures and and about one-fixth to two Meafures and oneninth; as appeared on feveral Trials.

The remaining permanent Vapour of Buxton-Water was then agitated further until one half of its Bulk was abforbed, but I did not find that it faturated the Phlogiston of a larger Quantity of nitrous Gas than before.

The permanent Vapour that feparates itfelf from Buxton-Water was upon another Occafion, by Agitation in a very large Quantity of boiled Water reduced to about the State of a Mixture of equal Parts of Air and this permanent Vapour of Buxton-Water (b); but it did not appear however long the Agitation was continued after this Time, that it was capable of being made to approach nearer to the State of atmospheric Air.

Hence, at first, it appeared to me, that these permanent Vapours were partially changed to the State of Air by Agitation in a large Quantity of boiled Water that communicated with the Atmofphere.

This Conclusion, however, on further Confideration, did not appear warrantable, becaufe it was conceived that the Agitation in Water communicating with the Atmosphere might invisibly, or unobfervedly both expel the included permanent Vapour into the open Air, as well as at the fame Time introduce Air from the Atmosphere:

(b) Page 96, this Vol.

and I have in a former Part of this Work, (p. 90), and feq. Vol. I.) endeavoured to fhew that Air injured by Combination with Phlogiston, or by other Means, has not been proved to be changed by Means of Agitation in Water wholly or partially to the State of Air, p. 93, Vol. I. Note (f). I therefore repeated this Experiment in the following Manner.

An Ounce Measure of the permanent Vapour that separates from Buxton-Water was agitated in ten Ounces of boiled Water, which Water did not communicate with the Atmosphere, the Bottle containing it being corked. By this Means the Bulk of this permanent Vapour was diminissed, but not at all changed to the State of Air according to the Test of nitrous Gas. This was the Refult of several Trials.

I repeated the Experiment of agitating this permanent Vapour of Buxton-Water in Water, communicating with the Atmosphere, mixt with common Air.

A Mixture confifting of fix Drachms Meafure of common Air, and as much of this permanent Vapour of Buxton-Water, fome of which Mixture with an equal Bulk of nitrous Gas was reduced, after Mixture, to one Meafure and fiveninths, was fhook with ten Ounces of boiled Water in a Tub of the fame until half of this Mixture was united with the Water. The Reliduum, to the Teft of nitrous Gas, was not much altered by this Agitation, as appeared by the Dimenfions

[159]

fions of this Substance after Mixture with this Teft.

It appears that in the last Trial the common Air having a stronger Attraction for Water it combined in a greater Proportion with the Water than the permanent Vapour of Buxton - Water; and although common Air was not only expelled from, but introduced into, the Veffel agitated, we can understand how it happened that after half the Bulk of permanent Vapour was abforbed the Refiduum did not appear to contain more common Air than before.

The last Experiment which I shall relate is the following one,-it was made to learn whether the permanent Vapour of Buxton-Water that arifes spontaneously combines with, or only diffuses through Air.

Exper. XLVIII. A Pint and a Quarter Meafure of the permanent Vapour that separates spontaneoufly from Buxton-Water was added to as much Air in a large Florentine Flask inverted in Water. This Mixture observed in a good Light was perfectly transparent; neither produced Heat nor Cold to the Senfe of Touch; nor Alteration in the Sum of the Bulk of the two Substances feparately, after being mixed together: therefore there were no Signs of chymical Combination.

The Diminution arising on many Trials from Mixtures of equal Portions of this Mixture of nitrous Gas was the fame, or nearly fo, and was the

4

[160]

the fame, or nearly the fame, as when half a Meafure of Air was added to one Meafure of nitrous Gas and half a Meafure of this permanent Vapour of Buxton-Water. And Animals lived nearly the fame Time in equal Portions of this Mixture, therefore it was probable thefe two permanent Vapours were *diffufed* through each other but not *chymically united*.

Summary View of the Refult of PART III. of this Work.

I have now related the Experiments and Obfervations to difcover the Properties of the permanent Vapour that separates itself in the Form of Bubbles from the Bath at Buxton; by which we are informed,-that by Preffure accompanied with. Degrees of Heat and Cold far exceeding those of the Atmosphere, it is readily contracted in its Dimenfions, and upon removing that Preffure it returns to precifely the fame Volume as before ; -that by Heat it is readily expanded and by Cold fpeedily contracted; and that it is, perhaps, fubject to nearly the fame Law with Regard to Expansion lefs than that of common Air, and of Air united with Phlogiston, or Air altered by the putrefactive Fermentation, by Refpiration, and by Expofure to a Mixture of Iron and Sulphur ;--that it is transparent and colourless in any Bulk that can be

be conveniently viewed together;—that it has no Tafte or Smell; is fonorous; when in Motion may be felt, as then it is found to excite the fame Senfation as the Motion of the Air called Wind; and it poffer is the Property of Vifcidity.

This permanent Vapour has been shown in the foregoing Experiments to be wholly unfit for the Respiration of Quadrupeds, Birds, Fishes, amphibious Animals, and Infects; and that Animals die therein for the fame Reason, and in probably the fame Time as in the Air-Pump: but it was not found to be poisonous' to Quadrupeds when taken into the Stomach .- It has been shewn that Fishes are killed in the tepid Water of Buxton by the Heat of the Water, and not by the Impregnation of the permanent Vapour that feparates fpontaneously ;--- that the Light and Flame which accompany Inflammation are extinguished by being immerfed in this permanent Vapour ; - that Phofphorus, Water, and any permanent Vapour produce an Appearance upon Motion in the Dark justly refembling the phosphoreal Light of the Sea in the Night-Time;-that Phofphorus by long Agitation ceafes to shine in permanent Vapour; but the Phosphorus itself, or its Phlogiston combines therewith, and forms a Vapour which emits a Flame upon Exposure to atmospheric Air;-that inflammable Substances which burn, or are decomposed by Air without Light or Flame, as nitrous Gas, do not burn, or are not decomposed by the VOL. II. M permapermanent Vapour that arifes from Buxton-Water;-that the permanent Vapour extricated by the Heat of boiling Water from Buxton-Water, confifts, upon an Average, of about equal Parts of that permanent Vapour which arifes spontaneoufly from this tepid Spring, and Air;-and that under a mean Pressure, and in a temperate Heat of the Atmosphere, the Bulk of these two permanent Vapours to the Water is as I to 64;-that Seeds do not grow in, but the living Principle is not deftroyed by the permanent Vapour that feparates itfelf fpontaneoully from Buxton-Water, inflammable Air, and Air totally altered by Refpiration, Putrefaction, and Air united with Phlogifton by Inflammation ;- that Plants grow, and frequently in a fomewhat luxuriant Manner, in the permanent Vapour that arifes from Buxton-Water, in inflammable Air, and in Air totally altered or faturated with Phlogifton by various Proceffes, for a fhort Time, then die, fometimes fuddenly, in general, gradually; -- that Vegetation very probably never changes the permanent Vapour that arifes from Buxton-Water, and Air totally altered or faturated with Phlogiston, partially or wholly to the State of atmospheric Air; -but that the Air found fometimes in Receivers of permanent Vapours different from Air, in which Plants have lived, is most probably excreted by the Plants, and added to the included permanent Vapour ;- that the mucilaginous and putrefactive Fermen-

[163]

Fermentations take Place in the permanent Vapour that separates from Buxton-Water, and in Air altered entirely by various Processes;---that an Animal fuffocated by this permanent Vapour of Buxton-Water does not putrefy fooner than an Animal killed by fome mechanical Injury of a vital Part;-that Solutions of metallic Salts mixed with a large Quantity of Water decompose in this permanent Vapour, and in Air totally altered by Refpiration, Putrefaction, and phlogiftic Proceffes, and in Air, as well as when excluded from Air or any other permanent Vapour ;---that to the Teft of Infusion of Archill and Juice of Violet Flowers, the permanent Vapour arifing from Buxton-Water is neither an Acid nor Alkali, nor to the Teft of Saccharum Saturni, contains or separates Phlogiston ;---that various Acids, Alkalies in a mild and cauftic State, Solution of neutral, earthy, and metallic Salts, Alcohol, Oils, and Solution of Soap, have no Effect in decompoling or altering this permanent Vapour of Buxton-Water, but absorb a small Quantity of it;that common Spring-Water and Lime-Water faturated with common Air, or as in their natural State, do not unite with this permanent Vapour; -that common Spring-Water, deprived of its natural Proportion of Air, abforbs about $\frac{1}{40}$ or $\frac{1}{48}$ of its Bulk of Air of the Atmosphere, $\frac{1}{53}$ or $\frac{1}{55}$ of its Bulk of the permanent Vapour that arifes from Buxton-Water, and $\frac{1}{48}$ to $\frac{1}{63}$ of its Bulk of M 2 Air

Air faturated with Phlogiston, or altered by Expofute to a Mixture of Iron and Sulphur; alfo $\frac{1}{45}$ of its Bulk of a Mixture of equal Parts of permanent Vapour of Buxton-Water and Air ;--that this permanent Vapour is not at all altered by being a long Time in Contact with Water or Lime-Water;-that by Agitation in a large Quantity of boiled Water exposed to the Atmosphere, this permanent Vapour, as well as Air faturated with Phlogifton, or altered by various Processes, mixes with the external Air; which Addition or Mixture has been mistaken for a Change of these Substances into Air; but that these Substances are not altered by Agitation in Veffels wherein the Water is excluded from the Atmosphere, nor, perhaps, when mixed with a pretty large Proportion of common Air, and in Veffels of Water communicating with the Atmosphere ;--- and lastly, that this permanent Vapour does not combine with, but is diffused through, atmospheric Air.

I have now related all the chemical Properties of, and all the Subftances contained in, the tepid Springs of Buxton, which are perhaps difcoverable by the beft Means yet known of affaying Spring-Waters; but it must be remembered, that as the Knowledge of the natural History of this Subject advances, in future other Properties and Subftances may be detected. On this Account, the Instruction hereby received must only be employed to direct us in the Application of this Substance, Substance, so long as Experience of its Effects in Difeases is wanting for our Guide, and for the Interpretation of natural Phenomena : and we are not to reject the Use of it in any Case, although the Facts alledged of its salutary Influence do not agree with Principles which have for their Foundation the chymical History of this tepid Water, or are inexplicable upon any Hypothesis that may have been adopted.

I next attempted to account for the diffinguifhing Properties of Buxton-Water, or for those Qualities in which its peculiar medicinal Powers refide.

SECTION I.

Concerning the Occasion of the peculiar chymical Properties of Buxton tepid Springs.

A Contemplation of the preceding Hiftory inftructs us, that the diftinguishing, and medicinal Properties of Buxton Water, are

1. A smaller Quantity of solid Substances than is usually found dissolved in Springs.

2. A Degree of Heat much exceeding that of ordinary Springs;—being about 82° instead of 48° or 50°, the general Temperature of Spring-Waters in England.

3. The Impregnation with a peculiar permanent Vapour which is both diffolved and suspended therein; and which separates itself spontanecusly as soon M 3 as as it breaks out upon the Surface of the Earthwhen the Pressure of the Earth is removed.

From the Hiftory of the internal Structure of the Earth of the Peake, and of the Substances contained therein (i) we should have been able to account for a stronger *Impregnation*, and for a greater Number of Substances being contained in these tepid Springs, or for the usual Quantity of Substances dissolved in them; but why they should contain the ordinary Kinds of Things, viz. *Sea-Salt*, vitriolic Selenites, and calcareous Earth in Quantity so much smaller than in general, is not obvious from the natural History of the Part of the Earth from which they arise.

The efficient Caufe of the mean Heat of the Earth and of the ordinary Temperature of cold Springs in England being very generally from 48° to 50° has never been attempted to be affigned; but that of warm Springs has frequently been given, namely, either the Decomposition of Iron Pyrites, or fubterranean Fire.

Concerning the Origin and Composition of the peculiar permanent Vapour which extricates itfelf spontaneously from Buxton-Water, and which has scarcely yet been generally known to exist, not so much as a Conjecture, that I know of, has been offered. If however the Reader considers the Arguments to render it extremely probable, that the permanent Vapour known by the Name

(i) Vol. I. p. 43 to 67; and p. 139 to 142.

of the Choke-Damp, which is abundantly and very generally contained in the Cavities of the interior Parts of the Cruft of the Earth, is the Compound of Air and Phlogiston, and not, as has been univerfally supposed, Gas (k); and has perceived the Refemblance in many Properties between this permanent Vapour of Buxton-Water and the Compound of Air and Phlogiston, he will conclude, that this permanent Vapour of Buxton-Water and the Choke-Damp are, very probably, the fame Thing. But the Origin of the Choke-Damp has been shewn on very probable Grounds to be fubterraneous Fires (l); which like all other Fires neceffarily compose the Compound of Air and Phlogiston(m).

This permanent Vapour that arifes from Buxton-Water appears to be not only, like the Choke-Damp, the effential Effect of Inflammation in the internal Parts of the Earth, but probably of Inflammation actually fubfifting there; becaufe it hath already been rendered probable that it is in the fame Form as in the Buxton tepid Waters in the warm Springs of Bath (n), and had Attention been beftowed would probably have been oftentimes obferved, if not always, in other Thermæ: but it has never been feen in any of the cold

- (k) Vol. I. p. 112 to 117.
- (1) Ibid. p. 113.
- (m) Ibid. p. 114, 115.
- (n) P. 11 and 12. this Vol.

M 4

Springs,

Springs, which are daily Subjects of universal and the most familiar Observation.

This Theory of the Origin and Formation of this permanent Vapour of Buxton-Water is grounded on the Supposition that fubterraneous Inflammation is the fame Thing as Inflammation which is produced in the Atmosphere, that is, the uniting of Air and Phlogiston.

I am therefore led next, to confider the Nature of the affigned efficient Caufes of Springs much exceeding their ordinary Temperature—48° or 50° —in the Climate of England.

I. The Decomposition, generally, but most improperly called the Fermentation, of Iron Pyrites.

This Substance is composed of Sulphur and Iron chymically united. It is contained in Veins, and is found in Masses intermixed with Strata, Beds, Veins, and Dykes, &c. of Earths, and Ores. When it is *moistened* and exposed to the *Atmosphere* it is decomposed : for the Principle of Inflammability united to the vitriolic Acid, forming Sulphur, combines with the Air of the Atmosphere and produces *Heat*, accompanied in certain Circumstances with *Flame*, and at the fame Time the vitriolic Acid of the Sulphur combines with the Calx of Iron therewith forming green Vitriol, or Vitriol of Iron;—during this Union of of vitriolic Acid and Calx of Iron Heat also is occasioned.

Beds of combustible Matter, as Coal and aluminous Shale, containing Iron Pyrites in Maffes; or these inflammable Matters in Heaps exposed to the Air of the Atmosphere have on many Occafions been fet on Fire by the Decomposition ot the Iron Pyrites intermixed with them. The Heat produced by a Mixture of Iron-Filings and Sulphur with a certain Proportion of Water and Exposure to the open Air, has been long very generally known; and, when among many others, Lemery, Shaw, Buffon, and very lately the present learned Bishop of Llandaff, shewed, that if this Mixture be interred a few Feet in the Ground, in a short Time the superincumbent Earth is elevated, dried, cracked, and heated; --- then burft, Smoke emitted, followed by an Eruption of Fire with Flame, and an Appearance of much Light; in fhort, that all the Phenomena in Miniature of a Volcano were produced, the efficient Caufe of fubterraneous Fires, Earthquakes, and Volcanos was fuppofed to be demonstrated.

We have the most probable Reasons for believing that fubterraneous Fires, or at least extraordinary fubterraneous Heat, continue for Ages under fuch Circumstances as to have no Communication with the Atmosphere; and still more probable Grounds for believing that there are no Refervoirs or Cavities in the internal Parts of the Globe Globe containing Air to fupport Inflammation, or in Quantity fufficient to produce this Effect for any confiderable Time; confequently, when Iron Pyrites is decomposed in the Bowels of the Earth there is no Heat produced by the Combination of Air with the Phlogiston separated from the the Sulphur, but Heat by the Union of the vitriolic Acid of the Sulphur and Calx of Iron only (o). Pyrites decomposed under these Circumstances may heat, and even melt combustible Matter, as Shale and Coal, but cannot fet them on Fire as in the Inftance above-mentioned.

Subterraneous Fires cannot therefore be occafioned by this, or any other Substance without Air; but as it is liable to decompose independently

(o) The learned Author of the Conjestures concerning Earthquakes, &c. 1760, p. 13. Sect. II. feems to be of Opinion, that fubterraneous Fires may fubfilt without Air. The Paragraph in which this Opinion is delivered, and the Instance in Support of it is as follows : " How well foever thefe Facts may agree with the Supposition before laid down, that fubterraneous Fires are the Caufe of Earthquakes, one Doubt, however, may perhaps remain ; viz. How is it possible that Fires should sublist which have no Communication with the outward Air? In answer to which, I might alledge the Example of green Plants, which take Fire by Fermentation when laid together in Heaps, where the Admission of the outward Air is fo far from being necessary, that it will effectually prevent their doing fo." I confess, I have not been able to perceive, that this Example is a Proof that Substances may burn without Air. This Inflance, I conceive, only proves,

dently of this permanent Vapour (p) fubterraneous Heat may by this Means be occasioned. It is, however, extremely doubtful, indeed it is improbable, from the Quantity and Situation of Pyrites under Ground, that this Heat should be fo great as to melt Strata of Earth of many Miles in Extent, and perhaps many hundred Yards in Thicknefs; and to expand, elevate, and burft the fuperincumbent Beds of stony Matter of many Miles in Thickness: and, by thus fracturing the incumbent Earth to open a Communication between the Atmosphere, and the Pyrites partially decomposed-in which Cafe we naturally conceive a Concussion of the Earth to happen, an Inflammation inftantly to take Place, Smoke, Light, and Flames to burft through the Surface of the Earth in Abundance, accompanied with, or fucceeded by the Irruption of a Flood of li-

proves, that dead Plants do not take Fire during Fermentation, unlefs under certain Circumstances, viz. a certain Quantity of them heaped together, a certain Quantity of Moisture, and fufficient Air applied to the external Surface of the Masswhich last Circumstance is always necessary to the Firing of any inflammable Substance-but when Air is admitted to rob the Plants of their Moisture, no Inflammation happens.

(p) Inftances may be found (Dr. Prieftley's Exper. and Obf.) of the Decomposition of a Mixture of Iron and Sulphur exposed to nitrous Gas, Oil of Metals, and Gas; also in exhausted Receivers, and while immersed in Quickfilver. These Facts prove that Air is not effentially necessive to the Decomposition of these Substances.

quid

Tuid Fire that may inundate the Surface of the Larth many fquare Miles in Extent. Therefore natural Volcanos are in all Probability produced by a different efficient Caufe from the artificial ones occafioned by burying a Mixture of Iron and Sulphur a few Feet or Yards below the Surface of the Earth; and confequently alfo that the Decomposition of Iron Pyrites is at any Rate a very improbable occafional Caufe of the tepid, warm, or hot Temperature of Springs;—above all of thofe Springs which exceed the common Standard of Heat of Spring-Water, for many hundreds or thoufands of Years; inftead of the ordinary Degree of Heat of them in England, 48° pr 50°, when they excite the Senfation of Cold.

Moreover, the Decomposition of Pyrites without Air cannot, with any Degree of Probability, be affigned as the Occasion of those Earthquakes which are produced by the elastic Power of Water in a State of Vapour; because we have no Grounds for believing that this mineral Substance is contained in Quantity sufficient to cause Heat, without the Application of Air, capable of converting Water into Vapour, and of expanding this Vapour in such a Manner as to shake a considerable Part of the whole Globe.

II. Subterraneous Fires.

It is proper to obferve, although I do not think it necessary to state the Proofs, that Heat hath fubfisted, fubfifted, or doth exift at a pretty confiderable Depth below the Surface of the terreftrial Portion of the Globe, very generally throughout the whole exterior Part of the Earth, in a Degree fufficient to melt entire, or a great Part of, Strata of folid Matters, or to rupture the fuperincumbent Beds.

The only adequate efficient Caufe of this fubterraneous Heat befides that juft mentioned, and fhewn to be infufficient, that has been affigned, is *Inflammation*; but as Inflammation is the Combination between Air and Phlogifton, this Phenomenon has been hitherto either confidered as inexplicable, or the Explanation given of it has been upon erroneous Grounds.

Indeed human Industry has been fo little employed in explaining the Structure of the interior Parts of the Earth, and the Nature of the Subftances of which it is composed, that we can only form Conceptions of its Materials, and the Operations therein performed by Analogy: and we reafon from our Knowledge of what happens above the Surface of the Earth, or a little Way beneath it. It is much to be lamented that Mankind should have neglected the Cultivation of fo very ufeful, although most laborious and expensive a Part of natural History, and upon other Occasions have employed themfelves in Works of much greater Labour and Expence that were of no Benefit to future Ages. Si les Rois d'Egypte au lieu d'avoir fait des Pyramides, & élevé d'aussi fastueux Monumens

numens de leurs Richeffes & de leur Vanité, euffent fait la même dépenfe pour fonder la Terre, & y faire une profonde Excavation comme d'une lieue de profondeur, on auroit peut-être trouvé des Matières qui auroient dedommagé de la Peine, & de la dépenfe, ou tout au Moins on auroit des Connoiffances qu'on n'a pas fur les Matières dont le Globe eft compofé a' l'intérieur, ce qui feroit peut-être fort utile (p).

In this State of Ignorance we can only propofe that Hypothefis which will best explain the Phenomena of fubterraneous Inflammation.

The Deflagration of Nitre, and the Inflammation of Subftances containing Nitre, when heated to a certain Degree, independent of the external Application of Air, as in exhaufted Receivers, being effected by a very pure Air, or a Sort of Air that ferves in a more eminent Degree for Inflammation and Refpiration than atmospheric Air, abundantly detached from itfelf (q), afforded an Explanation of fubterranean Inflammation; and

(p) Buffon-Théorie de la Terre, Article IX.

(q) Gunpowder may be fired in Vacuo, and Air is left after the Explosion, and also in Air faturated with Phlogiston.

Dr. Rutherford (Differtatio Inauguralis de Aëre Mephitico, 1772) found, that when inflammable Subfrances, of which Nitre was a Part of their Composition, burnt in Receivers of Air, there was an Augmentation of the Bulk of the permanent Vapour in the Receiver after the Inflammation, in Confequence of the Air detached from the Nitre.

the

the Separation of this pure Air by mere Exposure of various foffil Substances to Heat (r), also contributes further to enable us to account for this Phenomenon.

If then we fuppofe that there are beneath the Surface of the terreftrial Part of the Globe entire Beds of combuftible Matter, or Beds confifting, principally, of inflammable Subftances, of fuch a Nature as to burn when heated to a Degree fufficient to feparate pure Air from themfelves, or perhaps from Subftances in Contact, and intermixed with them; in Confequence of this Decomposition, by which pure Air is extricated, we can underftand without Difficulty how Fires may be produced in the interior Part of the Earth where no Air is contained in a feparate State, but combined with the combuftible Subftances themfelves, or the Matters in Contact with them.

I was pleafed to find this Explanation of fubterraneous Fires had occurred, feemingly, from the fame Confiderations to Mr. *Cavallo* in his Work on *Air and other permanently elastic Fluids*, p. 573. "The Existence of fubterranean Fires may be explained in the prefent State of Knowledge relating to dephlogisticated Air; it being detached from feveral burning Bodies within the Bowels of the Earth by Means of Heat. It will ferve to account for those very Fires which are the instrumental Means of its Production, from

(r). Dr. Priefley's Exper. and Obferv.

ł

the

the divers Minerals which contain this pure refpirable Fluid."

Here then we can perceive an adequate efficient Caufe of tepid, or warm Springs, viz. fubterraneous Fires; and as a probable Proof of this Operation of Nature being the Occafion of the fuperior Heat of Springs, I obferve, that fuch Springs efpecially abound in Regions where fubterraneous Fires actually fubfift, as in Italy. Moreover, as thefe Fires have happened, or may now fubfift in Regions where the Evidence of them is not very obvious at prefent, excepting that there are a few warm or tepid Springs; and laftly, as no other probable Occafion can be affigned but fubterraneous Inflammation, we venture to pronounce this Operation to be the only probable efficient Caufe of tepid, warm, and hot Springs.

Therefore the probable Occasion of certain Springs at Buxton being tepid or 82°, instead of 48° or 50°, is subterraneous Heat produced by Inflammation.

Moreover we have very probable, but perhaps not decifive Facts, that demonstrate, if not the Subfiftence of fubterraneous Inflammation, certainly that it hath existed (s), and most probably, that the Heat thereby produced is not yet extinguished in the interior Part of the Earth from whence these tepid Springs arise.

That fubterraneous Fires were at least one of the occasional Causes of the extraordinary Heat

(s) P. 45, 59. to 67. Vol. I.

of

[176]

of Springs has been frequently mentioned, although the manner in which that Inflammation is occafioned has not been underftood.

Having fubmitted to the Reader an Hypothefis that may ferve to convey an Idea of the efficient Caufe of this natural Phenomenon—the fuperior Heat of Springs—till an efficient Caufe fhall be demonstrated by Facts, I beg leave to propose my Conjectures concerning the Means by which thefe, and other tepid, as well as warm and hot Waters, preferve an uniform Temperature, and flow in the fame Quantity for many hundred, or many thousand Years.

As the following is the only and first Attempt hitherto made, as far as I know, to interpret these curious and interesting Particulars, I hope it will not be scrutinized with Rigour; and although the Hypothesis to be proposed be not found fatisfactory, it may be useful by being the Means of exciting in the Minds of others an Explanation upon a better Foundation.

When a Spring-Water flows through its fubterraneous Paffages within the Earth fo as to be out of the Reach of the Influence of the Temperature of the Atmosphere, of the Heat of the Surface of the Earth produced by the Rays of the Sun, Fermentation, Inflammation, and animal Life, it probably affumes in England very generally a Temperature expressed by 48° or 50° of Vol. II. N FahrenFahrenheit's Thermometer, unlefs it be exposed to local fubterraneous Heat.

The principal, or only local Occafion of fubterraneous Heat, I have affigned to be that produced by Inflammation (t). When a Spring flows upon, or through a Mafs of inflamed Matter, or when the Inflammation is extinguifhed but the Matter or Earth remains heated, by being contiguous thereto, its Heat is varioufly increafed, and receives frequently fuch an Increafe of Heat that the whole of its additional Heat is not imparted or diffufed in its Paffage to the Surface of the Earth; and therefore it there appears as a tepid, warm, or hot Spring, according to the Quantity of Heat received and afterwards communicated.

Now in which ever of the above States the Mafs be in from which the Spring derives its extraordinary Heat, we fhould not expect, from the Nature of Inflammation and the Laws of Heat, that precifely the fame Augmentation of Heat would be communicated to the Water flowing through or near it; becaufe while a given Quantity of any inflammable Subftance is burning the Quantity of Heat thereby produced will certainly be liable in equal Times to vary for obvious Reafons: And when a Quantity of any Subftance whatever is heated, fo that its Temperature exceeds that of

(t) P., 176, this Vol.

the

the furrounding Matter, it communicates Heat until it be of the same Temperature as the Substances around it: but as the tepid Waters of Buxton and feveral warm Springs in other Parts of the Earth have been observed to flow in the fame Quantity, and uniformly of the fame Degree of Heat, and there is a good Foundation for the Opinion that they have neither varied in their Quantity nor Temperature for many hundred or even many thousand Years, Philosophers have expreffed themfelves at a Lofs even to conjecture the Occasion of this uniform Heat, and have not attended that the Uniformity in the Quantity of Water was also a Peculiarity of Springs of this Nature that deferved Confideration.

In contemplating the Effects of Heat, among other Things, I remarked that under particu-Iar Circumstances certain folid and fluid Bodies exposed to heated Substances could not be made hotter than a determinate Degree, however much the heated Substances were increased in Heat ; nor made cooler although the heated Substances were diminished certain Degrees: because when heated to a certain Point they were gradually diffipated in a State of Vapour, and the Cold produced by the Evaporation seemed to counteract the Augmentation of Heat beyond a determined Degree, however the Substances by which they were heated was increased in Heat; and when the heated Mafs by which they were heated was cooled N 2 10 fo as not to exceed a certain Diminution of Heat, the Matters heated thereby were not diminished in Heat because it was still sufficient to convert them into Vapour.

This Reflection fuggefted that fuppofing Water fhould be exposed in the Bowels of the Earth to as great a Variety of Degrees of Heat as possible, but provided the least of these Degrees should be that in which this Substance is Vapour, when it was condensed into the State of a Fluid it would be uniformly of the fame Temperature; and provided there should be no Variety in the Temperature of the Substances to which it was exposed in its Passage to the Surface of the Earth, it was conceived that Spring-Water heated to an unufual Degree might flow for Ages without the least Variation in its Temperature.

It will be neceffary, however, 'to relate in what Manner it was conceived Water could be heated in the internal Part of the Earth, fo as to appear upon its Surface for Ages *uniformly* of the fame Temperature.

In explaining this Property of tepid, and warm Water, we must first mention by what Means fubterraneous Fires are kindled, and confider their Progress after being once produced.

Although I have faid it is extremely improbable that the Decomposition of Pyrites should be the efficient Cause of subterraneous Fires (u), yet

(1) P. 1.70, this Vol.

. .

this

this Effect will be neceffary in order to account for the lighting of the inflammable Subftance which is the Matter of fubterraneous Fires (x).

Suppose a pretty large Quantity of Iron Pyrites to be in Contact, or nearly fo, with a Bed of inflammable Matter; and in Confequence of the oozing of a small Spring of Water, occasioned by fome accidental Change in the Texture of the Earth, the Pyrites is rendered capable of decompoling itself : during this Decomposition fo much Heat may be produced as to detach a finall Quantity of pure Air from that Part of the combustible Mass which is in Contact with it;-when this happens, the Pyrites partially decomposed now expofed to Air, not only may produce Heat by the Union of vitriolic Acid with Calx of Iron, but a much greater Degree of Heat, accompanied, perhaps, with Light and Flame, is occasioned by the Combination of Air with the Phlogiston of the Sulphur. The Heat arising from these two Sets of chymical Attractions may be fufficient to fet on Fire the inflammable Stratum adjoining to, or in Contact with the Pyrites.

The Bed of combustible Matter being fet on Fire in one Part may fuffice for the Inflammation of the whole of it; for the fame Reason that a Mass of many Species of inflammable Bodies be-

(x) P. 175. N 3

ing

ing inflamed in one Part will continue to burn until the whole be confumed.

The inflammable Stratum as it burns, forms a large Quantity of the Compound of Air and Phlogiston, or at least of Air totally altered by Inflammation ;-expands and, perhaps, elevates a little the Earth on all Sides of it, fo as to form Cavities ;-dries the Earth near it, by converting its Moisture into Vapour, or by the Compound of Air and Phlogiston diffolving it. By the Expansion, Drying, and Elevation of the Earth, in Contact with the burning Stratum, Fiffures will be liable to be produced, through which Springs may flow upon the inflamed Stratum; the Consequence of which will be the Conversion of the fluid Water into Water in the Form of Vapour .- If a fufficient Quantity of fluid Water be thus fuddenly let in upon the Surface of a Stratum of burning or melted Matter, Vapour of Water may be produced of sufficient Elasticity, and in sufficient Quantity, to overcome the Gravity and Cohefion. of the Earth by which its Expansion is refifted. The Consequence of this elastic Force of Water in the State of Vapour will be, to fracture the fuperincumbent Beds of Matter, to elevate the Earth, and it may form a Cavity between the Stratum of inflammable Matter and the incumbent Earth. The Production of these Effects will be accompanied with a Concussion of the Earth, perceived at the Surface thereof, called an Earthquake.

The

The Vapour that produces these Effects may force itself into various Apertures of the Earth during the Elevation thereof, where it may be condensed into a fluid State, as well as be contained in the State of Vapour in the *Cavern* thereby produced.

After the Formation of this Cavern it may be conceived, that Water oozes through various Fiffures in the Roof and Sides thereof, and falls upon the burning Stratum; and that a plentiful Stream of Water flows through a large Aperture in the Side of this Cavern alfo upon the Stratum on Fire. The fluid Water that now flows upon the burning Stratum is converted into Vapour; the Elafticity of which is not able to overcome the Cohesion and Gravity of the Earth, by which its Expansion is resisted before it forces itself into the Fiffures through which Water oozes from the Roof and Sides of the Cavern; and by the Force of the Vapour from behind, the Water in these Fiffures flows in a contrary Direction, or from the Cavern through fubterraneous Paffages to the Surface of the Earth, where there appears a warm, tepid, or hot Spring, inftead of cold Water of the ufual Temperature of cold Springs, and, perhaps, of the Earth, about 49°.

If we fuppole the inflammable Stratum to be of a very confiderable Thicknefs, as thirty or forty Miles, as well as of a very great Length and Breadth, as eighty or a hundred Miles : or fup-

N 4

pofe

pofe this Stratum of Matter capable of burning to be even one hundred cubic Miles—(y), which is lefs than one two-hundred and fixty-thoufand million Part of the whole folid Contents of the Earth—and to burn with about the fame Speed as common Pit-Coal or inflammable Shale in the Atmosphere, we fhould not expect it would be confumed, after being fet on Fire in one Part only, in lefs than the Space of a great many Years;—perhaps, it would require a hundred Years to burn the whole of fuch a Mass, and probably two or three Times this Space of Time for fuch a burnt Stratum to assume generally the Temperature of the Earth.

But we are not obliged to fuppofe, that this fubterranean inflammable Matter burns fo rapidly as the above Subftances; it may, for aught we know, be decomposed much more flowly—as gradually as Sulphur in the Heat of the Atmofphere,—and therefore may not be confumed in lefs than two or three thousand Years, or a longer Space of Time.

Moreover, this fubterraneous combustible Stratum may, and probably is, after Decomposition by Inflammation by the immense Heat to which it is exposed, melted and converted into Glass;

(y) If the Diameter of the Earth is 7,970 English Miles, its Ambit $25,038 \frac{1}{2}$ Miles, and its Surface 199,556,845 Miles, its folid Contents are $265,078,009,108 \frac{1}{3}$ in Miles, and 67,424,728,425,380,374,118,400,000 in cubic Inches.

which is tel, there are las

or

undred millionth

[185]

or at least into a Substance that like Glass communicates Heat very flowly.

Alfo we fhould imagine the heated Matter after the Inflammation of it, would *part* with its Heat very flowly, on Account of the contiguous Earth being alfo heated confiderably during the Inflammation of the combuftible Stratum.

Confidering thefe Circumftances, who does not fee, how an immenfe Degree of local fubterraneous Heat may fubfift for Ages—for even fifty thoufand Years—although the Law according to which this heated Matter cools be not inveftigated; and confequently apprehend the Reafon of certain Springs being of a fuperior Degree of Heat to common Springs, for three thoufand Years or upwards, as those of Bath (z); and, amidst the Variety in the Degrees of this fubterraneous Heat, it is always maintained fufficiently to preferve W: for in a State of Vapour.

If a fubterraneous Fire, or a Stratum of fubterranean Matter left heated after it has ceafed to burn, communicates Heat to Springs in the Manner above-defcribed, and, as is just shewn, if this Heat fubfists for a fufficient Time, I apprehend that their uniform Temperature and Quantity for many hundreds or thousands of Years may be accounted for in the following Manner.

The Vapour that is forced into the fmaller Fiffures filled with the Water which oozes through the

(z) See Jorden's Discourse on natural Baths, by Guidot, \$v.0, 1673. Roof and Sides of the Cavern is first converted into Steam, an intermediate State between Vapour and Fluidity; and as it proceeds still further in its fubterraneous Passages, it is converted into a State of Fluidity. Water then, is in Fact distilled in this Cavern, and condensed in certain fubterraneous Fissures.

Some Time after the Vapour is forced into thefe Fiffures that communicate with the Cavern in which the fluid Water is changed into a State of Vapour, and afterwards is condenfed into the Form of Steam, and again into that of Fluidity, the Heat of this Water upon the Surface of the Earth may be supposed, from the Confideration of the Changes it is liable to undergo in its Paffage from the Cavern to the Surface of the Earth, not to be uniform. I. Becaufe the Water raifed in the Form of Vapour, is first mixed with the cold fluid Water occupying the Fiffures in which it is condenfed. 2. After all the cold Water filling these small Crannies is expelled by the distilled Water that appears in its Place, the fubterraneous Paffages from the Cavern to the Surface of the Earth are for a certain Time more and more heated, and the contained Water, for that Reafon, parts with less and less of its Heat. 3. After Water has flowed for a certain Time through thefe fubterraneous Paffages, the Parts thereof immediately in Contact with the Water are of the fame Temperature as the included Water, and the Earth

[187]

Earth on all Sides receives Heat from this Water; which received Heat is perceived to a certain Distance from its Source, and in Consequence thereof its Diminution at its Source may be fenfible to the Thermometer : beyond which Diftance, although Heat be imparted, the Addition is not perceivable : because the Quantity of communicated Heat beyond a certain Distance, bears too finall a Proportion to the Mass through which it is diffused, to be made appear by Inftruments; and for the fame Reafon, the Diminution in the Quantity of Heat, in a given Time, received by the furrounding Earth beyond this Diftance in Confequence of Heat communicated thereto, not perceivable by the Aid of the Thermometer does not perceivably increase the Quantity of Heat in the Source, or in the Earth within that Diftance. by the Difpolition of the furrounding Earth to rec'eive Heat being diminished. If we next add, that the Difposition of the Earth, furrounding the heated Water, to receive Heat is uniformly the fame, becaufe the fubterraneous Region is here conceived to be of the fame Temperature at all Times, being out of the Reach of the Influence of any efficient Caufes of Heat upon, or above, the Surface of the Earth, for any Thing we can discover to the contrary, Water must flow from the fubterraneous Cavern above-defcribed to the Surface of the Earth, uniformly of the fame Temperature, and for many thousand Years, provided fufficient Heat

Heat be maintained to convert Water into Vapour during that Time, and the other Circumflances necessary be prefent.

It will very probably be asked, in what Manner the cold Springs which occupied the Cavities now filled with the diffilled and condenfed Water are to be difposed of? It may be answered that they either flow in a certain Quantity, but in a much smaller Bulk than before, into the Paffages filled with diffilled Water, or they are entirely excluded from them and diverted into other Channels by the Elasticity of the Vapour forced into these Cavities, relifting the Flow of cold Water into them, and from thence into the Cavern where Water is Vapour. For if a determined Quantity of cold Water should constantly ooze into the Paffages that convey the heated Water, the Effect will be an uniform Diminution of its Heat.

The Temperature of Water heated by fubterraneous Fires, when it appears upon the Surface, will depend upon a Variety of Circumstances.

I. The Heat of the Vapour.

The Heat of Water in the Form of Vapour depends upon the Degree of Preffure to which it is exposed.

The Heat of Water in the State of Vapour under the mean Preffure of the Atmosphere, or of a Preffure equal to that of a Column of Quickfilver 5 whose whofe Altitude is about $29\frac{1}{2}$ Inches is about 212° ; under a greater Preffure its Heat is greater; and under a lefs Preffure its Heat is lefs than 212° .

The Prefiure upon Water in the Form of Vapour in a fubterraneous Cavern fo much beneath the Surface of the Earth, as the above Cafe in which Water is fuppofed to be in the State of Vapour, far exceeding the Preffure of a Pillar of Quickfilver of $29\frac{1}{2}$ Inches in Altitude, its Heat muft far exceed 212°. Indeed if the Heat of fubterraneous Water in a State of Vapour did not far exceed the Heat of 212°, we fhould be unable to account for the Springs of the Heat of boiling Water, arifing after a fubterraneous Paffage of certainly many Miles expofed to the furrounding Earth of the Heat of 48° or 50°; or, perhaps, of a lefs Heat of the Earth.

We need therefore be at no Lofs to conceive why the Springs of Buxton exceed the Temperature of the Earth through which they pafs; fo as to be more than 30° warmer than the Earth, after being exposed thereto during a Course of many Miles in Length.

II. The Temperature of a Spring heated by local fubterraneous Heat, is various according to the Extent of fubterraneous Country through which it flows, before it breaks out upon the Surface of the Earth; because the Time it is exposed to cool is, is, cat. par. according to the Length of its Paffage.

It is well known that inanimate Matter placed in a Medium colder than itself will communicate Heat to the environing Medium until it be of the fame Temperature as the furrounding Bodies; and therefore a Spring flowing from its Source of extraordinary Heat imparts Heat throughout its whole Paffage to the Surface of the Earth; unlefs before it arrives there its Temperature be the fame as that of the Earth through which it paffe. The longer a heated Body is exposed in a Medium colder than itfelf, the more Heat it lofes until it is of the fame Temperature as the circumambient Body; therefore the Heat of a Spring communicated by Exposure to local fubterraneous Heat will be, when it appears upon the Surface of the Earth, diminished, cat. par. in Proportion to the Tract of Country through which it has run from its Source of Heat.

We can form no Judgment, however, of the *Distance* of the Source of Heat of a Spring by the Temperature of the Water, because we are not acquainted with its Heat in a State of Vapour, and the Law according to which Water fubterraneously heated, and exposed, parts with its Heat.

There are alfo other Circumftances which vary the Temperature of Springs of extraordinary Heat independent of the Heat of them in a State State of Vapour, and the Extent of the fubterraneous Country through which they run ;—fuch as the Capacity of the Channel filled with the Water, the Nature of the Subftances of which the Paffage for the heated Water is composed, the Speed with which the Water flows, &c.

According to the foregoing Account of the uniform Temperature of Springs of extraordinary Heat (a) they muft neceffarily flow conftantly in the fame Quantity; for it is fuppofed, that the fubterraneous Paffages, leading from the Cavern in which the fluid Water is changed into a State of Vapour to the Surface of the Earth, are conftantly filled with Water of an uniform Temperature; and if the Quantity of Water contained therein was various at different Times its Temperature muft alfo vary (b).

Springs of unufual Heat may be conceived, in order to account for their uniform Quantity, to be fupplied, previoufly to their Conversion from Fluidity to a State of Vapour (c), by cold Springs in the more *interior* Parts of the Earth, that from the Situation, Connection, and Direction of the Vacuities of the Earth which they occupy are filled with fluid Water from Fiffures filled with Water in the more exterior Parts of the Earth. These interior Springs must from the Law of Gravitation always fill the Vacuities in which their Wa-

(a) P. 177 to 189, this Vol. (b) P. 186, 187, Ibid. (c) P. 183, Ibid.

ter

ter is contained, or at least fo long as the Springs nearer the Surface of the Earth are filled, or even only in Part filled with Water : confequently the Spring flowing into the Cavern (d) in which Water is brought into a State of Vapour always conveys the fame Quantity of fluid Water to be changed into Vapour; and as uniformly the fame Quantity of Water has been fhewn to be condenfed, we can perceive how it happens that Springs of extraordinary Heat should never vary in the Quantity of Water they pour out upon the Surface of the Earth; although at the fame Time cold Springs in the fame Region be liable to vary in the Quantity of Water that flows from them. according to the Quantity of Water that falls from the Atmosphere.

The preceding Conjecture concerning the efficient Caufe of the uniform Temperature of Springs of an unufual Degree of Heat fuggefts an Explanation of one of the diffinguishing Qualities of the tepid Waters of Buxton, which heretofore was unaccountable, viz. a much smaller Quantity (e) of the folid Substances which are usually diffolved in Springs—Sea-Salt, vitriolic Selenites, and calcareous Earth—than is found in Spring-Waters in general.

In order to explain the uniform Temperature of Spring-Waters of an unufually great Degree

> (d) P. 183, this Vol. (e) P. 306, Vol. I.

of

of Heat, Recourse was had to the Conjecture that fluid Water was changed into the (g) State of Vapour, and in that Form raifed up and forced into fubterraneous Crannies where it was again rendered fluid; that in fhort the Springs poffeffed of extraordinary Heat had undergone a subterraneous Distillation, and confequently provided they are not exposed to foffil Substances capable of Solution in Water they must flow to the Surface of the Earth of an extraordinary Degree of Purity. The tepid Waters of Buxton then, fubfequently to their fubterraneous Distillation have only been exposed in a small Part of their Paffage to the Surface of the Earth, to Sea-Salt, vitriolic Selenites, and calcareous Earth; for which Reafon they have not had the Opportunity of diffolving fo large a Proportion of thefe three Substances as is found in ordinary cold Springs, which not only contain the Quantity of these folid Matters natural to Rain or Snow-Water, but the Quantity they diffolve after foaking through the Surface of the Earth into their fubterraneous Channels.

It is poffible that this fubterraneous diffilled Water may be conveyed from the Place where it is Vapour to the Surface of the Earth through Channels of fuch a Nature as not to communicate the finalleft Impregnation to the included

(g) P. 183, this Vol.

 \mathbf{O}

VOL. II.

Water;

Water; and that the folid Subfrances found in a fmaller Quantity by much than in common cold Springs are merely what are contained in the cold Water mixed with the diffilled and heated Water during its Courfe to the Surface of the Earth.

It may, however, be alledged that the Waters which are diffilled in the interior Parts of the Earth are as liable to diffolve the above three ordinary Substances from the Length of their Course to the Surface of the Earth as at least many cold Springs; and that upon other Occafions tepid, warm, and hot Waters contain as great a Quantity, or a greater Proportion of folid Subftances than cold Springs. This Obfervation however only proves that Springs that have been diffilled in the interior Parts of the Earth are not necessarily more free from Impregnation of folid Matters than cold Springs, but it does not fhew that the Explanation above given doth not apply where Springs of a greater Heat than common cold ones are unufually pure.

The foregoing Theory of fubterraneous Inflammation (b), and Conjecture concerning the Occasion of the uniform Temperature of Waters of unufual Degrees of Heat (i), explain the Manner in which Buxton tepid Waters, Bath warm Waters, and, perhaps, many other Springs of greater Degrees of Heat than ordinary Springs

(b) P. 174-176. this Vol. (i) P. 185, ibid.

• become

become impregnated with the permanent Vapour (k) which extricates itfelf from, and is diffolved in the tepid Springs of Buxton; and likewife with a Portion of Air which is found in a State of Solution in these Springs (l).

It has been fhewn that the permanent mephitic Vapour which extricates itfelf from Buxton Bathpoffeffes perhaps all the Properties hitherto known of *the Compound of Air and Phlogiston* (m); and that the Choke-Damp, although hitherto confidered to be Gas, is most probably the fame Substance as *the Compound of Air and Phlogiston* (n).

The Choke-Damp has been fhewn to be, moft probably, produced by fubterraneous Fires (o), and by Means of the above-defcribed Manner in which Inflammation is fupported (p) beneath the Surface of the Earth—in Confequence of which fubterraneous burning of Strata, Springs are heated to an uniform Degree for Ages (q)—we may without any Difficulty conceive in what Manner a Portion of Air is diffolved in Springs heated by fubterraneous Inflammation, and a Quantity of *the Compound of Air and Phlogiston*, Choke-Damp, or the permanent Vapour that feparates from Buxton-Water, is combined therewith as well as fuspended

(k) P. 152, 153, Vol. I. and 21-27, this Vol.
(l) P. 238, Vol. I. (m) P. 16-165, this Vol.
(n) P. 109-118, Vol. I. (o) P. 113, ibid. (p) P.

175, ibid. 174—176, this Vol. (9) P. 185, ibid.

therein;

therein; thereby producing certain Appearances in Buxton-Water related in a former Part of this Work (r).

The burning, or heated Stratum to which the fluid Water is exposed, whereby it is converted into Vapour must neceffarily form an immense Quantity of *the Compound of Air and Phlogiston*; which we conceive may be disposed of by forcing itself into numerous Fiffures or Cracks in the Earth communicating with this combustible or burnt Stratum, and which were produced by the violent Concustions occasioned by Water fuddenly poured in large Quantities upon a Mass of liquid Fire.

Amongst other furrounding Cavities, the Cavern in which fluid Water is changed into the Form of Vapour must be filled with this *permanent Vapour* composed of Phlogiston and Air with which is, very probably, mixed a Portion of Air that may be confidered as redundant or fuperfluous to the Composition of *the Compound of Air and Phlogiston*; and which redundant Air is indeed, generally, found in Receivers in which Substances have burnt out : because it would seem as if there were few inflammable Substances that decompose in Air mixed with a large Portion of Air faturated with Phlogiston.

The Compound, then, of Air and Phlogiston mixed with a Portion of uncombined Air, arifing

(r) P. 152, 152, Vol. I.

con-

continually through Apertures in the burning, or burnt Stratum into the Cavern where the fluid Water is changed into a State of Vapour is prefied, as well as the Water in a State of Vapour, into the communicating Channels, and flows along with the condenfed Water. In the Courfe of the Water to the Surface of the Earth, as Water attracts the Compound of Air and Phlogiston, perhaps, as ftrongly as Air, it combines equally with these Substances until it has diffolved all the Air to which it is exposed, and about as large a Quantity of the other permanent Vapour (s); with which two Substances it is faturated. But there is exposed to the Water a much larger Quantity of the Compound of Phlogiston and Air than can be combined therewith, therefore a Quantity is mechanically mixed with it by Motion, and retained by Preffure, and the Cohefion of the Water until it appears upon the Surface of the Earth; when from the Preffure being removed and fome other Circumstances it escapes from the Water in the Form of Bubbles (t). Or all the Air feparated from the burning Matter is faturated with Phlogifton, and the Air found in the tepid Water of Buxton is what is contained in the cold Water mixed with the warm Water in its Paffage to the Surface of the Earth.

I need fearcely obferve that by Preffure a large Quantity of permanent Vapour may be retained

(s) P. 99, this Vol.

(t) P. 152, 153, Vol. I.

in

in a fufpended State in a Fluid, for upon removing that Preffure it extricates itfelf with confiderable Force, and during its Efcape from the Fluid occafions Froth, Foam, and a fparkling Appearance; of which we have a familiar Example on withdrawing a Cork from a Bottle of vinous Liquor in a State of Fermentation.

Oftentimes Fiffures communicate from a burning Stratum to the Surface of the Earth through which this permanent Vapour escapes, and is manifested especially in Italy by its sedative Effects upon those Animals which happen to be exposed to its Influence. At other Times it is retained in Cavities of the Earth which do not communicate with the Surface thereof, and is only met with by Miners and Well-Diggers, by whom it is called Choke-Damp. If this permanent Vapour happens to arife through Cracks in the Earth within a Grotto or Cave upon the Surface thereof, its Effects are experienced upon all Animals included therein; a well-known Inftance of which is the Grotta del Cane in Italy. If Water did not occupy the Meanders of the Earth which communicate from the Surface of it to the burning fubterraneous or heated Stratum, and there were a Cavern in which are the Apertures through which the tepid Water of Buxton iffues, we should have a Grotta del Cane at Buxton as well as in Italy, and other Places.

y ind: P. 105 hole & where in SE.C. is iaid, more to the general office Mar the far to bel (and mean raples Mar the far to bel (and mean raples

[199]

SECTION II.

CONCLUSION of this WORK.

I HAVE now concluded the Experiments and Observations to demonstrate a Part of the

History of the particular Qualities of the Atmo-Sphere of the Peake; and that of the chymical Qualities of the tepid Waters of Buxton; as proposed (u) for the Object of this Work.

The Utility of the *first* of these Histories will be found in Consequence of its enabling Physicians to judge of the Effects that may be produced by the Use of *Buxton-Water*, as accompanied necessarily with the Influence of the *Atmosphere of* the Peake; —to direct their Patients how to regulate their Conduct fo as to have the beneficial Effects of the Atmosphere exerted in the most powerful Manner; —and to enable them to diftinguish the Effects of the *Climate* from those of the tepid Waters of Buxton; and therefore to advance the Knowledge of the Properties of the Water in States of Difease.

The Hiftory of the chymical Properties of the tepid Water of Buxton will it is hoped be found varioufly useful.

As

1. As it informs us that the peculiar Properties of this tepidWater(x) are, an unufually fmall Quantity of folid Subftances, and of the fame Kind as those impregnating ordinary cold Springs, diffolved therein;—a Temperature of 8_1° or 8_2° of Fahrenheit's Thermometer;—and a permanent Vapour, probably, the Compound of Air and Phlogiston, mixed with a fmaller Quantity than usual of Air.

As the Effects of the permanent Vapour that rifes spontaneously from Buxton-Water, and of Water of this Temperature, on the human Body in Health and Difease, either when applied to the Surface of the whole Body, or when taken into the Stomach, are not known, the Effects of fuch a permanent Vapour and fuch a Temperature as that of this tepid Water can only be learned by an Investigation of the Effects of this Spring-Water, or of an artificial Compound refembling it-of pure Water of 82° externally and internally applied, and of the permanent Vapour that extricates itfelf from these Waters, or of the Compound of Air and Phlogiston; which is the fame Thing as, or refembles in many Properties this permanent Vapour of Buxton-Water (y).

2. It appears from this Hiftory that there is no Ground for believing the Efficacy of this tepid Water externally applied depends upon the Subftances with which it is impregnated; and there-

(x) P. 326, Vol. I. and 165, this Vol. (y) P. 16-125, this Vol.

. ..

1

fore

fore the fame Effects under otherwise fimilar Circumstances of Atmosphere, Exercise, Diet, &c. may be expected from pure Water of the same Temperature as that of this tepid Spring.

Alfo it is probable from the known Effects of Air, that the medicinal Effects of the permanent Vapour of Buxton-Water are produced by the permanent Vapour that arifes fpontaneoufly, and not from Air; and that in many Cafes, at leaft, as the Efficacy of the Water depends upon this permanent Vapour, more certain and greater Effects may be produced by exhibiting a larger Quantity for a Dofe than is contained in the Quantity of Buxton-Water ufually drank, or than can be conveniently taken into the Stomach at a Time.

Although we fhould be inclined to believe the Air in Buxton-Water, from the Quantity of it, as well as the folid Matters therein contained, from their known Effects, have no medicinal Qualities feparately; yet from the Effects of other Compounds, and of the Subftances of which fuch Compounds are composed, feparately, one ought to be cautious in pronouncing that these Subftances which are non-efficient feparately administered are also inefficacious when jointly applied with other Subftances, as in this tepid Water.

Moreover, it is a Question whether the Effects of pure Water of 82°, and of the permanent.Vapour that separates itself from Buxton-Water be the the fame when exhibited *feparately*, as when conjoined, or as Buxton-Water; and if they be the fame, it is a Matter of Importance to afcertain their particular Effects, by which Means it is probable they may be administered *feparately* with more Efficacy than together; because in many Cases one of them is, perhaps, non-efficient.

This Queftion is fuggefted by a known Fact concerning the Effects of Medicines, namely, that upon many Occafions Subftances administered together have different Effects from those they produce separately. For Instance, a Mixture of Ipecacuanha and Opium, or *Dover's Powder*, operates as a Sudorific, but the former Substance given separately is emetic or has no substance fect, and the latter Element induces Sleep without occasioning, in general, a plentiful Excretion of Sweat.

3. As it is apparent that the Efficacy of Buxton-Water depends entirely, or principally, on the *Temperature* thereof, and of the permanent Vapour that feparates itfelf, we cannot expect the medicinal Effects to be produced when it is cooled, or when this Temperature is not preferved; nor when it is drank after Exposure to the Atmofphere and has feparated a Portion of this permanent Vapour.

4. The chymical Hiftory fuggefts a Method of drinking Buxton-Water, after being kept in Bottles any Space of. Time, of the fame Efficacy as at at its Source; abstracting from the Effect of the Accompanyments of the drinking of this Water at its Source.

Pint Bottles fhould be filled with the Water of the Bath at Buxton, and then being inverted in the Bath an Ounce Phial filled with the permanent Vapour that arifes from the Bath fhould be made to rife within each of thefe Bottles in the Manner formerly defcribed (z); this done, and while in the Bath, cork the inverted Bottles. Having withdrawn them from the Bath preferve them inverted; or tie them over with a wet Bladder, and the inverted Pofition will be unneceffary.

As the Atmosphere is rarely the Heat of this tepid Water, when it is intended to be drank one of these Bottles must be immersed in Water preferved heated about 82°; and after it has stood in this heated Water a sufficient Time to assume the Temperature of this Medium, the Cork may be drawn, and immediately after agitating it, with the Mouth stopt a little Way within the Neck by a long Cork, the Quantity to be used must be poured out, and drank as speedily as possible.

The remaining Water in the Bottle fhould be immediately poured into a Phial or Bottle which it will entirely fill; and immediately before drinking it fhould be warmed after the fame Manner as

(z) P. 23, this Vol.

the first Portion. This remaining Part it is manifest will be liable to contain a smaller Quantity of this permanent Vapour than the first Portion, so that when the whole Impregnation of this Substance is wished for, only the Water first poured out should be used.

By this Means Buxton-Water may unqueftionably be drank, after keeping in Bottles, in as efficacious a State, independent of its accompanying Circumstances, as at the Spring-Head; because the Water is heated to 81° or 82°, and we may be certain it has not separated any of its permanent Vapour;—on the contrary, most probably, a small Quantity has been added by this Substance included within the Bottles containing the Water.

5. We are by this Hiftory inftructed how to compose a Water refembling Buxton-Water in its *Temperature* and *Impregnation* (a), in the following Manner:

Diftil a Quantity of common hard Spring-Water in a gentle Heat, in perfectly clean Glafs-Veffels, fo as to have neither Smell nor Tafte; or if it fhould acquire a Smell by Diftillation, remove it by Expofure to the open Air.

To thirty-two Ounce Meafures of this diftilled Water in a Quart Bottle, or in a large Florentine Flafk, add about fourteen Grains of the pureft

⁽a) P. 321 to 327, Vol. I. and 98, 99, this Vol. 4 Chalk

Chalk in fine Powder; and four Grains of vitriolic Selenites, composed by faturating Quick-lime, precipitated from Lime-Water by Gas, with vitriolic Acid. Expose this Mixture in a Sand-Heat of about 140° or 150°, and after it has stood in this Situation a Week, or longer, during which Time it has been frequently agitated, add about four Grains of the purest Sea-Salt;—then boil this Mixture in the Flask, or in a Veffel of Silver, fo as to separate from it all the Air it contains, and filter it through Paper previously washed by filtering through it hot distilled Water.

Divide this filtered Solution into four equal Parts, one of which muft be contained in a Wine-Quart Bottle; to each of thefe Parts add $\frac{3}{4}$ of a Quart, or as much as will fill thefe Quart Bottles, of the above diftilled Water, previously boiled in a Florentine Flask or in a clean Silver Vessel, fo as to have expelled all the Air diffolved therein (b), and agitate a short Time each of these Bottles. Then invert each of these Bottles in a Tub of common hard Pump-Water, and add thereto half an Ounce Measure of a Mixture of one Part of common Air and two Parts of the Compound of Air and Phlogiston, (formed by exposing Air

(b) If Water free of Air is withed to be kept in Readinefs, it fhould be preferved in Veffels perfectly filled with it, and well corked foon after boiling.

to,

to a Mixture of Iron-Filings and Sulphur); then cork the Bottles while inverted, and after Agitation frequently, and preferving them in an inverted Polition out of the Water for three Weeks, a Month, or fix Weeks, upon withdrawing the Cork from the Bottles inverted in the Tub of Water, the permanent Vapours will be found diffolved or fulpended; for Water will rife within the Bottles to occupy the Place of these Subftances.

During the Time thefe Bottles are inverted and uncorked in the Tub of Water as little Motion fhould be used as possible in order to prevent the Mixture of the Water of the Tub with that of the inverted Bottles.

The Compound of Air and Phlogiston used upon this Occasion should be deprived of Smell and Taste, by repeatedly transferring it through Water.

Unlefs Care be taken to use distilled Water free of Air the above Quantity of Mixture of permanent Vapour will not be disfolved; and as it is difficult to deprive Water entirely of Air by Exposure a short Time to a boiling Heat the above Proportion of the Compound of Air and Phlogiston to the Air is greater than that found in Buxton-Water, because it is supposed that the Air will scarcely ever be separated entirely from the distilled Water used upon this Occasion.

In

In this Manner we may compose a dilute Solution refembling Buxton-Water, excepting that as the Heat of the Atmosphere is rarely equal to the Heat of Buxton-Water, the Temperature of this Spring must be communicated by immersing the above Quart Bottles, after pouring out about a Tea-spoonful of the Solution from each, corked in a Veffel of Water heated to 82° or 84° for a fufficient Time immediately before drinking it; and as only a Part of one of these Bottles will probably be drank at a Time the remaining Solution therein should be either poured into a fimaller Bottle to fill it quite full and be kept corked, or the Quart Bottle should be kept in a very cool Situation till used.

Inftead of the Compound of Air and Phlogiston employed in composing a Mixture refembling Buxton-Water, if there be an Opportunity it will be much better to use the permanent Vapour that extricates itself from Buxton-Water.

If diffilled Water cannot be conveniently obtained, Rain or Snow-Water collected free of Impurities may be believed to anfwer nearly as well.

If we wifh to exhibit a larger Proportion of the permanent Vapour that arifes from Buxton-Water than is contained in the above Quantity of Mixture, half an Ounce Meafure of this permanent Vapour, or of Air united with Phlogiston by the the Exposure of Air to a Mixture of Iron-Filings and Sulphur may be added to the above Compound refembling Buxton-Water; and although there may not be Water fufficient to diffolve this additional Quantity of permanent Vapour, yet by Agitation immediately before drinking it a great Part of it may be fuspended therein.

6. As it is highly probable that the medicinal Efficacy of Buxton-Water depends chiefly upon the permanent Vapour that separates spontaneoufly; and as this Substance is perhaps the Compound of Air and Phlogiston, a new and probably extensively useful, and powerful Article of the Materia Medica is pointed out to the Attention of Phyficians, and in future this permanent Vapour of Buxton-Water, or the Compound of Air and Phlogiston, may be in as frequent Use as Gas. For' this Purpofe fome Perfon should be appointed at Buxton to collect this permanent Vapour (c)! It will be found most convenient to have it contained in finall Bottles, as in Phials of two or four Ounce Measures, which may be fent to any Diftance from Buxton, and used at any Time for composing artificial Buxton-Water; or even be used at Buxton either in the Form of this artificial Buxton-Water (d), or mixed only with fome mucilaginous Substance (e). This Vapour when

(r) P.23, this Vol.
(d) P. 204, ibid.
(e) Exp. XVI. p. 60, ibid.

taken

taken into the Stomach in either of these Forms. will perhaps produce greater Effects than Buxton-Water itfelf, becaufe we can thus apply it in much greater Quantity than . by the Use of this tepid Water (f), and without the Lofs of any efficacious Quality or Substance of Buxton-Water. It is well known that the most efficacious and generally used mineral Waters-Sea-Water, and acidulous Springs, as Spaw, Pyrmont, Driburg &c .- may be composed by Art fo as to be equal if not fuperior to the natural Compounds. And as it now appears that the Efficacy of Buxton-Water in Diseases as far as depends upon Impregnation (g) refides in the permanent Vapour which escapes spontaneously from the Bath at Buxton, it might be very ferviceable to the Public if particular Directions were published, shewing the Manner of impregnating Water with the permanent Vapour that extricates itself from Buxton-Water; or with a Substance resembling this Vapour-the Compound of Air and Phlogiston-in the fame Manner, or upon the fame Plan as has been already done by Dr. Priestley for the Purpose of administering Gas with more Effect than, by. Means of Spaw-Water, Pyrmont-Water, &c. or

P

(f) See P. 152, 153, this Vol. (g) See P. 165, ibid.

Vol. II.

where

where these natural Compounds containing it cannot be obtained.

7. This Hiftory points out pretty certainly, the Occafion of the Head-Acb, Vertigo, or Lightbeadednefs, which is a very common Effect of the internal Ufe of Buxton-Water, namely, the permanent Vapour that feparates fpontaneoufly therefrom; and therefore, that this Symptom is not to be confidered as a Criterion of Gas, when it is occafioned by drinking a medicinal Water.

This Effect is also frequently accompanied with *Heat*, and is produced by the fame Occasion.

Thefe two Effects, namely, Head-Acb, Vertigo, or Light-headedness, and Heat, experienced frequently foon after drinking Buxton-Water, may be confidered as Proofs of this Water poffefling Powers of producing Changes in the human Conflitution, not found in common Spring-Water of the Temperature of Buxton-Water.


Alfo this Hiftory will be found ufeful in explaining a Variety of other Effects on the human Body, in a State of Health and Difeafe, when thefe Effects shall be observed and related.

8. The exploding the prevailing erroneous Opinion, that the permanent Vapour that feparates itfelf from Buxton-Water is Gas, or fixed Air, may be reckoned amongst the important Uses of this History.

9. Thefe

9. These Observations and Experiments may be, perhaps, not only useful to the Art of Phyfic, but to the Arts and Sciences in general; because they make an Addition, although a very small one, to the present Stock of natural History, which is the Foundation of all the Arts and Sciences:—In Historia naturali bona, & bene instituta Claves funt & Scientiarum & Operum, Lord Verulam.

P₂ OBSER-



OBSERVATIONS

Made after the Parts of the preceding Work to which they refer were printed.

Note to Page 167, Line 27, Vol. I.

I Have lately obferved, that a Spring at Rofington-Bridge, four Miles from Doncafter, near the London Turnpike-Road, on its being firft taken from the Spring in a Decanter or Bottle filled there with, has a peculiar Smell of the fetid or fulphureous Kind, efpecially upon Agitation; and has a very flight inky Tafte. This Smell and Tafte difappeared on ftanding a few Minutes in the open Air. This Water appeared to be rather fingular, in as much as it did not turn in the leaft milky or muddy with Lime-Water. It appeared to be alfo of uncommon Purity; for it remained clear and without Sediment after the P₃ Addition Addition of Alkali. It united with Soap without the leaft Decomposition; and, by its sparkling much when placed near the Fire, seemed to contain the usual Quantity of Air. This Spring was used for washing and brewing, also for Tea, and did not fur Vessels: it boiled Greens soft and yellowish. It did not tinge polished Silver immersed in it; nor did it decompose upon Exposure to the Air, or produce Colour with powdered Galls; and it arose out of some boggy Ground in a fandy Soil. Other Springs near it were hard, and furred Vessels during boiling.

Another Spring likewife has been mentioned to me, that fprung out of a Grit-Stone Stratum in a Cellar, that has a Smell of the fulphureous or fetid Kind, which difappeared when exposed to the Air; and was, I believe, a hard Water.

It is a Queftion whether the fetid Odour in the above Spring-Waters was occasioned by hepatic Air, or fome other Vapour.

The Origin of this Vapour also is not obvious.

These Springs did not appear to contain any Acid united with Earth, which I have found to be the Case whenever there was no calcareous Earth in Water, and I have never found calcareous Earth in Springs without a Quantity of Gypfum.

Vol.

[215]

Vol. I. p. 55, l. 32.

Black Wadd, Ochra friabilis nigro-fusca of Da Costa, p. 102*, is an Ochre found in the Veins of Lead-Ore, especially at Portaway Lead-Mine, near Winster.

" It is not yet known to the Painters, but is greatly worth their Attention. I have tried it both in Water and Oil, in both which it makes a very fine Colour.

This Earth by fome Experiments made on it is found to be very inflammable, when prepared in a particular Manner. I cannot fay the Experiment fucceeded with me, but as it fucceeded with feveral Gentlemen of great Veracity, I cannot omit giving it a Place in my Hiftory.

The first Discovery of the inflammable Property of this Earth was made by a Derbyshire Gentleman, greatly esteemed for his Knowledge, who published it in the Gentleman's Magazine for 1752, p. 70, and for 1752, p. 82. The Account is as follows.—" Having powdered and mixed this Ochre with Linseed-Oil in order to grind for Paint, I left it in a Heap, and returning in about three Quarters of an Hour, found it folling about in a gentle Flame: the Smoke and Smell made it impossible to endure being near it. A fecond Time I mixed about the fame

* A natural History of Fossils, by Emanuel Mendes da Costa, 4to, 1757.

Quantity,

Quantity, i. e. one Pound and a half, to try if it would operate as before; it lay three Quarters of an Hour, and it felt quite cold: but a Smoke afcending from a Lump the Bignefs of a Pea, I broke it, and in half a Minute the Whole was on Fire; it did not flame till flirred, and then burnt with Violence till the Oil was confumed."

" By other Experiments made at London, this Earth being mixed with Linfeed-Oil, kindled in a little more than an Hour and a half. It did not flame, but burnt with intenfe Heat for more than three Hours till all the Oil was confumed, and then it remained to Appearance hardly diminifhed in Weight or otherwife altered in Form or Colour; when flirred it emitted a quick Kind of luminous Vapour like bruifed Gunpowder. Upon mixing of it a fecond Time, it fired again, though after much longer trying; but on trying it a third Time it did not fire."

This Earth, fays the Author, " was got in a Lead-Mine in the Peake of Derbyfhire, about ten Fathom below the Earth's Surface; it is there further faid, that it lies very deep in the Earth, and that there are Strata of it from one Inch to ten or twelve Inches thick, efpecially at Parwick, which is four Miles North-weft from Afhbourn; and at Elton, which is eight Miles North-weft from Afhbourn; that it is ufed in Derbyfhire as Paint, particularly to mix with other Colours, to make them dry (where the Colour will admit of fuch [217]

fuch a Mixture), as Chocolate Colour, Mahogany Colour, or other Colours for Priming, &c *."

I have to add, that fince the above Account was written this Substance has been, I am informed, much used by Painters, on Account of its being a *quick Drier*.

The Refult of an Affay of Black Wadd by an able Chymift was, I am told, that it confifts of Manganefe, Lead-Ore, Iron, and an Earth.

Its Property of burning in the Heat of the Atmosphere was discovered by Mr. Richard Roe of Derby, House-Painter, upwards of 30 Years ago.

In fome Experiments lately made in London, under the Direction of feveral very ingenious and refpectable Philosophers, this Ochre inflamed in, about 50 Minutes in every Inftance. No Atten-, tion was paid to the Proportion of Oil and this Ochre.

In order to afford fome Light for the Explanation of this Property of Black Wadd I shall obferve, that Linfeed-Oil and Lamp-Black mixed together form a Mixture which has been lately found to inflame spontaneously upon Exposure to the Atmosphere, as was discovered accidentally by the taking Fire of a Frigate the 20th April, 1779. Mr. Georgi's Experiments, lately, shew, that Hemp and Flax take Fire spontaneously †.

** Da Costa's History of Fossils, 4to. p. 102.

· · · ·

+ Acta Academia Scientiarum Imperialis petropolitanæ for 1779.

The The

The fpontaneous Inflammation of Iron Pyrites, and of Sulphur and Iron mixed together, has been long known.

Vol. I. p. 106.

I have the Satisfaction of finding, that the Opinion I ventured to deliver concerning the Ufe of nitrous Gas as a Teft of the *Purity* and *Salubrity* of the Atmosphere of different Regions has been fully justified in a Paper * lately written and published by one of the most respectable Authorities in Philosophy; as will appear from the following Extracts. These, I trust, cannot but be acceptable to many of my Readers, independently of their ferving to establish the Truth of my Remarks on the above Subject.

Among other Sources of Error in estimating the State of atmospheric Air by Means of nitrous Gas, the Author of the Memoir above alluded to particularly mentions the Nature of the Water in which the Mixture is made.

"This Difference in the Diminution according to the Nature of the Water is a very great Inconvenience, and feems to be the chief Caufe of Uncertainty in trying the Purity of Air;

It fhews plainly, how little all the Experiments

* An Account of a new Eudiometer by Mr. Cavendifh.— Phil. Tranf. Vol. LXXIII. Part I. 1783.

which

which have hitherto been made for determining the Variations in the Purity of the Atmosphere can be relied on, as I do not know that any one before has been attentive to the Nature of the Water he has used, and the Difference proceeding from the Difference of Waters is much greater than any I have yet found in the Purity of Air.—

During the laft half of the Year 1781, I tried the Air of near fixty different Days in order to find whether it was fenfibly more phlogifticated at one Time than another; but found no Difference that I could be fure of, though the Wind and Weather of those Days were very various; fome of them being very fair and clear, others very wet, and others very foggy.

My way was to fill Bottles with Glafs Stoppers every now and then with Air from without Doors, and preferve them ftopped and inverted into Water, till I had got feven or eight, and then take their Teft; and whenever I obferved their Teft I filled two Bottles, one of which was tried that Day, and the other was kept till the next Time of trying, in order to fee how nearly the Teft of the fame Air, tried on different Days, would agree. The Experiment was always made with diftilled Water, and Care was always taken to obferve the Diminution which nitrous Air fuffered by being fhaken in the Water as above-mention-

cd.

ed. The Heat of the Water of the Tub was commonly fet down.

The Refult was that the Teft of the different Bottles tried on the fame Day never differed more than .013, and in general not more than half that Quantity. The Teft, indeed, of those tried on different Days differed rather more; for taking a Mean between the Tefts of the Bottles tried on the fame Day, there were two of those Means which differed .025 from each other; but, except those two, there were none which differed more than .013. Though this Difference is but finall, yet as each of these Means is the Mean of seven or eight Trials, it is greater than can be expected to proceed from the ufual Errors of the Experiment. This Difference also is not much diminished by correcting the Observations on Account of the Heat and abforbing Power of the Water, according to a Rule above given. This might incline one to think, that the Parcels of Air examined on fome of those Days of Trial were really more dephlogifticated than the Reft; but yet I believe that they were not: for whenever there was any confiderable Difference between the Means of two fucceffive Days of Trial, there was nearly the fame Difference between the Tefts of the two Bottles of the very fame Air tried on those two Days. For Example, the Mean of the Trials on July 7, was .016 lefs than that of those on the 15th Day of the fame Month; but

but then the Teft of the Air caught and tried on the 7th was equally lefs than that of the Air of the fame Day tried on the 15th; which fhews that this Difference between the Means of those two Days was not owing to the Parcels of Air tried on the former Day being really more dephlogisticated than those tried on the latter, but only to fome unperceived Difference in the Manner of trying the Experiment; or elfe to fome unknown Difference in the Nature of the Water or nitrous Air employed. — — — — — — — —

On the Whole, there is great Reafon to think, that the Air was in Reality not fenfibly more dephlogifticated on any one of the fixty Days on which I tried it, than the reft.

-

The higheft Teft I ever obferved was 1.100, the loweft 1.068, the Mean 1.082.

I would by all Means recommend it to those who defire to compare the Air of different Places and Seafons, to fill Bottles with the Air of those Places, and to try them at the fame Time and Place, rather than to try them at the Time they were filled, as all the Errors to which this Experiment is liable, as well as those which proceed from a Difference in the Nature of the Water and nitrous Air, will commonly be much less when the different Parcels of Air are tried at the fame Time and Place than at different ones; provided vided only, that Air can be kept in this Manner a fufficient Time without being injured, which I believe it may, if the Bottles are pretty large, and Care is taken that they, as well as the Water used in filling them with Air, are perfectly clean. I have tried Air kept in the above-mentioned Manner for upwards of three Quarters of a Year in Bottles holding about a Pint, which I have no Reason to think was at all injured; but then I have tried fome kept not more than onethird Part of that Time, which feemed to have. been a little impaired, though I do not know what it could be owing to, unlefs it was that the Bottles were fmaller, namely, holding lefs than one-fourth of a Pint, and that in all of them, except two, which were fmaller than the reft, the Stopper which, however, fitted very tight, was tied down by a Piece of Bladder.

I made fome Experiments to try whether the Air was fenfibly more dephlogifticated at one Time of the Day than another, but could not find any Difference. I alfo made feveral Trials with a View to examine whether there was any Difference between the Air of London and the Country, by filling Bottles with Air on the fame Day, and nearly at the fame Hour, at Marlborough-Street and at Kenfington. The Refult was, that fometimes the Air of London appeared rather the pureft, and fometimes that of Kenfington; but the Difference was never more than might might proceed from the Error of the Experiment; and by taking a Mean of all, there did not appear to be any Difference between them. The Number of Days compared was 20, and a great Part of them taken in Winter, when there is a great Number of Fires, and on Days when there was very little Wind to blow away the Smoke.

When the Impurities mixed with the Air have any confiderable Smell, our Senfe of Smelling may be able to difcover them, though the Quantity is yaftly too fmall to phlogifticate the Air in fuch a Degree as to be perceived by the nitrous Teft, even though these Impurities impart their Phlogifton to the Air very freely. For Inftance, the great and inftantaneous Power of nitrous Air. in phlogifticating common Air is well known; and yet ten Ounce Measures of nitrous Air, mixed with the Air of a Room upwards of 12 Feet each Way, is fufficient to communicate a ftrong Smell to it, though its Effect in phlogistcating the Air must be utterly infensible to the nicest Eudiometer; for that Quantity of nitrous Air is not more than the 140,000th Part of the Air of the Room, and therefore can hardly alter its Teft by more than $\frac{3}{1+0000}$ or $\frac{1}{1+7000}$ Part. Liver of Sulphur also phlogisticates the Air very freely, and yet the Air of a Room will acquire a very ftrong

ftrong Smell from a Quantity of it vaftly too fmall. to phlogifticate it in any fenfible Degree. In like Manner it is certain, that putrifying animal and vegetable Substances, Paint mixed with Oil, and Flowers, have a very great Tendency to phlogifticate Air; and yet it has been found, that the Air of an House of Office, of a fresh painted Room, and of a Room in which fuch a Number of Flowers were kept as to be very difagreeable to many Perfons, was not fenfibly more phlogifticated than common Air. There is no Reafon to fuppofe from these Instances, either that these Substances have not much Tendency to phlogifticate the Air, or that nitrous Air is not a true Teft of its Phlogistication, as both these Points have been fufficiently proved by Experiment. It only fhews, that our Senfe of Smelling can, in many Cafes, perceive infinitely smaller Alterations in the Purity of the Air than can be perceived by the nitrous Teft, and that in most Rooms the Air is fo frequently changed that a confiderable Quantity of phlogifticating Materials may be kept in them without fenfibly impairing the Air. But it must be observed, that the nitrous Test shews the Degree of Phlogistication of Air, and that only; whereas, our Senfe of Smelling cannot be confidered as any Test of its Phlogistication, as there are many Ways of phlogifticating Air without imparting much Smell to it; and I believe there are many ftrong-fmelling Substances which do not fenfibly phlogisticate it.

5

Page

[225]

Page 91. l. 11. Vol. II.

Phofphorus not only feems to *unite* with any Kind of permanent Vapour, excepting Air, and form a Compound that burns in the ordinary Heat of the Atmofphere, during which it produces Flame, but alfo either combines or mixes with other Things, with which it forms Mixtures that burn rapidly, in the Space of a few Seconds of Time, after Expofure to the Atmofphere.

I have lately feen a Compound of this Sort which was formed of Butter or Oil of Wax, Sulphur, and Phofphorus of Urine, but I do not know the exact Proportions of these Substances in this Mixture, nor with Certainty the Manner of mixing them together; and if any Perfon fhould attempt to compose this Mixture he must remember, that it will break out into a Flame, and burn furioufly while it is compofing, unlefs certain Circumstances be present to prevent the Inflammation. Those who are acquainted with the Principles of Inflammation will readily conceive various Circumstances that would prevent the Combustion of this Substance while it is -forming-what those are already attended to, in making this Mixture, I do not know. It is clear that the burning of this Substance may be prevented, by first mixing the Butter of Wax in a fluid State with the Flowers of Sulphur-perhaps, with one-third of its Weight of this Substance-in a fmall fmall Phial, or other Veffel, filled with phlogifticated Air, or any other permanent Vapour excepting Air; and then adding the Phofphorus of Urine in a very fmall Proportion—perhaps, onehundredth of the Weight of the other two Subftances—fo as to avoid the Accefs of the atmofpheric Air to the Vapour in the Veffel containing the Mixture.

The Veffel containing these Substances should then be exposed to a gentle Heat, sufficient to melt the Phosphorus, which by Agitation may be mixed with the other Substances. The Mouth of the Veffel containing this Composition must be kept closed, fo as to prevent the Introduction of atmospheric Air.

This Compound on mere Exposure to the Atmosphere, especially if previously warmed a little by holding the Phial containing it in the Hand, burns as rapidly as Oil does when set on Fire by Heat.

On Account of this Property of fpontaneous Inflammation, if the End of a thin Piece of dried Fir-wood, or a Match of Paper be dipped into this Mixture it will fmoke immediately upon withdrawing it from the Bottle, and in a few Seconds will burft into a Flame and fet the Paper or Wood on Fire.

It is fufficiently obvious that this Compound may be applied to many very ufeful as well as most mischievous Purposes. It may be very conveconveniently used for the Production of Light, and the setting on Fire other Substances.


If pretty large Glass Veffels, as Florence Flasks, nearly filled with this Substance be thrown fo as to break to Pieces upon or near various Things, as Ships, certain Buildings, &c. the Destruction of fuch Structures by Fire may be effected by this Means.

Matches which burn upon Exposure to the Air may be made of this Substance, by including them in Tubes filled with any permanent Vapour but Air.

The phofphoric Matches now in common Ufe are faid to be made of a Mixture of Phofphorus and Oil of Cloves; and, probably, Phofphorus and any effential Oil mixed together form a Compound that burns rapidly, and flames immediately, or in a few Seconds of Time, after Expolure to the Atmolphere.

 Q_2

INDEX.



T

A.

BSORBENT Earths, diffolved in Acids, produce Colour on the Addition of Galls and Alkalies, fupposed to arise from Iron, Vol. I: page 204.

Acids, Experiments to know whether any contained in Buxton-Water, I. 318;-none in Buxton-Water, I. 175. Acidula, their difagreeable Effects upon Animals, II. 52. Agents, accompanying the Use of Buxton-Water have not been diffinguished and investigated, I. 20.

Air, fuppofed to be merely Water modified, I. 76;-altered by Refpiration and Putrefaction not proved to be the fame Thing as the Compound of Air and Phlogiston, or phlogisticated Air, I. 79;-excreted by living Plants, fix or eight Times more pure than common Air, I. 86 ;--that which is excreted from Vegetables is independent of common Air absorbed from the Atmosphere or Water, I. 87, 88 ;--is as much an Excrement of Plants as perspirable Matter, 87 ;--- impure, not rendered more proper for Respiration after Agitation in Water by any Part of it being abforbed, or by the Water effecting a Decomposition, but by some of the included impure Air being thrown out into the Atmosphere, and by the atmospheric Air being mixed with the confined impure Air, 94-97 ;-altered by Inflammation and Refpiration, perhaps, improperly termed phlogisticated Air, I. 119;-of the Atmosphere, contains Vapours, Fluids, and Solids, in confequence of its Viscidity, 106 ;-- rendered impure by Mixture with Gas not purified by

by Vegetation, 120 ;- purified of Gas by Alkali, 120 ; by the Water of Rivers, Seas, &c. 121;-Proportion of it found in Springs and Rivers, I. Note (e) 242 ;--- the only permanentVapour in which Substances burn, and Animals breathe, II. 8; its Colour, 45, 46; fhewn, by Mixture, in Buxton-Water; I. 228 ;- dephlogisticated, a Question, whether it be a different Species of Substance from Air, II. 58 ;-altered by Iron-filings and Sulphur, and Putrefaction, probably, kills Animals by a negative Quality, II. 55, 56, 57 ;- Manner of altering it by Refpiration, II. 53 :- could never be fo much altered as not to diminish a little with nitrous Gas, II. 53;-altered by Refpiration. probably, kills Animals by a negative Quality, II. 54:not shewn to be the fame Thing as Gas, 55;-not clearly fhewn to be Air united with Phlogiston, ibid .- its specific Gravity nearly the fame as common Air ; - Application of, not neceffary to the Decomposition of metallic Salts in Water, I. 144 ;- Air, perhaps, forwards the Decompofition of metallic Salts in large Quantities of Water, as well as Heat and Agitation, II. ibid .- this Decomposition does not depend essentially upon Air, but upon Mixture with large Quantities of Water, ibid .- fhewn to happen when exposed to the permanent Vapour of Buxton-Water as well as Air, ibid.

Alkali fixed, acquired the Smell of volatile Alkali after Calcination with dried Blood, I. 212;—in a mild State, is a Compound of Gas and caustic Alkali that unites with Gas, and forms a neutral Salt, 120;—not contained in Buxton-Water, although it changes Syrup of Violets Green, 182, 183;—by what Means may be fo altered as to produce Earth, 196, 204;—mild Selution of, in Water, mixed with Galls and vitriolic Acid, produces a blue Precipitate, refembling Prussian Blue, 212;—phlogisticated Alkali, how made, 198, 199;—upon what Principle used to detect Iron, I. 199;—a more delicate Test of Iron than 4

- Galls, 199;-added to Galls, a more delicate Test of Iron than Galls alone, 214.
- Alternation of Heat and Cold in the Peake, during the Summer Seafon, Occafion of, 74.
- Altitude of the Land at Buxton, superior to that of Matlock, proved by the Rife and Course of the River Wye, 144.
- Antimony, perhaps, never found in Derbysbire, 56;-miftaken for Steel-grained Lead-Ore, 57 ;--- is an inflammable Substance, 180.

Antiseptic Power of the Soil of the Peake, 39.

Appenine-Anglo or British, its Situation, I. 34;-Length and Breadth, 35;-Elevation, 36, 37;-of the Land in England, probably, the Part that appeared first above the Sea, 58 ;- the highest Land in England, ibid.- its Use in precipitating Water from, the Air blown over the Island, and giving Rife to almost all the Rivers that flow, on each Side of it, into the German Ocean and the Irish Sea, 133. Argillaceous Beds, found only in the South of Derbyshire, 50; -contain Impressions of Vegetables, 50.

Arsenic, an inflammable Substance, 180.

Atmosphere, of the Peake, its Properties, 67 ;---different Regions of, on what their Differences depend, ibid .- of the Peake, its Weight less than of Parts less elevated, 68; Effects produced by this Difference of Weight, ibid .--- its Temperature, ibid .--- its Heat much less than in less eminent Parts of England, ibid .- liable to affect diseased Hahits by the alternate States of Heat and Cold in Summer, 75 ;-affects fick People in Winter by the Coldness of it, ibid .- Substances combined with the Atmosphere are only known to be Water and Phlogiston, 76 ;- Atmofphere does not contain Water in fufficient Quantity to account for the Deluge, as has been fuppofed, 77 ;--of the Peake, perhaps, conftantly faturated with Water, 78;-Atmosphere meliorated by Water and Vegetation, 81 ;--common Opinion how it is affected by Water, 84-92 ;-rendered impure by Water absorbing pure Air, 93, 98, 99;

Q4

99 ;- purified of Gas by Water, 99 ;- Purity of it cannot be known by the Teft of nitrous Gas, 100;-of different Regions, examined by the Teft of nitrous Gas, 103, 104; -its Salubrity cannot be determined by nitrous Gas, 101-105; Differences of it in different Regions, arifing from Substances *suspended* therein, 106 ;-Sources of the Gas it contains, 117 ;--- Sources of the Impurities in general it contains, 126; -of the Peake, why black and humid, 122, 123 ;--- its Appearances explained, 123--- 126 ;--- may affect the human Frame by its Moisture, 126;-contains a smaller Quantity of Gas and the Compound of Air and Phlogiston than the Atmosphere of the other Regions, 119; -affects the human Constitution in consequence of the Light, Electricity, and Matters feparated by Animals and Vegetables, p. 129;-of the Peake, may reftore Health on the Ground of Change of Sky, 137;-why more pure than other Regions, 133, 135, 136 ;- well ventilated by Winds, 134;-Uses of a History of it, 199;-Grounds of Practice founded upon its Temperature, 75, 76.

- Avernus Lake, a Vapour formerly separated itself from it, that was, probably, the Compound of Air and Phlogiston, 116, 117.
- Ax-Edge, a Mountain near Buxton, its Elevation above the Land at Derby and the Hall at Buxton, 36, 144.

B.

Baths at Buxton, three in Number, 11;—how fupplied with Water, 144;—a curious Phenomenon in one of them, 151, 152;—Explanation of the Appearance of the Bubbles contained in them, II. 21—23;—Quantity of Water contained in the Gentleman's Bath, I. 145;—Lady's Bath at Buxton, 146;—Poor's Bath at Buxton, 146;—Roman, Remains of, found at Buxton, 7;—Rooms of the Baths at Buxton always contain Steam, 154;—Heat of them might be applied to various ufeful Purpofes, 171;—Air of them may be breathed with Safety, although mixed with with a permanent Vapour that rifes fpontaneously from the Bath, which is not refpirable, II. 34, 35.

Bath-Waters, their medicinal Effects erroneoufly aferibed to Gas, II. 6, 7;—Miftake difcovered concerning the Nature of the Bubbles that arife fpontaneoufly from them, 12. Bath-Way, a Roman Road leading to Buxton, 6. I.

Beds, of Earth in the Peake, Clay-Beds, argillaceous Stone, 50;—of inflammable Matter, 49;—what called original and accidental, *ibid*.—formed by Volcanos, their Properties, 47.

Black Jack, found in Derbyshire, 56.

- Blocks, large, of Stone, upon the Surface of the Earth in the Peake, Occasion of them, 66.
- Blue Matter, refembling Pruflian Blue, precipitated from calcareous Earth by Means of Alkali and Galls, its Exiftence heretofore not known, and its Properties ought to be invefligated, 215;—precipitated from a Mixture of common Alkali, Galls, and vitriolic Acid, 212;—precipitated from a Mixture of calcareous Earth, vitriolic Acid, and Galls, *ibid*.

Briftol-Water, folid Substances, Quantity it contains, 308.

Brownrigg, Dr. first shewed the volatile Spirit of Springs in a separate State, II. 9;—that Air was not the only permanent Vapour in Nature, *ibid.*—rectified the Error of Newton, Boyle, and Hales, 8, 9;—conjectured that Damps might impregnate Springs, 12.

Bubbles in the Bath at Buxton, where they rife, 152, 153; I. —Explanation of their Appearance and Efcape, II. 21, 22; —feparate themfelves in Form of Bubbles from Buxton-Water, and found to be a permanent Vapour, but not Air, 16-27.

Buildings, their increased Number at Buxton, I. 11.

- Buxton, its Etymology, 1;—Situation, 34;—Appearance of the adjacent Country, 142.
- Euxton-Diamonds, are Quartz Cryftals, coloured red by Iron, 55.

Buxton-

Buxton-Water, what Writings upon it; used for bathing by the Romans, 4-6;-how long mentioned in Writings, 3; -in Request among the Romans for Pleafure as well as for Health, 8-13;-when it came into Ufe, 9;-its Heat diminished by an Alteration in the Well, 12;-Occafions of its increasing Ufe, j'_3 ;—ufed as a Medicine by the Moderns, ibid .- in what Respect the Well was altered four Years ago, 11. and II. 156-161;-on what Grounds hitherto used, I. 13 ;--- its Effects externally applied can-not be deduced from the Hiftory of the Effects of cold and warm bathing, 14;--its medicinal Effects referred to its Qualities as fimple Water, and certain concomitant Agents. 18 ;-produces Effects either alone, or as accompanied with the Influence of the Atmosphere of the Peake, 19, . 20 ;--- its Effects cannot be known till the Properties of the Atmosphere of the Peake be investigated, 20 ;- on what Ground its Use has continued independently of the Knowledge of its Properties, 21 ;-Plan for investigating its Properties, 24, 25;-its fimple Qualities, 150-155, 165, 170;-is merely a fimple or elementary Substance with which is mixed a permanent Vapour, 165 ;---diffin-guished from other Springs by Bubbles of permanent Vapour therein, 166 ;- a hard Water, from what Substance, 218, 223; --- why not used for cleansing Linen, &c. but for washing the Skin of the Hands and Face, 219 ;-rendered foft by 1 of its Weight of fixed Alkali, 220;-contains folid Substances of the fame Kind, and not in a larger Quantity than common hard Waters, 230;-remains clear after boiling, 234 ;---Advantages of drinking it from the new Bafin greater than from the old Well, 159, 160, 161 ;- no metallic Substances could be discovered in 80 Gallons of Buxton-Water, or at least an exceedingly small Quantity, 203 ;- never varies in its Quality of Hardnefs by Rains, Drought, or other Causes, 223 ;-used for Infufions of Tea, &c. its Effects, 224;-for brewing Malt Liquor, 225 ;- for boiling Vegetables, 226 ;- for coagulating

lating animal Matter in the Heat of boiling Water, 227; -for common Drink, ibid ;- contains to the Teft of Lime-Water, about half the Quantity of Gas found in a common hard Spring-Water, and rather lefs than Matlock-Water and ordinary petrifying cold Springs, 253;its medicinal Qualities cannot depend on Gas, 264, 270; -feven Pints of it contains to the Teft of Lime-Water 4 of a Quart of Gas, or eight Ounces of it contains one Ounce Measure of Gas, 263, 274, 275;-contains Gas united with fome Substance in the Water, and not with the Water, 285;-Occasion of different Substances, and sometimes different Quantities of Substances being found in Buxton-Water, 314;-no medicinal Effects from its Impregnation with folid Substances, ibid.-forms a stony Crust upon Vessels in which boiled, ibid .- this Crust found to be calcareous Earth and Gypfum, 316;-Kind and Quantity of folid Substances found in Buxton-Water, 306, 307 ;- folid Substances in Buxton-Water are Sea-Salt, Gypfum, and calcareous Earth, 306, 311-313;of the fame Kinds as, and in fmaller Quantity than, in common hard Waters, 307, 311, 313; --- among the pureft of hard Waters, 307 ;-- next in Purity to Snow and Rain-Water, ibid .- Proofs given that its Effects depend upon Gas, II. 14;-thefe Proofs fhewn to be infufficient, and that its Efficacy does not depend upon Gas, 14, 15;---kills Fishes by its Heat, and not by its Impregnation, 66, 67-71 ;-produces the fame difagreeable Effects as Gas, but from a different Caufe, 60 ;- to what Extent its chymical History is useful in Practice, 164, 165 ;- Occasion its fuperior Heat, 176 ;--of its uniform Temperature and Quantity, 177-191 ;- of its superior Purity, 192-194; its Impregnation with permanent Vapours accounted for, 195-198; its chymical Hiftory fhews on what its medicinal Effects depend, 200;-how to exhibit it fo as to produce its beneficial Effects more powerfully and certainly, 201, 202 ;-- how to form a Compound refembling Buxton-Water. Water, 204 ;—how to administer its efficient Parts, without its non-efficient or hurtful Properties, in particular Cafes, 208 ;—peculiar chymical Qualities, its Temperature, Purity, and Impregnation with a particular permanentVapour, Occasion of, 165, 166 ;——its medicinal Uses, on what founded, I. 327.

C.

- Calcareous Earth, perhaps, is a Compound of Gas united with the Compound of Gas and Quicklime, I. 176; is, perhaps, an earthy Salt, 186, 285;—is found in Buxton-Water, 188, 190;—diffolves in Water, 290, 291, 292;—in Buxton, Matlock, and common Spring-Water, is not diffolved by Gas, 293;—Occafion of its Deposition during the boiling of thefe Waters, 294;—diffolved in Water precipitates Lime from Lime-Water, 290;—diffolved in Water is not precipitated by Alkali, 194;—rarely *fuffpended* and never *diffolved* in Springs by Means of Gas, 296, 297.
- Calces of Metals, after ftanding in Water, the clear Water produced no Colour with Galls, 210;—fufpended in Water on Mixture with Galls produced Colours, 210.
- Caves, in the Earth of the Peake, not communicating with the Surface of the Earth by Apertures, 41;—one at Matlock, called Cumberland Mine, *ibid*.—many in the Anglo-Appenine, *ibid*.
- Caufes, Knowledge of, more important than that of Arts, 32, 33.
- Clay-Beds, their Situation between the general Strata of the Peake, 48;—burnt in Derbyshire, 49;—blue, abounds with warm Springs in Derbyshire, *ibid*.
- Chasm under the River Wye at Buxton filled with Rubble, 140, 141.

Chalybeate Springs do not contain Iron dissolved by Gas, but by vitriolic Acid, 297 ;—their spontaneous Decomposition does not depend upon the Escape of Gas, 298—300; or upon upon Exposure to the Air, but upon the Decomposition occasioned by mixing metallic Salts with large Quantities of Water, 301, 302;—their spontaneous Decomposition, how prevented, 303;—their Decomposition and that of other Springs, how explained by Dr. Fordyce, II. 144.

- Chymical History of Buxton-Water, its Use in Physic, I. 26, 27;—to what Extent useful in Practice, II. 164, 165; explains the Occasion of the Head-Ach and Heat in Confequence of drinking Buxton-Water, II. 210;—expunges the Error of believing the Vapour that arises spontaneously from Buxton-Water is Gas, *ibid.*—of Use to Science in general, 211.
- Choke-Damp, Mephitis, and Mofette, their Properties not known, excepting, that they are unfit for Refpiration and Inflammation, I. 109;—Choke-Damp fuppofed to be the fame Thing as the Mephitis, Mofette, Gas, and volatile Principle of medicinal Springs, 107;—its Origin, and fuppofed to be formed by the Combination of Air with Phlogifton, 115;—unjuftifiably concluded to be Gas, 109—113;—probably, the Compound of Air and Phlogifton, 114;—not Gas, 117;—this Subflance, or the Compound of Air and Phlogifton, perhaps, contained in the Cavities of the Earth over the whole Globe, 168;—probably, very frequently impregnates warm Springs, II. 167;—erroneoufly fuppofed to be the fame Thing as the Gas of Spa and Pyrmont-Water, the Mephitis, Mofette, and Gas Sylveftre, II. 3.
- Chort, a flinty Substance, which has the Figure and Imprefions of Animals, I. 54.
- Climates, their Differences not known by Means of nitrous Gas, I. 102.
- Coal-Beds, found only in the fouthern Parts of Derbyshire, I. 50;—Coal found with the Impression of Cockles, *ibid*. Cobalt, not found in Derbyshire, 56.
- Cold, its Effects upon Buxton and other Spring-Waters, 161, 162;—greater in the Peake on account of its Situation,

tion, being the Extremity of the Anglo-Appenine, 75. Colours, produced on adding Galls and Alkalies to Solution of calcareous Earth and Magnefia Alba in Acids, 204-207.

Compounds, different may be produced by two Elements varioufly combined, in Quantity and Manner, 287, 288. Corn, chiefly Oats grown in the Peake, 72. Crefcent, a new Building at Buxton, 11. Cumberland-Mine, a Cave, Defcription of, 41, 42.

D.

Delves, Sir Thomas, built St. Ann's Well, 5. Derwent-River, its original Courfe, 36. Dove-River, its Rife in Ax-Edge, I. *ibid.* Druidical Remains, in the Peake, 40.

Ε.

Earth of the Peake, confifts of Strata, 44;--of what Subftances the Strata of it are composed, 44-57.

Earthquakes have happened in Derbyshire, 61, 62.

Eels, how affected when exposed to the permanent Vapour that rifes fpontaneously from Buxton-Water, II. 62, 63; —appear to live in Water of greater Degrees of Heat than fome other Fishes can bear, 69;—found large and lively in the Sough which conveyed the Water from the Bath at Buxton, 70.

Elden-Hole, a Cavern in the Peake, I. 41.

Electricity, Animals killed by it putrefy fooner than when deftroyed by mechanical Means, II. 139.

Entrochi, found in the Lime-Stone of Derbyshire, I. 55.

Error exploded, of believing the medicinal Efficacy of Buxton-Water depends upon, and the permanent Vapour that rifes from it is Gas, II. 210.

Experiments on Buxton-Water, by Means of Mixture, I. 173; —Heat, 231;—Refult of by Means of Mixture, 230, 231; —Heat, 322;—on the permanent Vapour that feparates from Buxton-Water, Refult of, II. 160.

Ferber,

Ferber, Mr. his Oryctographie von Derbyshire, I. 57.

Fermentations, certain, take Place in living Animals without Application of Vapour externally, II. 137.

- Fire-Damp; in the Shale of Derbyshire, I. 52;-collected and found to be *Oil of Metals*, 117;-its Origin in fubterraneous Fires, 118.
- Fires, fubterraneous, or Heat produced by them, perhaps, ftill fubfift in the Earth of the Peake, 66;—cannot be produced by the Decomposition of Iron Pyrites without Air, II. 170.
- Fishes, the Heat of their Conflictutions varied according to the Medium in which they are exposed, within certain Limits, II. 67.
- Fluids of living Animals, are petrifying Water, I. 295;why they do not deposit Earth upon the Sides of living Vessels, 295.
- Fordyce, Dr. observes that inflammable Air is an Oil found out by Stahl, 51 ;- calls inflammable Air Oil of Metals, 53 ;-- fays, that a Metal is a Compound of a pure Calx and a Substance called inflammable Air, which is an Oil found out by Stabl, II. 91 ;- obferves, that Oil of Metals is decomposed by nitrous Acid, II. ibid.-applied the Fact of the Decomposition of metallic Salts by large Quantities of Water, to the Explanation of the spontaneous Decomposition of chalybeate Springs, II. 144, 145;his Explanation of the Purification of the Atmosphere from Gas by Water, I. 121;-found out, that Pruffian Blue might be precipitated by vitriolic Acid alone from phlogifticated Alkali, independently of Iron, 211;----fhewed, that metallic Salts are decomposed by Mixture with large Quantities of Water, and that upon this Principle might be explained the fpontaneous Decomposition of chalybeate Springs, 301, 302;-explains the Purity of River-Water, upon the Principle of the Decomposition and

and Alteration of neutral Salts, by Mixture with large Quantities of Water, II. 141.

Form, external, of the Peake of Derbyshire, I. 34.

Frog, lived a long Time in the permanent Vapour that rifes fpontaneoufly from Buxton-Water, and then became torpid, II. 73.

Fruits, few, and none well maturated, in the Peake, I. 72.

G.

- Galls, added to Buxton-Water in which Iron-Filings had flood, produced Colour, 181;—a fallacious Teft of Iron, 202.
- Gas, Definition of, 27 ;- its Properties, 107. II. 2 ;- in the Atmosphere not removed or altered by Vegetation, I. 120;-from what Sources in the Atmosphere, 107;---why more in the Atmosphere of the Peake than in other Regions, 122 ;- why lefs in the Atmosphere of the Peake. than in other Regions, 133 ;---what natural Means of depriving the Atmosphere of it 120;-may be, probably, distinguished by the Eye, from Air when fuspended in Fluids, 166;-none in Buxton-Water united with the Water, 176 ;--- cannot be separated from Buxton-Water by Heat, nor during Evaporation, 284 ;- in Water does not sparkle fo much, or at all like Air, 241 ;- the Quantity of it estimated by the Weight of Sediment formed after adding Lime-Water to Spring-Water, 272, 275 ;--Quantity, calculated by decomposing the Sediment formed after adding Lime-Water to Spring-Water, and measuring the Gas, 273, 277 ;- rarely, or never, the Solvent of Iron in Springs, 297;-may readily be known when Springs are faturated therewith, 113, 117 ;---in the Earth, its Origin, 118;-in Water, does not decompose Sugar of Lead, 192 ;- Appearances it produces when Lime-Water is added to Spring-Water; and diffilled Water impregnated therewith, 245 ;- Quantity of it in Buxton, Matlock, and common Springs, effimated by the Quantity of

of Lime-Water required to faturate the Gas they contain, 253 ;- how to judge of its precife Saturation in Spring-Water by Lime-Water, 254;-Quantity, how best afcertained in Spring-Waters, 277 ;- Quantity in Buxton, Matlock, and common Springs, 263, 274, 275;-canndt eftimate the Quantity of it by the Weight of the Sediment formed on adding Lime-Water to Spring-Waters, 270, 274, 275 ;-- in Matlock, Buxton, and common Spring's examined, is either fo combined with the Water as not to be feparated by the Heat of boiling Water, or with fome other Substance incapable of Decomposition in this Heat, 244, 245 ;-Quantity proposed to be found in Water by the Quantity of Lime-Water required to faturate it, by the Weight of the Sediment formed after adding Lime-Water to Spring-Waters, and by the Decomposition of this Sediment, 247 ;-- Quantity of Lime-Water required exactly to faturate the Gas in Buxton, Matlock, and certain common Springs, 250, 251 ;- Quantity required to faturate the Quicklime in a given Quantity of Lime-Water, 262 ;- four Measures of Gas saturate precifely the Lime in 9 Measures of Lime-Water, 263;not feparated by the boiling Heat of Water from Spring-Water, 278-282 ;- nearly the fame Quantity, and no more, in Buxton-Water after evaporating, perhaps, any Quantity from a given Portion of it, 284;-contained in Buxton-Water, only united with the Compound of Quicklime and Gas, 293 ;- contained in very fmall Quantity in Rain and Snow-Water, 283;-in Buxton-Water not combined with the Water, but with fome Substance in the Water, 285;-not the Solvent of calcareous Earth in Water, although the Spring-Water containing it turn milky on the Addition of Lime-Water, and deposit Earth during boiling, 283; - probably, never a Solvent, and rarely fufpends Substances in Spring-Waters, 284 ;- Supposition that it is the only medicinal volatile Principle of Springs, erroneous, II. 5, 6, 7 ;- Hypothefis, to explain the Man-VOL. II. R ner, ner in which it is combined in Buxton-Water, I. 285; — Silvefire, its Properties either those of Gas, with some other Qualities superadded, or it is Gas mixed with some other Substance, II. 59.

Gravity, specific, of Buxton and other Waters, 162-172.

- Grit-Stone, one of the Strata of the Peake, 44;-its properties, 44, 52.
- Grotta del Cane, under what Circumstances should have one at Buxton, II. 182.

Grove, at Buxton, when, probably, planted, I. 7. Gyps, found in Derbyshire, 50.

H.

- Hales, Dr. his Experiments fhew, that Plants excrete Air when exposed to the folar Light, which has been found by Dr. Ingenhouz to be pure Air, I. 85.
- Hall at Buxton, Description given of it 200 Years ago, p.9, note (f)-rebuilt 120 Years ago, 10.
- Hamster, or German Marmot, its fleeping State accounted for upon a new Principle, viz. the fedative Power of the Air furrounding it altered by its own Refpiration, II. 75, 76.
- Harvest-Hay, late in the Peake, and the Crops slender, I. 72.
- Health, as fpeedily reftored, upon fome Occafions, in impure as pure Air, 79.
- Heat, of the Atmosphere of the Peake, not greater at any Time than that of lefs elevated Regions, 70;—not of fufficient Degree or Duration for Fodder for Graffes and Grain, 72;—why lefs than that of lefs elevated Land, the Occafion ;—of the Earth, the Occafion of not known, II. 166;
 —mean of Springs, according to Dr. Heberden's Obfervation, is probably the mean Heat of the Climates where they rife, I. 169;—of Buxton-Water, an unufual Degree, 155, 156, 170;—Diminution of lately, by what occafioned, 158, 159;—Public Uneafinefs, occafioned by Diminution

nution of Heat, ill founded, 159;—*Jubterraneous*, produced by a Mixture of Iron and Sulphur, II. 169;—how produced by the Decomposition of Pyrites, II. 168.

Helwellin, its Height, I. 36.

Hey, Mr. his Experiments in Confirmation of the Production of Pus by exposing *dead* Muscle in *living* Cavities containing Pus, II. 139, 140.

Hills, a Range of, the Anglo-Appenine of England, I. 34. Hippocrates, underftood rightly the Nature of Rain-Water, but entertained erroneous Notions concerning Snow-Wa-

ter and Water that had been frozen, 308.

I.

Inferences, concerning the Formation and fubsequent Alteration of the Strata of the Peake, 58.

Inflammation, fubterraneous, accounted for, II. 175;-perhaps still fublisting in the Earth of the Peake, 176.

Inflammable Substance, like Molasses, found in the Shale in the Peake, I. 52.

Ingenhouz, Dr. his Experiments agree with those of Dr. Hales concerning the Separation of Air from Plants during their Exposure to the folar Light, 85; shew decisively that Vegetables excrete pure Air, 86, 89.

Ingleborough, its Height, 36.

Infects, live perhaps longer in confined Air, and Air altered by phlogiftic Processes than other Classes of Animals, II. 79, 80.

Intermittent Fewers, never appear in the Peake, 129.

Iron, Ore of, found in the argillaceous Beds of the Peake, 50;—decomposes or burns in the Heat of the Atmosphere without Heat or Light being produced ;—in great Degrees of Heat burns like Oil, 179. II. 81 ;—perhaps dissolved by Water alone, I. 179 ;—rarely contained in Springs by Means of Gas, *ibid.*—if contained at all in Buxton-Water depends upon certain Circumstances of the Solution of absorbent Earth, 233 ;—not necessary to the Manufactory of Prussian Blue, 211.

Lands,

- Lands, near Buxton proposed to be further cultivated and ornamented, 143.
- Lapis Calaminaris, or Calamine, found in great Quantity in the Peake, 56.
- Lead-Ore, in Derbyshire, found in calcareous Spar and Cawk, 55;—contains Silver, 56;—is mineralized with Sulphur and Arfenic, 55;—its various Forms, 56.
- Lead, diffolved in acetous Acid, not decomposed by Gas, 192. Lime-Stone Beds, are of marine Orign, 58;—are one of the general Strata of the Peake, 44.
- Light, folar, being in fmaller Quantity than other Regions occafions the Atmosphere of the Peake to be lefs pure, 82; --produced by putrefying Substances, perhaps; occafioned by the Decomposition of Phosphorus, II. 81, 82;--exactly refembling the phosphoreal Light of the Sea how produced, 84, 88;--may, perhaps, be afforded with Safety by Phosphorus included in Vessels, in subterraneous Regions that abound with Fire-Damp, 89;--its Operation upon vegetable Life not understood, I. 88;--does not decompose phlogisticated Air, 89.
- Living Surfaces of Animals and Vegetables refift the petrifying Power of Fluids, 295.

Lyncestis River, one of the Acidula, II. 59.

Magnefia, not discoverable in the Sediment precipitated by Alkali from So Gallons of Buxton-Water, I. 203, 204;produced from calcareous Earth, and Alkali, 313.

Marle, found in Derbshyire, 50.

1.

Matlock, Vale, produced by an Earthquake, 63;—a fine Example of the difordered and ruptured State of the Strata of the Peake, *ibid.*—a Scene worthy of Reprefentation, 66;—Defcription of *ibid*.

Water, feven Pints contain rather more than $\frac{4}{5}$ of a Quart of Gas;—Experiments to feparate permanent Va-

pour

M.

pour from it by Heat, 239;—Quantity of folid Substances it contains, 308.

McLurg, Dr. his Theory of Putrefaction, II. 135, 136, 137. Mephitic Vapours, various Kinds produced by Volcanos, I. 115;—Gas, and the Compound of Air and Phlogiston, their

Sources in the Peake, 118, 119.

Mephitis of the Ancients not Gas, 117;-where found according to Virgil, II.

Metals, all, perhaps, inflammable, I. 180.

Metallic Salts, mixed with large Quantities of Water decompofe when exposed to the permanent Vapour that rifes from Buxton-Water instead of Air, II. 143, 144;—none in Buxton-Water, I. 19;—decomposed by large Quantities of Water, 190—192.

Miafmata contained in the Atmosphere, 127;—their Sources, 128;—we do not know whether they be Solids, Fluids, or Vapours, or any Part of their chymical History, 128.

Mice, die in a few Seconds of Time in the permanent Vapour that rifes from Buxton-Water, II. 119;—throw out, probably, Air from their Lungs when they die in this Vapour, 50;—how affected by Gas Sylveftre, 52;—die in a few Seconds in the permanent Vapour that rifes from a
Spring half a Mile from Buxton, 51.

Muriatic Acid, precipitates blue Matter from phlogifticated Alkali as well as vitriolic Acid, 211;—found combined with fome Subfrance in Buxton-Water, 186.

Nature, Progrefs of, amongst natural Ruins frequently produces most beautiful Scenes, I. 66.

Natural Appearances, their efficient Causes deduced from Effects, 62, 63.

Neutral Salts, by Mixture with large Quantities of Water are converted into earthy Salts with Magnefia for their Bafis, and the Acid of thefe Salts afterwards difappears and the Earth fubfides, II. 141. Newuyt, lived a long Time in the permanent Vapour that rifes from Buxton-Water in a torpid State, 72.

Nitrous Gas, its Composition, 91;—of the various Phenomena of its Decomposition, 69, 92;—is decomposed by Air only, 93;—this Substance discovered by Dr. Priestley, *ibid.*—is an inflammable Substance, *ibid.*—is an Oil in the Form of Vapour, *ibid.*—does not combine with Gas, 95;—is an inaccurate and fallacious Test of the Purity of atmospheric Air, I. 100;—cannot determine by this Subftance the Salubrity of the Atmosphere if it could its Purity, 100;—called improperly nitrous Gas, 94;—is a Compound of nitrous Acid and Phlogiston, *ibid.*—upon what Principle used to determine the Purity of atmospheric Air, 96.

0.

Oil of Metals, Term used instead of inflammable Air, on what Authority, 52;—contained in the Atmosphere, 118; —its Sources, *ibid.*—fudden and furprizing Diminution of its Bulk by standing in Water, II. 113;—decomposed by nitrous Acid, hence no inflammable Air or Oil of Metals is produced when Metals are diffolved in nitrous Acid, 91;—Properties which shew it to be an Oil, 94; not decomposed in a separate Sate by nitrous Acid or nitrous Gas, 92, 93.

Ρ.

Peake, its Extent and Situation, I. 34;—is the South End of the English Appenine, 34;—its Elevation, 37;—its external Appearance, 37—40;— formerly inhabited by Wolves and Goats, 38;—formerly covered with Woods, *ibid.*—its internal Structure, 43;—does not produce any particular efficient Cause of epidemic Fevers, 128, 129; an Opinion that it is favourable to long Life, 136;—why the Sunshine is called one of its Wonders, 123;—Defcription of its Sky, 123—132.

Pennygaut,

Pennygaut, its Elevation, 36. Pendle Hill, its Height, ibid.

Petrifactions, Beds of, at Matlock, 51.

Petrifying Springs, this Property not occasioned by the Decomposition of calcareous Earth in Consequence of the Escape of Gas, 253;-do not contain Gas united with Water, 293, 294.

Pit-coal, Earth of, probably Clay, 53.

Plants, growing in Water containing vegetable or animal Matter preferve it fweet becaufe they abforb it as their Food before it putrefies, 88 ;-excrete pure Air from their Conftitutions, and not by Light acting upon them as upon an opaque Body, ibid .- their living Power feems to prevent them from being incrusted in the petrifying Springs of Matlock, 395 ;- meliorate Air by adding pure Air which they excrete, 89-91 ;-abforb Impurities from the Air, 89 ;- grow in inflammable Air 'for a fhort Time, but do not render it respirable, 90 ;-Occasion of their frequently not amending foul Air, 91 ;---deteriorate Air by various Means, 92 ;- how affected when included in the permanent Vapour that feparates fpontaneoufly from Buxton-Water, in Air altered by Respiration, Putrefaction, Mixture of Iron and Sulphur, Oil of Metals, and confined Air, II. 111-128; killed therein by a negative Property, 119; why Plants live therein longer than any Clafs of Animals, 120; are as unfit for vegetable as animal Life, ibid.

Plaster, found in Derbyshire, 50.

- Phlogiston, united with Air, is a permanent Vapour, its Properties, 78 ;--- not contained in Buxton-Water to the Telt of Saccharum Saturni, 229, 230.
- Phlogificated Air, not yet fhewn to be the fame Thing as Air altered by Respiration and Putrefaction, 79 ;- Quantity in the Atmosphere estimated by the Means existing of producing and removing it, ibid .- found in every Region of the Atmosphere, 78 ;- its Effects on Life and Health, 79 ; -why R 4

why in fmaller Quantity in the Atmosphere of the Peake than other Regions, 80; mixed with Air not shewn to be an Occasion of Disease, 102, 104; first distinguished from Gas by Dr. Rutherford, II. 8, 9; till lately not sufpected to be contained in Springs, 10, 11; discovered in feveral Waters by Dr. Priestley, 12.

- Phlogifticated Alkali, affords a Precipitate on the Addition of other Acids as well as vitriolic, but not always of a blue Colour, I. 211;—is, as well as Galls, a fallacious Teft of Iron, 214.
- Phlogiftic Operation, the Processes of Smelting, the principal one in the Peake, 80.
- Phlogific Matter, not contained in Buxton-Water, 320, 321; —difcovered during its Efcape from putrefying Subftances, 320.
- Phosphorus, its Effects on Exposure to the permanent Vapour that separates from Buxton-Water, II. 80;—shines and apparently burns in permanent Vapours of all Kinds, 85;—appears to unite with permanent Vapours and form a Vapour that flames spontaneously upon Exposure to the Atmosphere, 85—87;—no permanent Vapour altered in its Qualities by Phosphorus, excepting Air, 88;—Dr. Fordyce's Method of powdering it, 84.
- Putrefaction, why lefs confiderable in the Peake than other Countries, I. 79;—Subftances putrefying tarnifh Silver, and produce Colour on Paper dipped in Solution of Sugar of Lead, 229;—takes Place in Air altered by a Mixture of Iron and Sulphur, and in the permanent Vapour that feparates itfelf from Buxton-Water, II. 131—135;—a totally different Process from Inflammation, 135—137.
- Pliny, a Method propofed by him of preventing the Mifchief arifing from the Ufe of Snow-Water, and at the fame Time of preferving the agreeable Quality, its Coldnefs, I. 309.

Potash, or Ashes of any Vegetable, Principle upon which they render hard Water foft, 221.

Priefley,

Priefley, Dr. his Deduction unjuftifiable that Vegetables "depurate" the Air contained in Water and not that they excrete pure Air, I. 87;—his Inference fhewn to be erroneous that Water purifies Air rendered impure by phlogistic Processes, 93, 94;—his Discovery that the Bubbles which arise fpontaneously from Bath-Water are not Gas as was believed, but a Substance which he calls phlogisticated Air, II. 11; Properties of this Vapour not investigated, excepting that it is not Gas, or inflammable Vapour, 20.

- Pruffian Blue, free of Iron, not hitherto examined, I. 211; —made by adding vitriolic Acid to phlogifficated Alkali, but not with nitrous Acid, 211, 212;—the Colour of it feen frequently in Potafh from apparently Pruflian Blue mixed with it, 213;—this Subftance, or a Subftance refembling it in Colour, may be precipitated from Compounds of abforbent Earth and any Acid by Galls alone, or by Galls and fixed Alkali, 213;—Phlogifton, not Iron, perhaps, neceffary to its Production, 214.
- Pus, formed by the Fermentation of dead Fluids and Solids in *living Cavities* only, II. 137, 138;—the Application of Vapour not neceffary to its taking Place, 139;—cannot be formed by Evaporation as Sir John Pringle fuppofed, nor by exposing animal Fluids to Heat, 138; produced by exposing *dead* Muscle in *living Cavities* fhewn by repeated Experiments, 139, 140.
- Pyrites Iron, its Composition, I. 56;—Improbability of its being the Occasion of subterraneous Fires, II. 172; how its Decomposition produces Heat, 168;—how it may fet on fire inflammable Strata in the Earth, 180, 181.

Q.

- Quadrupeds, their Heat not confiderably varied by the furrounding Medium, 67, 68.
- Quicklime, a Species of caustic fixed Alkali, I. 285 ;--reckoned an alkaline Substance by Dr. Cullen, 187.

Rain,

INDEX.

R.

Rain, great Quantity of, in the Peake, 130.

----- Water and Snow-Water, why foft, 223.

Ravine, a remarkable one at Matlock, 63.

Refult of Observations and Experiments of Vol. I. 321-327 ;- of Part III, II. 160.

River-Water, why foft, I. 222.

Rivers, between Scotland and Derbyshire, their Rife chiefly in the British Appenine, 36.

Read, Proposal for making a pleasant one for the Benefit of Invalids at Buxton, 143 ;-Roman Road and Wall at Bux-

ton, 4;-Roads, Roman, two in Derbyshire, 6.

Romans, probably had Baths at Buxton, ibid.

Rotten-Stone, in Derbyshire, 50.

Rutherford, Dr. first diffinguished Gas from Air altered by Refpiration and Inflammation, 1I. 9, 10.

Sand and Gravel Beds, in Derbyshire, I. 50.

S.

Saxons, their Name of the Roman Road near Buxton, 6.

Scots, Mary Queen of, was at Buxton, 10;-her valedictory Lines upon Buxton-Water, 10.

Seas, their Diftance from them, the Occasion of there being greater Cold in the Peake in Winter and lefs in Summer, 73.

Sediment, Quantity precipitated from 348 Gallons of Buxton-Water by fixed Alkali, 195 ;- from 12 Gallons of Buxton-Water, 196; its Properties, 196; principally absorbent Earth, 197 ;- to the Test of Galls, doubtful whether it contains Metals, 201 ;- formed after adding Lime-Water to Buxton, Matlock, and common Spring-Water, found to confift of Gas and Quicklime, 246; its Weight, 265, 267.

Sceds, will not grow in, but their living Principle is not injured by, the permanent Vapour that separates itself from Buxton-Water, nor in Air wholly changed by Putrefaction, tion, Refpiration, and Inflammation, or in Oil of Metals, 11. 108, 109;—their *living Principle* prevents their Putrefaction and certain Vapours their Growth in Circumftances in which they would otherwife putrefy, or be killed, 110,

Shale, or Shiver, one of the general Strata of the Peake, I. 44;—its Properties, 52;—contains Iron Stone firatified, *ibid.*—abounds with chalybeate Springs, and the Fire Damp, *ibid.*—contains an inflammable Subftance like Molaffes, *ibid.*—probably inflammable, 53;—Shale aluminous near Whitby is inflammable, *ibid.*

Shrewsbury, Earl of, erected the Hall at Buxton, 10.

Silver, in the Lead Ore of Derbyshire, 56;—not tarnished by Buxton-Water, 229.

Skidda, its Elevation, 36.

Sky of the Peake, Description of it, 123-132.

Snow, much falls in the Peake, 130;-Snow-Water, erroneous Opinion concerning it, 209;-Snow-foffil found only in Cumberland Mine, 42.

Soap, feveral Sorts, Effects on Mixture with Buxton-Water, 215, 216;—by what Subfrances impregnating Springs it is decomposed, 216.

Spars, in Derbyshire, their Properties not known 55.

Spaw-Water, Ducks fwimming upon it killed by its Gas, II. 32.

Spring-Season, none in the Peake, 70.

Springs, their Temperature in Cumberland Mine, 43;-Chalybeate at Matlock, Buxton, &c. 52;-cold, of the Peake, their Temperature, 57;-ebbing and flowing, in the Peake and whole English Appenine, ibid.—supposed to kill Animals in Confequence of being impregnated with Gas, 116;-tepid of Buxton, whence they rife, 139, 146, 161.-cold near the tepid Springs of Buxton, their Properties, 146, 148;-Chalybeate at Buxton contain Iron diffolved by vitriolic Acid, 148, 149;-tepid in the Bath at Buxton, how long in filling the Bath, how much flows in a given

a given Time from them, how much contained in the Bath, 144, 145 ;- Spring near Buxton that feparates permanent Vapour like that from Buxton-Water, and is a Spring of the fame Kind as Buxton-Water, but cannot be prevented mixing with a cold Spring, 147, 148;-cold, their mean Temperature in various Parts of England and Scotland, 169;-Occasion of the mean Heat of cold Springs not known, 166;-petrifying, probably, only incrustate dead Surfaces, 295 ;- Springs, their Salubrity, according to Celfus, judged of by their Effects in boiling Vegetables, 227 ;- Experiments to separate permanent Vapour from common Springs, 239 ;-- common two Pints contain about seven Ounce Measures of Gas to the Test of Lime-Water, 263-275 ;- that turn milky with Lime-Water in general do not when distilled precipitate Lime from Lime-Water, 282 ;- their petrifying Quality cannot be explained upon the Supposition of Gas being feparated, 294;-on what this Quality may depend, 294, 295 ;- Opinion erroneous that when they precipitate Lime from Lime-Water by the Gas with which they are impregnated, that they contain Gas combined with the Water, 292;-as frequently, perhaps, contain the Compound of Air and Phlogiston as Gas, II. 13, 14;-warm, 1mprobability of their Heat being produced by the Decompolition of Iron Pyrites, 172 ;- Occasion of their uniform Quality and Temperature, 177-192 ;---only known efficient Cause of their Heat is Inflammation, 173-176; their various Temperatures accounted for, 188-190.

Stalastites, how formed, I. 55 ;- its Ufe, ibid.

Stabl, difcovered that the permanent Vapour called inflammable Air was an Oil, 53.

Steam, its Appearance upon the Well at Buxton, and what it denotes. 154;—explained, 171.

Strata of the Earth of the Peake, their Difposition upon each other, 48;—originally disposed horizontally, 62;—contain Phlogiston, figured Stones, Cawk, Kebble, Chort, Fluor

ÎNDEX.

Fluor Spatoms, Blue John, gypfeous Spar, rhomboidal Spar, Ores, &c. 53-56;—at Matlock Bath, deferibed, 63-65;—fractured, remarkable Example and Defeription of, 63;—of the Peake, have been fractured and produce various Appearances, 60, 61;—of the Earth at Buxton, 140, 141;—Section and Plate of, 149, 150.

Sugar of Lead, decomposed by Water, and its Decomposition erroneously ascribed to Gas, 192.

Sulphur, decomposes or burns in the Heat of the Atmosphere, and with greater Heat there is a COMBUSTION of it, 81.

Т.

Toadstone, called Lava, Cat-dirt, and Channel, 44;—one of the Strata of the Peake, *ibid.*—an argillaceous Stone, 44;—called Clay by the Miners, 46;—refembles fome Parts of the Giant's Causeway, *ibid.*—its Properties, 45—51;—could not be diftinguished from Scoria of Lead or Iceland Lava, 46;—perhaps, a volcanic Production, how formed and deposited, why it did not overflow the Earth like other Lavas, but was found contained between other Strata, 59;—Changes produced by it in the Earth, 60.
Trees, Forest, grow in the Peake, 72.

V.

Vales and Ravines in the Peake, produced, probably, by Currents of Water, 59;—why warmer than the Hills in the Peake, 71—74.

Vapour, permanent, Method ufed to feparate it by Means of Heat from Buxton, Matlock, and common Spring-Water, 231;—its Properties, 232—243;—probably as frequent a Form of Things as Fluidity and Solidity, 168;— Invisibility a peculiar but not effential Property of Vapour, 235;—a Form of Oil, not yet known in general, II. 94.

Vapour,

Vapour, that arises spontaneously from Buxton-Water erroneous Opinions concerning it, 1-13;-is not Air, Gas, or inflammable Vapour, 17-20;-probably the fame Thing as Choke-Damp, or the Compound of Air and Phlogiston, 167 ;----diftinguished from Gas, Air, and hepatic Air, but not from Oil of Metals, by its fimple Qualities, I. 166, 167 ;- may be the Compound of Air and Phlogiston, 168 ;- Manner of collecting it described, II. 23-25 ;- its Contraction by Cold probably occasioned the Mistake of supposing this Vapour in Bath-Water contained fixed Air or Gas, 28 ;--- its specific Gravity, 31---43; why it does not form a Stratum over the Surface of the Bath at Buxton like Gas, 32 ;---owing to its being as light or lighter than common Air that Bathers owe their Safety on bathing in Buxton-Water, 36 ;--- its Viscidity shewn, 48 ;-Refult of Experiments shewing its simple Qualities, 48, 49 ;- its Effects on Quadrupeds, 49-62 ;- on Birds, 62 ;--- on Fishes, 62--- 65 ;--- on amphibious Animals, 72 ;---Infects, 77-80;-deftroys animal Life by a negative Quality and for the fame Reafon, probably, that they die în Vacuo, 52, 57, 74; 75, 80 ;-affects Animals, probably, in the fame Manner as Air united with Phlogiston, 76;---Phofphorus fhines in it ;---does not unite with nitrous Gas : -is mixed with the Air feparated by Heat from Buxton-Water, 95, 104;-Quantity of it in a given Quantity of Buxton-Water, 98-100 ;-Seeds do not grow, but are not injured by it, 108, 109 ;-Plants how affected by it, 111-128;-is not altered by Vegetation, 124-128;-is probably Air united with Phlogiston, 128 ;- its Effects on Fermentations, ibid .- on Putrefaction, 131-135 ;- metallic Salts with a large Quantity of Water decompose when applied to it inftead of Air, 143;-not changed by Agitation in Water, but by this Means Part of it is thrown out into the external Air, and Part of the external Air is mixed with the included Vapour that is agitated, 159, 160 ;--- not absorbed by common Spring-Water ;--- boiled Water

Water abforbs about $\frac{1}{53}$ to $\frac{1}{55}$ of its Bulk of it, 152;—its Origin and Composition, 195;—like Choke-Damp, perhaps, the Product of Inflammation, 195;—may hereafter be in as frequent Use as Gas, 208;—Proposal for administering it in the Form of artificial Buxton-Water, or in Water alone, *ibid.*—Directions should be printed shewing how to impregnate Water with it as well as with Gas, 209;—is the Occasion of the Head-Ach, and Heat produced by drinking Buxton-Water, 210;—Knowledge of it explodes the Error of supposing Buxton-Water owes its medicinal Efficacy to Gas, *ibid*.

- Vegetation, State of, in the Peake, I. 71;—Effect on the Atmosphere vitiated by the Compound of Air and Phlogiston, or by Gas, 82—120;—Manner in which it may render foul Air less impure, 83, 84.
- Fegetables excrete pure Air when exposed to the Light of the Sun, 81;—probably abforb Impurities from the Atmofphere, 82;—do not live long in confined Air, 109;—being in smaller Number in the Peake than in other Regions may occasion its Atmosphere to be less pure, *ibid*.

Vinous Springs, what fo called, 59.

Vitriol, green, not necessary to the Manufactory of Prussian - Blue, 211.

- Vitriolic Acid, combined with fome Substance, is found in Buxton-Water, 185.
- Volcanos, a great Source of Impurities of the Atmosphere, 126;—artificial produced by a Mixture of Iron and Sulphur, II. 169.
- Volatile Part of medicinal Springs, Opinions concerning it, 1-13;-to what referred by Dr. Brownrigg, 2.

W.

Water, common Opinion erroneous of its Effects upon the Atmosphere, I. 84;—renders the Atmosphere more impure by absorbing pure Air, 93—99;—purifies the Atmosphere by combining with Gas, 99;—of Seas, Lakes, and

and large Rivers, in what Manner it purifies the Almofphere according to Dr. Fordyce, 121;-Quantity, Frequency and Form of it in the Atmosphere of the Peake, 130 ;--- its Effects upon foul Air when shaken with it, 94, 95 ;- bard, rendered foft, perhaps, by Evaporation or Exposure to the Air, 221 ;--- its Effect upon the Atmofphere of the Peake with Regard to Health and Life, 133; -bard, its Properties, 217 ;-affords folid Substances after forty Distillations, ibid .- Spring, distilled, in general, contains no Gas to the Teft of Lime-Water, although before Distillation it precipitated Lime from Lime-Water, 2842 -of 82° of Heat produces the Senfation of Coolinefs in Men, and this Heat cannot be borne by Fishes, II. 71.boiled, absorbs more of the permanent Vapour, that separates itself from Buxton-Water than is naturally contained in this Water, 152.

- Well, St. Anne's, at Buxton, built by Sir Thomas Delves, I. 5;—Speed's, Defcription of it, 7;—new, Defcription of, 12, 158;—Prejudices against it ill founded, 12;— Opinion shewn to be erroneous that the Alteration of it had injured its medicinal Qualities, 159—161;—Circumstances of the new and old Well compared, 157—159;— Plate of, 159.
- Winds, in the Peake, Account of, 134;-their Effect in removing and preventing Difeafes, 135.
- Winters, more fevere in the Peake than in lefs elevated Regions, 70.

Wolves, formerly in the Peake, 3.

Wormbill, its Name from Wolves-hunt and Wolf-haunt, 3. Wye, its Source, probably, in Ax Edge, 144.

$\mathbf{Z}.$

Zinc-Ore found in the Peake in a ealciform State and mineralized with Sulphur, 56.

FINIS.

